


Z-PACK | Z-PACK 2mm HM

TE Internal #: 3-100159-0 Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm ΗM

View on TE.com >

Connectors > PCB Connectors > Backplane Connectors > Hard Metric Backplane Connectors >

Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm



PCB Connector Assembly Type: PCB Mount Header

Data Rate: **≤1 Gb/s**

Number of Columns: 11

Number of Rows: 5

Backplane Architecture: Traditional Backplane

All Hard Metric Male Connector: Traditional Backplane, Mezzanine, 2mm (124)



Features

Product Type Features

PCB Connector Assembly Type	PCB Mount Header			
Connector System	Board-to-Board			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Columns	11			
Number of Rows	5			
Backplane Architecture	Traditional Backplane			
Number of Positions	55			
PCB Mount Orientation	Vertical			
Signal Characteristics				
Data Rate	≤1 Gb/s			

C For support call+1 800 522 6752

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



Body Features

Primary Product Color	Gray
Contact Features	
CompactPCI Designation	None
Contact Type	Pin
Contact Mating Area Plating Material	Gold
Contact Mating Area Plating Material Thickness	.76 μm[30 μin]
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2 mm[.078 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal
Packaging Features	

Tube

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU

EU ELV Directive 2000/53/EC

China RoHS 2 Directive MIIT Order No 32, 2016

EU REACH Regulation (EC) No. 1907/2006

Not Compliant

Compliant with Exemptions

Restricted Materials Above Threshold

Current ECHA Candidate List: JUNE 2023 (235)

Candidate List Declared Against: JUNE 2022 (224)

SVHC > Threshold:

Pb (13% in Component Part)

Article Safe Usage Statements:

Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.

Not Low Halogen - contains Br or Cl > 900 ppm.

Not applicable for solder process capability

Halogen Content

Solder Process Capability

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Also in the Series Z-PACK 2mm HM



	and the second s		
Backplane Coding Keys(60)	Backplane Connector Housings(4)	Backplane Guide Hardware(37)	Backplane Power Connectors(6)
A Contraction of the second se			
Board-to-Board Connector Contacts(2)	Hard Metric Backplane Connectors (269)	High Speed Backplane Connectors(1)	Insertion & Extraction Tools(2)

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM





Customers Also Bought



TE Part #5747193-1 50 RCPT RA/MS STD (SL)	TE Part #5055558-3 10 PWR TAP CONT PLTD STD .100	TE Part #1658620-2 14 NOVO MIL 15DP, LEAD FREE	TE Part #4-2176314-7 MELF SMA_A 1K0 1% 50PPM 0102 0.3 W
TE Part #5749109-7 100 50SR CABLE PLUG SUB-ASSY			

Documents

Product Drawings 2MM HDR, 55 POS EXTN MOD

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-100159-0_J.2d_dxf.zip

Hard Metric Backplane Connectors, PCB Mount Header, ≤1 Gb/s, 11 Column, 5 Row, Traditional Backplane, 55 Position, Z-PACK 2mm HM



English

Customer View Model ENG_CVM_CVM_3-100159-0_J.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-100159-0_J.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Product Specification

English

Product Environmental Compliance

Product Compliance

English

Product Compliance

English