


Terminal outlet - VS-TO-0W-6-F-9010 - 1653029

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Terminal outlet, surface mounting, IP20, six slots for contact inserts with the Freenet system



Key commercial data

Packing unit	1 pc
GTIN	 4 017918 969981
Weight per Piece (excluding packing)	198.3 GRM
Custom tariff number	85366990
Country of origin	Taiwan

Technical data

Mechanical characteristics

Number of slots	6
Color	pure white RAL 9010

Ambient conditions

Ambient temperature (operation)	5 °C ... 55 °C
Degree of protection	IP20

Material data

Inflammability class according to UL 94	V0
Housing material	PC+ABS

Terminal outlet - VS-TO-0W-6-F-9010 - 1653029

Classifications

eCl@ss

eCl@ss 4.0	27140816
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27260705
eCl@ss 7.0	27440309
eCl@ss 8.0	27440309

ETIM

ETIM 2.0	EC000764
ETIM 3.0	EC001121
ETIM 4.0	EC001121
ETIM 5.0	EC002641

UNSPSC

UNSPSC 6.01	31261501
UNSPSC 7.0901	31261501
UNSPSC 11	31261501
UNSPSC 12.01	31261501
UNSPSC 13.2	31261501

Approvals

Approvals

Approvals

UL Listed / cUL Listed / cULus Listed

Ex Approvals

Approvals submitted

Approval details

Terminal outlet - VS-TO-0W-6-F-9010 - 1653029

Approvals

UL Listed 

cUL Listed 

cULus Listed 

Accessories

Accessories

Female insert

RJ45 socket insert - VS-08-BU-RJ45-5-F/PK - 1652936



RJ45 socket insert, for the Freenet system, CAT5e, 8-pos., shielded, with cable connection (IDC fast connection), for solid wires AWG 24 ... 22

RJ45 socket insert - VS-08-BU-RJ45-6-F/PK - 1652949



RJ45 socket insert, for the Freenet system, CAT6, 8-pos., shielded, with cable connection (IDC fast connection), for litz and solid wires AWG 24 ... 22

Fiber optics connector (device side)

Fiber optic coupling - VS-SCRJ-GOF-KU - 1654358



SC-RJ coupling insert, duplex, for VS-PP-19-1HE-16-F patch panel, VS-TO...F... terminal outlets, and VS-SI-FP-2F front plate, can be used for GOF (multi mode and single mode), HCS, and polymer fiber types

Terminal outlet - VS-TO-0W-6-F-9010 - 1653029

Accessories

Rectangular connector (device side)

RJ45 socket insert - VS-08-BU-RJ45-5-F/BU - 1652952



RJ45 socket insert, for the Freenet system, CAT5e, 8-pos., shielded, socket on socket

Drawings

Dimensioned
drawing

Terminal
outlet

Phoenix Contact 2014 © - all rights reserved
<http://www.phoenixcontact.com>