

TE Internal #: 2274680-1 Mini-SAS HD, Receptacle, Cable-to-Board, 144 Position, 4 Row, 4 Port, Right Angle, Through Hole - Press-Fit, .029 in [.75 mm] Centerline, Signal

View on TE.com >



Connectors > PCB Connectors > SAS & MiniSAS



SAS Connector Type: Mini-SAS HD Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 144

Number of Rows: 4

Features

Product Type Features

Shell	With
SAS Connector Type	Mini-SAS HD
Connector & Housing Type	Receptacle
Connector System	Cable-to-Board

Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Positions	144			
Number of Rows	4			
Number of Ports	4			
PCB Mount Orientation	Right Angle			
Body Features				
Primary Product Color	Black			
Contact Features				
Contact Base Material	Copper Alloy			
Termination Features				
Termination Method to Printed Circuit Board	Through Hole - Press-Fit			
Mechanical Attachment				
PCB Mount Retention	With			

C For support call+1 800 522 6752

2274680-1

Mini-SAS HD, Receptacle, Cable-to-Board, 144 Position, 4 Row, 4 Port, Right Angle, Through Hole - Press-Fit, .029 in [.75 mm] Centerline, Signal



PCB Mount Retention Type	M2 Screw				
Connector Mounting Type	Board Mount, Panel Mount				
Housing Features					
Housing Material	LCP (Liquid Crystal Polymer)				
Centerline (Pitch)	.75 mm[.029 in]				
Dimensions					
Profile Height from PCB	12.78 mm[.503 in]				
Usage Conditions					
High Temperature Housing	Yes				
Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]				
Operation/Application					
Circuit Application	Signal				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Quantity	15				
Packaging Method	Box & Tray				

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant	
EU ELV Directive 2000/53/EC	Compliant	
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold	
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC	
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free	
Solder Process Capability	Not applicable for solder process capability	
Product Compliance Disclaimer		

2274680-1

Mini-SAS HD, Receptacle, Cable-to-Board, 144 Position, 4 Row, 4 Port, Right Angle, Through Hole - Press-Fit, .029 in [.75 mm] Centerline, Signal



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought









TE I		222201010101010101010101	
TE Part #2149966-1 MiniSAS HD, 1x2 Rec Assy	TE Part #1-2199230-5 M.2 0.5PITCH 4.2H KEY M 15U'' AU	TE Part #5-146256-1 02 MODII HDR DRST B/A .100CL LF	TE Part #2169809-1 IMP,Power,4PR,VR,Tin
IDUI BUILINE B	ETE		the second s
TE Part #3-2176337-9 CRGCQ 0402 15K 1%	TE Part #1924678-1 26P SMT LAC HDR ASY, KEY AE, Hand Mate	TE Part #2342935-2 QSFP-DD 1X2, STANDARD, W/ EXTRUDED HS	TE Part #2354166-2 SAS/PCIE 4.0 (U.2/U.3) RECEPTACLE, 68POS

2274680-1

Mini-SAS HD, Receptacle, Cable-to-Board, 144 Position, 4 Row, 4 Port, Right Angle, Through Hole - Press-Fit, .029 in [.75 mm] Centerline, Signal





Documents

Product Drawings MINISAS HD 1X4 REC ASSY W/ WELD; AU ONLY

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2274680-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2274680-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_2274680-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English