Г					
NOTE :		242278 DRAWING	NO. REV	REVISIONS DESCRIPTION	DATE ECO APPR
REFERENCE STANDARD IEC60169-4		THIRD ANGLE PRO		RELEASE TO MFG.	II-Sep-I3 KR/BCG
I. ELECTRICAL PERFORMANCE -					
NOMINAL IMPEDANCE: 50 Ω FREQUENCY RANGE: DC-3.0 GHzVSWR: 1.100 MAX.INSERTION LOSS: 0.100 dB MAX. (@ 3.0 GHz)PIM: -165 dBc MAX. (2x43dBm)INSULATION RESISTANCE: 5000 M Ω MIN.D.W.V: 2500 VRMSCONDUCTOR RESISTANCE: OUTER CONDUCTOR 0.5 m Ω MAX.INNER CONDUCTOR I.0 m Ω MAX.	-	1.539 [[39.10] REF. ——————————		
					SCALE I.000
RETENTION : 7/16: 5.88 N MIN. 4.1/9.5: 4.00 N MIN. AXIAL FORCE : 200 N NUT FORCE : 10 N-m MIN. TO 12 N-m MAX.(4.1/9.5) MATING CYCLES : 500 MIN.		<u> </u>			
III.MATERIAL AND PLATING -					
INNER CONDUCTOR : SPRING COPPER ALLOY, PLATING = Ag (5µm MIN.) OUTER CONDUCTOR : BRASS, PLATING = COPPER-TIN-ZINC (2µm MIN.) NUT : BRASS, PLATING = NI (5µm MIN.) INSULATOR : PTFE					
IV. ENVIRONMENTAL -					
TEMP. RANGE : -40°C TO +85°C WEATHER STANDARD : IEC 60068 40/ 85/ 21 THERMAL SHOCK : MIL-STD 202, METHOD 107, CONDITION B VIBRATION : MIL-STD 202, METHOD 204, CONDITION B					
SHOCK : MIL-STD 202, METHOD 213, CONDITION I V. ROHS COMPLIANT	7/16 FEMALE INTERFACE			4.1/S MAL INTERF	E
	M29xI.5 6g/		0.945 ON FLATS [24.00]	0.866 ON HEX [22.00]	
			C	SUSTOMER OUT	
2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL SEE NOTES	DRAWN KARTHIK R ENGINEER		6 FEMALE TO 4.1/9.5	Amphenol
NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is	REFERENCE	KARTHIK R Approved	05-Sep-I3 DATE	EADAPTER	Connex
not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		B.C. GLEISSNER CAD FILE	-Sep- 3	dwg size drawing ng B 24	SCALE: 4.0:1 SHEET I OF I D: REV A A A

NOTICE - These drawings, specifications, or other data (1) are, and remain the property of Amphenol Corp. (2) must be returned upon request; and (3) are confidential and not to be disclosed to any person other than those to whom they are given by Amphenol Corp. The furnishing of these drawings, specifications, or other data by Amphenol Corp., or to any other person to anyone for any purpose is not to be regarded by implication or otherwise in any manner licensing, granting rights or permitting such holder or any other person to manufacture, use or sell any product, process or design, patented or otherwise, that may in any way be related to or disclosed by said drawings, specifications, or other data.		CAD FILE		
	NET ENENGE	APPROVED B.C. GLEISSNER	DATE -Sep- 3	
	REFERENCE	ENGINEER KARTHIK R	DATE 05-Sep-13	MALE ADAPTE
UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES AND TOLERANCES ARE: 2 PLACE DECIMAL 3 PLACE DECIMAL ANGLES ±.015 (0,381 mm) ±.005 (0,127 mm) ± 1°	MATERIAL SEE NOTES	drawn karthik R	DATE 05-Sep-13	7/16 FEMALE