





PART NUMBER SEE SHEET 2



spec ref	*	dr	Vicking Liu	2016/02/26	projection	MM	size	A3	scale	3:2	
tolerance std	ASME Y14.5	eng	Vicking Liu	2016/03/08			ecn no	-	rel level	Released	
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2016/03/08			product family	PwrBlade+			
surface	linear	0.X	±0.5	Amphenol FCI	2HDP + 16S VERTICAL STB HEADER		dwg no	10106136-2004002		rev	A
		0.XX	±0.25		cat. no.	Product - Customer Drw		sheet 1 of 3			
ASME Y14.5	angular	0°	±2°								

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION: 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS ARE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ±0.025MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ±0.07MM HOLE.
- 8) PRODUCT SPECIFICATION: GS-12-658.
APPLICATION SPECIFICATION: GS-20-141.
PRODUCT PACKAGED IN TRAYS: GS-14-1502.

Amphenol
FCi

© 2016 AFCI

spec ref *		dr	Vicking Liu	2016/02/26	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Vicking Liu	2016/03/08		← →	ecn no		-	
ASME Y14.5		chr	Fancy Zhang	2016/03/08			rel level		Released	
surface		linear	appr	Pei-Ming Zheng	2016/03/08	product family	PwrBlade+	rev		A
ASME Y14.5	angular			cat. no.	Product - Customer Drw		dwg no	10106136-2004002		sheet 3 of 3