

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT BY TYCO ELECTRONICS CORPORATION. ALL RIGHTS RESERVED.




LOC		DST		REVISIONS			
GP	00	REV	DESCRIPTION	DATE	OWN	APP'D	
		E	REVISED PER ECO-08-007327	27JAN2009	ZMR	WLM	
		E1	REVISED PER ECO-10-000030	07JAN10	KK	AEG	

1. THE CONTACT SURFACES OF THE TERMINALS ARE COATED WITH LUBRICANT.

⚠ MATERIAL:
 HOUSING- POLYPHENYLENE OXIDE (BLACK)
 TERMINALS - HIGH STRENGTH COPPER ALLOY PLATED WITH EITHER .000030 MIN GOLD OR GOLD FLASH OVER PALLADIUM NICKEL .000030 MIN TOTAL ON CONTACT MATING SURFACE. .000050 MIN NICKEL UNDERPLATE OVER ENTIRE TERMINAL.

3. WIRE SIZE: 26, 27 OR 28 AWG 7 STRANDS OF COPPER CONDUCTORS MAXIMUM INSULATION ϕ .045 IS ACCEPTABLE FOR MOST APPLICATIONS.

⚠ OBSOLETE PARTS: OBSOLETE CIS STREAMLINING PER D.RENAUD/D.SINISI



⚠ OBSOLETE	GRAY	554339-2
	BLACK	554339-1
	DESCRIPTION	PART NO

THIS DRAWING IS A CONTROLLED DOCUMENT.		DRN S. POZEBANCHUK 10/28/83	Tyco Electronics Corporation Harrisburg, PA 17105-3608	
DIMENSIONS: INCHES		CHK M.D. FRIEL 11/30/83	Wayne Pule	
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APRD WAYNE PULE 1/3/84	NAME	
0 PLC ± -		PRODUCT SPEC		
1 PLC ± -		APPLICATION SPEC		
2 PLC ± -		SIZE		
3 PLC ± -		PAGE CODE		
4 PLC ± -		DRAWING NO		
ANGLES ± -		RESTRICTED TO		
MATERIAL	FINISH	WEIGHT	SCALE	REV
⚠	⚠	-	A2 00779 C=554339	E1
CUSTOMER DRAWING		SCALE NTS		SHEET 1 of 1