

Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

PART NUMBER: W3513

Series: Internal PCB antenna



Features:

- · Low profile
- · Omni directional gain in XY-plane
- Size W x L x H (16 x 70 x 0.9 mm)
- Antenna feed cable length: 250mm (total) / 212mm (from radiator edge)
- Antenna feed cable: 1.13mm OD with U.FL compatible connector
- Lead free materials
- RoHS Compliant Product

Applications:

- Access point routers 802.11n
- WLAN/WiFi 802.11a/b/g/n

All dimensions are in mm / inches

Issue: 1835

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

ELECTRICAL SPECIFICATIONS

Antenna Type PCB Dipole

Frequency 2.4-2.5G&4.9-5.9G

Nominal Impedance 50 Ω VSWR 2:1

Radiation Pattern Omni

Gain 2dBi

Efficiency(2.4-2.5G) >65% Efficiency(4.9-5.9G) >55%

Polarization Vertical

MECHANICAL SPECIFICATIONS

Size W x L x H 16 x 70 x 0.9 mm

Weight 2.57g

Connector type U.FL compatible connector

Cable type Ø1.13mm Coaxial Cable, Black

Cable length 250mm

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature -40 to +85 ° C

Storage Temperature -40 to +85 ° C

RoHS Compliant Yes






Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

MECHANICAL DRAWING






Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna


PART NUMBER: W3513

TEST SETUP



Test in free space.

VSWR vs Frequency



Issue: 1835





Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna


PART NUMBER: W3513

CHARTS

Peaking Gain



Radiation Efficiency






Description: 2.4/5GHz Dual Band Pigtail PCB Dipole


Series: Internal PCB antenna


PART NUMBER: W3513

CHARTS

Radiation Pattern 2D(2.4G-2.5G)










Description: 2.4/5GHz Dual Band Pigtail PCB Dipole


Series: Internal PCB antenna


PART NUMBER: W3513

CHARTS

Radiation Pattern 2D (4.9G-5.9G)









Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

CHARTS

The VSWR when placed on different materials.

SETUP	Frequency/GHz	VSWR	
		Min	Max
Space	2.4-2.5	1.20	1.36
	4.9-5.9	1.00	1.90
ABS	2.4-2.5	1.36	1.55
	4.9-5.9	1.20	2.40
glass	2.4-2.5	1.43	1.57
	4.9-5.9	1.38	2.49
Metal_0cm	2.4-2.5	7.80	8.00
	4.9-5.9	5.16	6.00
Metal_0.5cm	2.4-2.5	4.75	4.96
	4.9-5.9	1.50	2.50
Metal_1cm	2.4-2.5	2.88	3.19
	4.9-5.9	1.4	2.21
Metal_2cm	2.4-2.5	1.69	2.03
	4.9-5.9	1.09	1.95
Metal_3cm	2.4-2.5	1.30	1.54
	4.9-5.9	1.10	1.79




Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

CHARTS

Antenna is placed on ABS & glass.





When placed on ABS or glass, mainly difference is in high frequency band(4.9G-5.9G). Which performance will decline.

Issue: 1835





Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

CHARTS

Placed on metal with different distance.





When the distance is 0.5-2cm, the metal mainly affect the performance of low frequency band(2.4G-2.5G). When the distance is above 2cm,the metal will have a little influence in two band.

Issue: 1835





Description: 2.4/5GHz Dual Band Pigtail PCB Dipole

Series: Internal PCB antenna

PART NUMBER: W3513

PACKAGING

5 pcs per PE bag, 250 pcs per foam bag, 6 foam bags per box, 1500 pcs per box.

