

Connector A 132453 SMA Jack Straight Bulkhead - Rear Mount Brass Gold + Heatshrink 50 Ohm LMR-240 Continuity/Hi-Pot Connector B 172386 N-Type Jack Straight Bulkhead - Rear Mount Brass White Bronze + Heatshrink

## Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

|   | Connector A   |  |  | Cable  |   |  | Connector B   |   |  |
|---|---|--|--|--|---|--|---|---|--|
| Typ<br>Ger<br>Boo<br>Cor<br>Pola<br>Imp<br>Moo<br>Boo<br>Boo<br>Boo<br>IP F<br>Cor<br>Cor<br>Cor<br>Max | rt #: 13245<br>scription: SMA<br>pe: SMA<br>nder: Jack<br>dy Type: Straig<br>ntact Type: Solde<br>larity: Stand<br>pedance: 50 Of<br>ounting: Bulkh<br>dy Material: Brass<br>dy Finish: Gold<br>Rating: None<br>ntact Material: Beryll<br>ntact Finish: Gold<br>x. Freq.: 6 GHz | Jack<br>Straight<br>Solder<br>Standard<br>50 Ohm<br>Bulkhead - Rear Mount<br>Brass<br>Gold<br>None<br>E Beryllium Copper |  | Part #:<br>Description:<br>Dielectric:<br>Shielding:<br>Diameter:<br>Impedance:<br>Sheathing:<br>Testing:<br>Length: | LMR-240<br>LMR-240 - FEP 0.24<br>FEP<br>Braid<br>0.24<br>50 Ohm<br>None<br>Continuity Hi-Pot<br>1 Meter | Part #:<br>Description:<br>Type:<br>Gender:<br>Body Type:<br>Contact Type:<br>Polarity:<br>Impedance:<br>Mounting:<br>Body Material:<br>Body Finish:<br>IP Rating:<br>Contact Material:<br>Contact Finish:<br>Max. Freq.:<br>Booting:<br>Clocking: | 172386<br>N-Type BHD JK Op<br>N-Type<br>Jack<br>Straight<br>Crimp<br>Standard<br>50 Ohm | N-Type BHD JK Optimized LMR240 500<br>N-Type<br>Jack<br>Straight<br>Crimp<br>Standard<br>50 Ohm<br>Bulkhead - Rear Mount<br>Brass<br>White Bronze<br>None<br>Phosphor Bronze<br>Gold<br>6 GHz |  |
| Amphenol  |   | PROPRIETARY I<br>FOR ANY PURPO<br>INC. IT MAY NO<br>IN ANY FORM W<br>CUSTOM CABLE  | THIS DRAWING MAY CONTAIN PATENTED OR<br>PROPRIETARY INFORMATION AND MUST NOT BE USED<br>FOR ANY PURPOSE DETRIMENTAL TO CUSTOM CABLE<br>INC. IT MAY NOT BE REPRODUCED OR TRANSCRIBED<br>IN ANY FORM WITHOUT THE WRITTEN CONSENT OF<br>CUSTOM CABLE INC. ACCEPTANCE OF THIS DRAWING<br>ESTABLISHES AND AGREEMENT OF THE FOREGOING. |  | LE<br>D<br>NG Part No:  | SMA-ST-JK/N-ST-JK LMR24 1M   |   | UNLESS SPECIFIED<br>TOLERANCE:<br>0-18 inches +/- 1/2"<br>over 18" +/- 2%<br>ASSEMBLY:<br>CENTER LABEL IF LENGTH<br>IS LESS THAN 12 INCHES  |  |



## **RoHS 2015/863 Compliance Statement**

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/1/2023

Part Number: Q-32026000M001M

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-JK/N-ST-JK LMR24 1M

This information is valid as of the date indicated for the item (part number) listed.

**Director of Quality Assurance** 

Janice Frank