

Data sheet | Item number: 883-7044

Jumper; 4-way; unplated; silver-colored

www.wago.com/883-7044



Color:

Data

Electrical data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Ratings per IEC/EN

Nominal voltage (III/3)	1000 V
Rated current	192 A
Current at conductor cross-section (max.) mm ²	232 A

Physical data

Width	75.3 mm / 2.965 inches
Depth	10 mm / 0.394 inches

Mechanical Data

Tightening torque	3.2 ... 3.7 Nm
-------------------	----------------

Material Data

Note (material data)	Information on material specifications can be found here
Color	silver-colored
Weight	75.7 g

Commercial data

ETIM 8.0	EC000489
ETIM 7.0	EC000489
PU (SPU)	10 pcs
Packaging type	bag
Country of origin	DE
GTIN	4055143940979
Customs tariff number	85366990990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



883-7044 docx - Datei	docx 12.7 kB	Download
--------------------------	-----------------	----------

883-7044 X81 - Datei	xml 2.8 kB	Download
-------------------------	---------------	----------

Additional Information

	pdf 2.2 MB	Download
--	---------------	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 883-7044 Jumper; 4-way; unplated; silver-colored	URL	Download
--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!