
# DTM12P-BT-BK - ACTIVE

TE Internal #: DTM12P-BT-BK Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 12 Position, -20 – 212 °F [-29 – 100 °C] View on TE.com >



Connectors > Automotive Connectors > Automotive Connector Accessories > Automotive Connector Caps & Covers



Protection & Strain Relief Accessory Type: Boot

Cable Exit Angle: 180°

Strain Relief: With

Primary Product Color: Black

Primary Product Material: PVC

## Features

#### **Product Type Features**

Protection & Strain Relief Accessory Type	Boot
Sealable	No
Configuration Features	
Number of Positions	12
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black
Primary Product Material	PVC
Mechanical Attachment	
Strain Relief	With
Dimensions	
Compatible Cable Bundle Diameter Range	0 – 10.92 mm[0 – .43 in]
Usage Conditions	
Compatible With Connector Style	Receptacle

## DTM12P-BT-BK

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 12 Position, -20 – 212 °F [-29 – 100 °C]



Operating Temperature (Max)	100 °C[212 °F]
Operating Temperature Range	-29 – 100 °C[-20 – 212 °F]
Industry Standards	
Degree of Protection	IP6K9K
Packaging Features	
Packaging Method	Box
Other	
Serviceable	Yes
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC

#### Halogen Content

Not Low Halogen - contains Br or Cl > 900 ppm.

Solder Process Capability

Not reviewed for solder process capability

#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**

## DTM12P-BT-BK

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 12 Position, -20 – 212 °F [-29 – 100 °C]






## Customers Also Bought



TE Part #DTM04-12PA REC, 12P, GRY, N, A	TE Part #WM-12P WEDGE LOCK, 12P, REC, ORG, DTM	TE Part #DTM12S-BT-BK BOOT, 12P, PLG, ST, BLK	TE Part #284223-3 24 POS.KIT ASSY FOR AIR BAG (G
			A123461 A123462 A123456
TE Part #HDC36-18-1E DUST CAP, 18SZ, REC, AL, NO LANYARD,HD30	TE Part #5069714007 CGPT-4.8/2.4-X-SP	TE Part #DT2S-BT-BK BOOT, 2P, PLG, ST, BLK	TE Part #5053384013 RNF-100-1-1/2-9-SP



## Documents

### DTM12P-BT-BK

Automotive Connector Caps & Covers, Boot, Cable Exit Angle 180°, Black, PVC, 12 Position, -20 – 212 °F [-29 – 100 °C]



Product Drawings BOOT, 12P, REC, ST, BLK

English

**CAD** Files

3D PDF

3D

Customer View Model

ENG\_CVM\_CVM\_DTM12P-BT-BK\_A.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_DTM12P-BT-BK\_A.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_DTM12P-BT-BK\_A.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages CONNECTOR SELECTOR

English

Product Specifications Application Specification

English