## HS LC-H-D2SP/ R1XC6 - Fiber optic

#### 1474392

https://www.phoenixcontact.com/us/products/1474392

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Multiple light guides, passive, rigid, can be used for the ME, ME-MAX, ME-IO, ME PLC, and EH housing ranges (housing must be processed)



#### Your advantages

- · Light guides are perfectly matched to electronics housings
- · Easy mounting on the PCB using press pins
- · Resistance to ESD
- · Housing processing available on request
- · Enables simple visual status and diagnostic indicators

## Commercial data

Item number	1474392
Packing unit	1 pc
Minimum order quantity	100 pc
Sales key	AC05
Product key	ACGABA
GTIN	4063151888824
Weight per piece (including packing)	0.75 g
Weight per piece (excluding packing)	0.7 g
Customs tariff number	90019000
Country of origin	DE

PHŒNIX

# HS LC-H-D2SP/ R1XC6 - Fiber optic

1474392

https://www.phoenixcontact.com/us/products/1474392



## Technical data

General	Refer to the data sheet for the range in the download area
uct properties	
Product type	Fiber optic
Number of positions	6
Pitch	2.54 mm
Number of rows	1
Alignment	Horizontal
Туре	passive, rigid
Conductor type	Multiple light guides
Head form	Raised head
Number of indicators	6 (1 row x 6 columns)
ESD protection ensions	< 8 kV
Diameter	2 mm
Hole diameter	1.1 mm
Pitch	2.54 mm
erial specifications	
Color	transparent
Color (Light guide)	transparent
Insulating material	Polycarbonat
rironmental and real-life conditions	
Max. IP code to attain	IP20

# HS LC-H-D2SP/ R1XC6 - Fiber optic

1474392

https://www.phoenixcontact.com/us/products/1474392



## Classifications

#### ECLASS

ECLASS-11.0	27182702
ECLASS-13.0	27460404

#### ETIM

ETIM 8.0

EC001031

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com