






PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Xie Bob	2014/04/11	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Xie Bob	2014/04/22			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Li-He	2014/04/22						
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	appr	Pei-Ming Zheng	2014/04/22	product family	PwrBlade+	rel level	Released		
ASME Y14.5	linear: 0.X ±0.5, 0.XX ±0.25, 0.XXX ±0.10 angular: 0° ±2°			title: 3HDP+ILP+24S+ILP+3HDP RA STB HEADER	dwg no: 10106262-6206003	rev: A				
ASME Y14.5		www.fci.com		cat. no.	Product - Customer Drw			sheet 1 of 3		

PRODUCT NO.	ROWS	HP			LP	SIGNAL						LP	HP				
		E1	P1	P2	P3	LP1	1	2	3	4	5	6	LP2	P4	P5	P6	E2
10106262-6206003LF	DCBA	H1 H1 H1			LK	U	U	U	U	U	U	U	LK	H1 H1 H1			
						T	T	T	T	G	T						
						S	S	S	S	S	S						
						E	R	E	R	R	R						



CODE	DESCRIPTION
E	MLBF SIGNAL CONTACT, ROW A (3.43)
G	MLBF SIGNAL CONTACT, ROW C (3.43)
H1	STD HIGH POWER CONTACT (3.43)
HA	METAL HOLD DOWN
LK	STD LOW POWER CONTACT (3.43)
R	STD SIGNAL CONTACT, ROW A (3.43)
S	STD SIGNAL CONTACT, ROW B (3.43)
T	STD SIGNAL CONTACT, ROW C (3.43)
U	STD SIGNAL CONTACT, ROW D (3.43)

dr	Xie Bob	2014/04/11	projection	MM	size	A3	scale	3:2	
eng	Xie Bob	2014/04/22			ecn no		-		
chr	Li-He	2014/04/22			rel level		Released		
appr	Pei-Ming Zheng	2014/04/22	product family		PwrBlade+		rel level		
			3HDP+ILP+24S+ILP+3HDP			dwg no		10106262-6206003	
www.fci.com			RA STB HEADER			rev		A	
cat. no.				Product - Customer Drw				sheet 2 of 3	






Copyright FCI.

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.  
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.  
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.



Copyright FCI.

dr	Xie Bob	2014/04/11	projection 	MM 	size	A3	scale	3:2
eng	Xie Bob	2014/04/22			ecn no	-		
chr	Li-He	2014/04/22			rel level	Released		
appr	Pei-Ming Zheng	2014/04/22	product family	PwrBlade+				
		title 3HDP+ILP+24S+ILP+3HDP RA STB HEADER		dwg no 10106262-6206003	rev A			
www.fci.com		cat. no.	Product - Customer Drw		sheet 3 of 3			