

**Data sheet | Item number: 790-133**

Busbar; tin-plated; 30 mm long; Cu 10 mm x 3 mm; silver-colored

[www.wago.com/790-133](http://www.wago.com/790-133)



**Data**

**Technical data**

Main product function

Mounting accessories

---

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Material Data

Color	silver-colored
Weight	9.2 g

## Commercial data

eCl@ss 10.0	27-14-11-39
eCl@ss 9.0	27-14-11-39
ETIM 8.0	EC001522
ETIM 7.0	EC001522
PU (SPU)	20 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454229733
Customs tariff number	74071000000

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Optional accessories

### Shield termination

Shield clamping saddles		
<b>Item no.: 790-116</b>	Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	<a href="http://www.wago.com/790-116">www.wago.com/790-116</a>
<b>Item no.: 790-124</b>	Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	<a href="http://www.wago.com/790-124">www.wago.com/790-124</a>
<b>Item no.: 790-108</b>	Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	<a href="http://www.wago.com/790-108">www.wago.com/790-108</a>
<b>Item no.: 790-140</b>	Shield clamping saddle; diameter of compatible conductor	<a href="http://www.wago.com/790-140">www.wago.com/790-140</a>
<b>Item no.: 790-216</b>	Shield clamping saddle; 21.8 mm wide; 6 ... 16 mm	<a href="http://www.wago.com/790-216">www.wago.com/790-216</a>
<b>Item no.: 790-220</b>	Shield clamping saddle; 30 mm wide; 6 ... 20 mm	<a href="http://www.wago.com/790-220">www.wago.com/790-220</a>
<b>Item no.: 790-208</b>	Shield clamping saddle; 12.4 mm wide; 3 ... 8 mm	<a href="http://www.wago.com/790-208">www.wago.com/790-208</a>
Shield termination		

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 791-107</b> Shield clamp; diameter of compatible conductor; 1.5 mm to 6.5 mm; H max. 40 mm; 10 mm wide	<a href="http://www.wago.com/791-107">www.wago.com/791-107</a>
<b>Item no.: 791-124</b> Shield clamp; diameter of compatible conductor; 16 mm to 24 mm; H max. 78 mm; 30 mm wide	<a href="http://www.wago.com/791-124">www.wago.com/791-124</a>
<b>Item no.: 791-111</b> Shield clamp; diameter of compatible conductor; 5 mm to 11 mm; H max. 47 mm; 17 mm wide	<a href="http://www.wago.com/791-111">www.wago.com/791-111</a>
<b>Item no.: 791-117</b> Shield clamp; diameter of compatible conductor; 10 mm to 17 mm; H max. 63 mm; 23 mm wide	<a href="http://www.wago.com/791-117">www.wago.com/791-117</a>

## Downloads

### Documentation

#### Bid Text

790-133 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
790-133 doc - Datei	2017 年8月31 日	doc 23.6 kB	Download

### CAD/CAE-Data

#### CAE data

WSCAD Universe 790-133	URL	Download
EPLAN Data Portal 790-133	URL	Download

#### CAD data

2D/3D Models 790-133	URL	Download
----------------------	-----	----------

### Environmental Product Compliance

#### Compliance Search

Environmental Product Compliance 790-133 Busbar; tin-plated; 30 mm long; Cu 10 mm x 3 mm; silver-colored	URL	Download
---	-----	----------

### Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.