

Data sheet | Item number: 745-545

End plate; gray

[www.wago.com/745-545](http://www.wago.com/745-545)



Color:

## Data

### Physical data

Width	10.5 mm / 0.413 inches
Height	27 mm / 1.063 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	33.4 mm / 1.315 inches
-------	------------------------

**Mechanical Data**

Mounting type	Mounting flange
Mounting type	Screw mount

**Material Data**

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.056 MJ
Weight	1.9 g

**Commercial data**

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	200 (50) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332793476
Customs tariff number	85389099990

**Environmental Product Compliance**

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

**Approvals / Certificates****General approvals**

Logo	Approval	Additional Approval Text	Certificate name
	CSA	C22.2 No. 158	1604421

Subject to changes. Please also observe the further product documentation!

DEKRA Certification B.V.

## Required accessories

### End plate

#### PCB terminal block

<b>Item no.: 745-857/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 10 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/745-857/006-000">www.wago.com/745-857/006-000</a>
<b>Item no.: 745-858/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 10 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/745-858/006-000">www.wago.com/745-858/006-000</a>
<b>Item no.: 745-878/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 15 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/745-878/006-000">www.wago.com/745-878/006-000</a>
<b>Item no.: 745-854/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 10 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/745-854/006-000">www.wago.com/745-854/006-000</a>
<b>Item no.: 745-884/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 20 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/745-884/006-000">www.wago.com/745-884/006-000</a>
<b>Item no.: 745-877/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 15 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/745-877/006-000">www.wago.com/745-877/006-000</a>
<b>Item no.: 745-871/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 15 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/745-871/006-000">www.wago.com/745-871/006-000</a>
<b>Item no.: 745-887/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 20 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; green-yellow	<a href="http://www.wago.com/745-887/006-000">www.wago.com/745-887/006-000</a>
<b>Item no.: 745-874/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 15 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/745-874/006-000">www.wago.com/745-874/006-000</a>
<b>Item no.: 745-888/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 20 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/745-888/006-000">www.wago.com/745-888/006-000</a>
<b>Item no.: 745-873/006-000</b> Stackable PCB terminal block; 16 mm <sup>2</sup> ; Pin spacing 15 mm; 1-pole; CAGE CLAMP®; commoning option; 16,00 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/745-873/006-000">www.wago.com/745-873/006-000</a>
<b>Item no.: 745-881/006-000</b>	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 20 mm; 1-pole; CAGE CLAMP®; commoning option; [www.wago.com/745-881/006-000](http://www.wago.com/745-881/006-000)

**Item no.: 745-883/006-000**

Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 20 mm; 1-pole; CAGE CLAMP®; commoning option; [www.wago.com/745-883/006-000](http://www.wago.com/745-883/006-000)  
16,00 mm<sup>2</sup>; light gray

**Item no.: 745-853/006-000**

Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 10 mm; 1-pole; CAGE CLAMP®; commoning option; [www.wago.com/745-853/006-000](http://www.wago.com/745-853/006-000)  
16,00 mm<sup>2</sup>; light gray

**Item no.: 745-851/006-000**

Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 10 mm; 1-pole; CAGE CLAMP®; commoning option; [www.wago.com/745-851/006-000](http://www.wago.com/745-851/006-000)  
16,00 mm<sup>2</sup>; gray

**Item no.: 745-873/006-000/999-950**

Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 15 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 16,00 mm<sup>2</sup>; light gray [www.wago.com/745-873/006-000/999-950](http://www.wago.com/745-873/006-000/999-950)

**Item no.: 745-853/006-000/999-950**

Stackable PCB terminal block; 16 mm<sup>2</sup>; Pin spacing 10 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 16,00 mm<sup>2</sup>; light gray [www.wago.com/745-853/006-000/999-950](http://www.wago.com/745-853/006-000/999-950)

**Downloads**

**Documentation**

**Additional Information**

2019 年4月3日

pdf  
2.0 MB

Download

**CAD/CAE-Data**

**CAE data**

EPLAN Data Portal 745-545

URL

Download

ZUKEN Portal 745-545

URL

Download

**CAD data**

2D/3D Models 745-545

URL

Download

**Environmental Product Compliance**

**Compliance Search**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.

Data sheet | Item number: 745-545

[www.wago.com/745-545](http://www.wago.com/745-545)



URL

Download

Environmental Product Compliance 745-545

End plate; gray

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.