

**Warmbier Test Equipment**  
 SRM200 Pocket Digital Surface Resistance Test Kit

**A useful instrument for checking surface resistance and resistance to ground.**

The instrument can be used on different work surfaces, floors, chairs, carts, clothing, packaging materials, etc. The measured value is shown on an LCD display that indicates whether the value is conductive, dissipative, or insulative. The SRM200 also has an integrated temperature and humidity sensor, the measured values are also shown on the LCD display.

The measurements can be performed either with the built-in measurement electrodes (fitted with conductive rubber for good connection and conductivity) on the underside of the instrument or preferably together with a measuring electrode. Performed measurements with external measuring electrode meet the requirements of ANSI/ESD STM4.1, ANSI/ESD STM7.1, ANSI/ESDSTM2.1, ANSI/ESD STM12.1



SRM200 Case



SRM200 Underside

**Features**

- Digital LCD screen
- Conductive carrying case included
- Certificate of Calibration included
- Grounding cord / USB cable included
- 2 external probe connection possible

Specifications	Part Numbers:
<ul style="list-style-type: none"> <li>• Test range: 10<sup>3</sup>-10<sup>12</sup> ohm</li> <li>• Test voltage: Open Circuit Voltage 100V (switches automatically above &gt; 1 MΩ)</li> <li>• Accuracy: + 5%</li> <li>• Operation: Battery Operated</li> <li>• Display: LCD-Display</li> <li>• Probes: Built in electrodes with conductive rubber</li> </ul>	7100.SRM200.K Surface Resistance Meter SRM200

**Applications:**

Suitable for factory audits and test lab evaluations. Measures RTT and RTG

This document is prepared for our customers as a service, and is to the best of our knowledge true and accurate. However, it is understood and agreed by the users of this document that we will accept no liability for the conclusions reached. Users of this document may therefore wish to perform additional testing before determining that products mentioned are suitable.