

## Specification Sheet

Part Number: 161-60001



Designed to glide smoothly through the Helawrap sleeve for easy insertion of cable bundles

There is no need to disassemble wire harness when using the Helawrap Application Tool

Tool is designed for post-installation applications, allowing for unplanned engineering changes to be corrected with ease

Helawrap, Application Tool for HWPP08 and HWP6V08, 5/16", Blue, 10/pkg

Article Number 161-60001

Type HAT8

Color Blue (BU)

Quantity Per bag

**Product Description**

The Helawrap Applicator Tool enables the user to bundle cable rapidly and effortlessly. The applicator tool has been optimized to glide smoothly and securely through the cover and therefore allow easy insertion of cable into Helawrap. The unique design also allows individual cables to be separated from the applicator tool and branched off through the cover apertures. A tool is included with each Helawrap box. Additional tools can be purchased separately.

**Short Description**

Helawrap, Application Tool for HWPP08 and HWP6V08, 5/16", Blue, 10/pkg

Global Part Name HAT8-PA66-BU

Nominal Diameter (Imperial) 0.31

Nominal Diameter (Metric) 8

Material Polyamide 6.6 (PA66)

Material Shortcut PA66

Halogen Free Yes

UV Resistant (Yes/No) No

Reach Compliant (Article 33) Yes

ROHS Compliant Yes

Package Quantity (Imperial) 10

Package Quantity (Metric) 10

Customs Number 8205599000

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. ([www.hellermann.tyton.com](http://www.hellermann.tyton.com)).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)