


ITEM	MOLEX PART#	DESCRIPTION	QTY	UOM
A,B	1510340013	Guardian II Rcpt Hsg 6AWG PBT 3Ckt	2	PC
C	1510760013	Guardian II TPA PBT 3Ckt	2	PC
D	468190013	Guardian TERM, 6AWG CRIMP, GOLD	6	PC
E	--	PART IDENTIFICATION LABEL	1	PC

FROM	TO	CABLE PART#	DESCRIPTION	COLOR
A1	B1	--	6AWG,UL10669,PVC BLACK,105C,600V,VW-1	BLACK
A2	B2			
A3	B3			



PART#	DESCRIPTION	LENGTH (L)
2180560305	3 CKT DISCR GUARDIAN R-R 500MM	500±10
2180560310	3 CKT DISCR GUARDIAN R-R 1M	1000±20
2180560320	3 CKT DISCR GUARDIAN R-R 2M	2000±20

- NOTES:
- 1.CABLE ASSY. TO BE ENSURED FOR CONTINUITY AND POLARITY.
 - 2.CONNECTOR VIEW IS SHOWN FROM MATING SIDE.
 - 3.UL10669 CABLE MEETS OPERATING TEMP. OF 105°C & FLAMMABILITY CLASS OF VW-1.
 - 4.ASSY. TO MEET PS - 151053.
 - 5.PART IDENTIFICATION LABEL TO BE PRINTED AS PER BELOW

P/N : 218056XXXX
MOLEX
BATCH : WK/YR

FUNCTIONAL SYMBOLS	THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION	CURRENT REV DESC:		molex																																								
	<table border="1"> <tr> <th>FUNCTIONAL SYMBOLS</th> <th>DIMENSION UNITS</th> <th>SCALE</th> </tr> <tr> <td>$\nabla_A = 0$</td> <td>mm</td> <td>NTS</td> </tr> <tr> <td colspan="3">GENERAL TOLERANCES (UNLESS SPECIFIED)</td> </tr> <tr> <td>$\nabla_E = 0$</td> <td colspan="2">ANGULAR TOL ± 1.0°</td> </tr> <tr> <td>$\nabla_F = 0$</td> <td colspan="2">4 PLACES ±</td> </tr> <tr> <td rowspan="4">DIVISIONAL SYMBOLS</td> <td>3 PLACES ±</td> <td rowspan="4"> EC NO: 685917 DRWN: VSHEELAVANT 2021/11/18 CHK'D: AMV 2021/12/07 APPR: AMV 2021/12/07 INITIAL REVISION: DRWN: VSHEELAVANT 2021/02/23 APPR: AMV 2021/12/07 </td> <td rowspan="4"> 2180560305 PRODUCT CUSTOMER DRAWING </td> </tr> <tr> <td>2 PLACES ± 0.25</td> </tr> <tr> <td>1 PLACE ± 0.5</td> </tr> <tr> <td>0 PLACES ±</td> </tr> <tr> <td colspan="2">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td> <td>THIRD ANGLE PROJECTION</td> <td>DRAWING</td> <td>SERIES</td> <td>MATERIAL NUMBER</td> <td>CUSTOMER</td> <td>DOCUMENT NUMBER</td> <td>DOC TYPE</td> <td>DOC PART</td> <td>REVISION</td> </tr> <tr> <td colspan="2"></td> <td></td> <td>A3-SIZE</td> <td>218056</td> <td>SEE TABLE</td> <td>OTS</td> <td>2180560305</td> <td>PSD</td> <td>000</td> <td>C</td> </tr> </table>	FUNCTIONAL SYMBOLS	DIMENSION UNITS		SCALE	$\nabla_A = 0$	mm	NTS	GENERAL TOLERANCES (UNLESS SPECIFIED)			$\nabla_E = 0$	ANGULAR TOL ± 1.0°		$\nabla_F = 0$	4 PLACES ±		DIVISIONAL SYMBOLS	3 PLACES ±	EC NO: 685917 DRWN: VSHEELAVANT 2021/11/18 CHK'D: AMV 2021/12/07 APPR: AMV 2021/12/07 INITIAL REVISION: DRWN: VSHEELAVANT 2021/02/23 APPR: AMV 2021/12/07	2180560305 PRODUCT CUSTOMER DRAWING	2 PLACES ± 0.25	1 PLACE ± 0.5	0 PLACES ±	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION				A3-SIZE	218056	SEE TABLE	OTS	2180560305	PSD
FUNCTIONAL SYMBOLS	DIMENSION UNITS	SCALE																																										
$\nabla_A = 0$	mm	NTS																																										
GENERAL TOLERANCES (UNLESS SPECIFIED)																																												
$\nabla_E = 0$	ANGULAR TOL ± 1.0°																																											
$\nabla_F = 0$	4 PLACES ±																																											
DIVISIONAL SYMBOLS	3 PLACES ±	EC NO: 685917 DRWN: VSHEELAVANT 2021/11/18 CHK'D: AMV 2021/12/07 APPR: AMV 2021/12/07 INITIAL REVISION: DRWN: VSHEELAVANT 2021/02/23 APPR: AMV 2021/12/07	2180560305 PRODUCT CUSTOMER DRAWING																																									
	2 PLACES ± 0.25																																											
	1 PLACE ± 0.5																																											
	0 PLACES ±																																											
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION	DRAWING	SERIES	MATERIAL NUMBER	CUSTOMER	DOCUMENT NUMBER	DOC TYPE	DOC PART	REVISION																																		
			A3-SIZE	218056	SEE TABLE	OTS	2180560305	PSD	000	C																																		