

Data sheet | Item number: 890-1622

Mounting plate; 2-pole; for distribution connectors; black

[www.wago.com/890-1622](http://www.wago.com/890-1622)



Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Item description

### Mounting accessories *WINSTA*® MINI 2-pole

Realize the electrical installation with ease: The mounting accessories from the *WINSTA*® MINI product line is the solution for error-free electrical installation. With WAGO, you benefit from a large selection of accessories for the *WINSTA*® product line. *WINSTA*® MINI follows the trend towards miniaturisation. Our smallest pluggable connection system is primarily suited for lights, for example, since as a result of LED technology; due to complex systems, these offer much less space for the connection technology.

Subject to changes. Please also observe the further product documentation!



## WINSTA® MINI solutions for your electrical installation – maintenance-free

The WINSTA® Pluggable Connection System allows pluggable electrical installation. This saves time, lowers costs, and reduces the need for servicing. Choose durability and quality – the WINSTA® MINI accessory from WAGO makes the installation of electrical components substantially easier.

- compact design for conductors with a cross-section up to 1.5 mm<sup>2</sup>
- fast, secure installation

### Data

#### Connection data

##### Connection 1

|             |   |
|-------------|---|
| Pole number | 2 |
|-------------|---|

#### Mechanical Data

|                 |  |
|-----------------|--|
| Variable coding | No   |
| Mounting type   | Screw mounting   |
| Suitable        | for distribution connectors (except T-distribution connectors); 2-pole |

#### Material Data

|                             |  |
|-----------------------------|--|
| Note (material data)        | Information on material specifications can be found here |
| Color                       | black  |
| Insulation material         | Polyamide (PA66)   |
| Flammability class per UL94 | V0   |
| Fire load                   | 0.088 MJ   |
| Weight                      | 1.6 g  |

#### Environmental requirements

|                                  |                |
|----------------------------------|----------------|
| Processing temperature           | -5 ... +40 °C  |
| Continuous operating temperature | -35 ... +85 °C |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Note on continuous operating temperature

Insulating parts for temperatures  $\leq 105\text{ }^{\circ}\text{C}$ **Commercial data**

|                       |               |
|-----------------------|---------------|
| Product Group         | 20 (Winsta)   |
| eCl@ss 10.0           | 27-44-06-92   |
| eCl@ss 9.0            | 27-44-06-92   |
| ETIM 8.0              | EC002863      |
| ETIM 7.0              | EC002863      |
| PU (SPU)              | 50 pcs        |
| Packaging type        | box           |
| Country of origin     | DE            |
| GTIN                  | 4045454684600 |
| Customs tariff number | 39269097900   |

**Environmental Product Compliance**

|                        |                         |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

**Downloads****Documentation****Bid Text**

|                         |              |                |          |
|-------------------------|--------------|----------------|----------|
| 890-1622<br>X81 - Datei | 2019 年2月19 日 | xml<br>2.6 kB  | Download |
| 890-1622<br>doc - Datei | 2015 年3月11 日 | doc<br>22.0 kB | Download |

**CAD/CAE-Data****CAD data**

|                       |     |          |
|-----------------------|-----|----------|
| 2D/3D Models 890-1622 | URL | Download |
|-----------------------|-----|----------|

**CAE data**

|                       |     |          |
|-----------------------|-----|----------|
| ZUKEN Portal 890-1622 | URL | Download |
|-----------------------|-----|----------|

|                         |     |          |
|-------------------------|-----|----------|
| WSCAD Universe 890-1622 | URL | Download |
|-------------------------|-----|----------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 890-1622

URL

Download

Mounting plate; 2-pole; for distribution connectors; black

---

## Installation Notes

### Product family

**WINSTA® MINI**

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.