





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20  
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.



REVISIONS					
P	LTR	DESCRIPTION	DATE	DWN	APVD
1		PROPOSAL DESIGN	03AUG2018	WY	SZ
2		REVISED	29MAY2019	WY	SZ
A		REVISED	27JUL2020	WY	SZ



- 1 "TE", PART NUMBER, AND DATECODE TO BE MARKED IN AREA SHOWN. PARTS UNDER 2.00 LONG MAY BE MARKED ON BOTH SIDES.
- 2 MATERIAL:  
 HOUSING - GLASS FILLED HIGH TEMP THERMO PLASTIC, BLACK, UL94 V-0  
 SIGNAL CONTACT - COPPER ALLOY  
 POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY
- 3 CONTACT PLATING: NOBLE METAL PLATING ON CONTACT FUNCTIONAL AREA OF POWER AND SIGNAL CONTACTS.
- 4 MECHANICAL CONNECTOR KEEP OUT ZONE.
- 5 DATUM AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER.
- 6 PCB - HOLE DIAMETERS ARE FINISHED HOLE SIZE.
- 7 PCB - .0453±.0010 DRILLED HOLES PLATED WITH .0003 MIN Sn OVER .001 TO .003 Cu PLATING TO ACHIEVE A .040 ±.003 HOLE.



5LP + 24S + 2P	2334530-4
DESCRIPTION	PART NUMBER

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	03AUG2018	 TE Connectivity	
		CHK	03AUG2018		
		APVD	03AUG2018		
		SZ			
DIMENSIONS: mm 		TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ±- 1 PLC ±- 2 PLC ±0.25 3 PLC ±0.15 4 PLC ±- ANGLES ±-		NAME	RIGHT ANGLE HEADER, SOLDER MULTI-BEAM PLUS
MATERIAL		FINISH		PRODUCT SPEC	-
- 2		- 3		APPLICATION SPEC	-
				WEIGHT	-
				SIZE	A300779
				CAGE CODE	C-2334530-4
				DRAWING NO	
				RESTRICTED TO	-
CUSTOMER DRAWING		SCALE 1:1		SHEET 1 OF 2	REV A

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

20


REVISIONS

© COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

P	LTR	DESCRIPTION	DATE	DWN	APVD
		SEE SHEET 1			

PART NUMBER	ROWS	LOW POWER					SIGNLA						POWER			
		LP1	LP2	LP3	LP4	LP5	1	2	3	4	5	6	P1	P2		
2334530-4	D	LM	LM	LM	LM	LM	P4	P4	P4	P4	P4	P4	TM	TN	TM	TN
	C						P3	P3	P3	P3	P4	P3				
	B						P2	P2	P2	P2	P2	P2				
	A						P1	P1	P1	P1	P1	P1				

5LP+24S+2P



STD SOLDER TYPE SIGNAL CONTACT, ROW D	P4
STD SOLDER TYPE SIGNAL CONTACT, ROW C	P3
STD SOLDER TYPE SIGNAL CONTACT, ROW B	P2
STD SOLDER TYPE SIGNAL CONTACT, ROW A	P1
STD LOWER POWER CONTACT	LM
STD SOLDER POWER CONTACT, RIGHT	TN
STD SOLDER POWER CONTACT, LEFT	TM
HOUSING	HOUSING
HOLD DOWN, MULTI-BEAM	HD
DESCRIPTION	IDENTIFIER

RECOMMENDED PCB LAYOUT

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN WY	03AUG2018	<b>STE</b> TE Connectivity											
DIMENSIONS: mm		CHK WY	03AUG2018												
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD S7	03AUG2018												
<table border="0"> <tr><td>0 PLC</td><td>±-</td></tr> <tr><td>1 PLC</td><td>±-</td></tr> <tr><td>2 PLC</td><td>±0.25</td></tr> <tr><td>3 PLC</td><td>±0.15</td></tr> <tr><td>4 PLC</td><td>±-</td></tr> <tr><td>ANGLES</td><td>±-</td></tr> </table>		0 PLC	±-		1 PLC	±-	2 PLC	±0.25	3 PLC	±0.15	4 PLC	±-	ANGLES	±-	PRODUCT SPEC
0 PLC	±-														
1 PLC	±-														
2 PLC	±0.25														
3 PLC	±0.15														
4 PLC	±-														
ANGLES	±-														
MATERIAL		APPLICATION SPEC	-	NAME	RIGHT ANGLE HEADER, SOLDER MULTI-BEAM PLUS										
FINISH		WEIGHT	-	SIZE	A3										
<table border="0"> <tr><td>2</td></tr> <tr><td>3</td></tr> </table>		2	3	CUSTOMER DRAWING	SCALE 1:1	CAGE CODE	00779								
2															
3															
				DRAWING NO	2334530-4										
				RESTRICTED TO	-										
				SHEET	2 OF 2										
				REV	A										