TE Internal #: 1981061-1

DC Jack Connectors, Board-to-Board, 3 Position, .126 in [3.2 mm]

Centerline, Plug, Vertical, Printed Circuit Board, Signal, Board

Mount

View on TE.com >



Connectors > PCB Connectors > Battery Connectors & Holders > DC Jack Connectors



Connector System: Board-to-Board

Number of Positions: 3

Centerline (Pitch): 3.2 mm [.126 in]
Connector & Housing Type: Plug
PCB Mount Retention: Without

Features

Product Type Features

Connector System Connector & Housing Type Plug Connector & Contact Terminates To Printed Circuit Board Configuration Features Number of Positions 3
Connector & Contact Terminates To Printed Circuit Board Configuration Features
Configuration Features
Number of Positions 3
Trainible of Contions
PCB Mount Orientation Vertical
Contact Features
Contact Current Rating (Max) 2 A
Mechanical Attachment
PCB Mount Retention Without

Housing Features

Connector Mounting Type

Centerline (Pitch)	3.2 mm[.126 in]
--------------------	-----------------

Board Mount

Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
-----------------------------	---------------------------

Operation/Application

Circuit Application	Signal	
---------------------	--------	--



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Reflow solder capable to 245°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts



Customers Also Bought





TE Part #1-1827864-3

DYNAMIC 1200D REC HSG 6P X

BLACK



TE Part #1827587-2
DYNAMIC D1000 REC CONT M AU
0.38um L/P



TE Part #1-292132-2 CT P/HDR BOX V 12P NAT





TE Part #881545-2 SHUNT LP W/HANDLE 2 POS 30AU



TE Part #292207-6 MINI CT SGL DIP V 6P NAT



TE Part #2291172-1 025 SMD 8P CAP ASSEMBLY H-TYPE





Documents

Product Drawings

LEAF BATTERY CONN W/B 3POS. P=3.2, PKG

Japanese

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1981061-1_A_c-1981061-1-a.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1981061-1_A_c-1981061-1-a.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1981061-1_A_c-1981061-1-a.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

DC Jack Connectors, Board-to-Board, 3 Position, .126 in [3.2 mm] Centerline, Plug, Vertical, Printed Circuit Board, Signal, Board Mount



Leaf type Battery Connector 3Pos. pitch=3.2

Japanese

Product Specification

Japanese

Product Environmental Compliance

MD_1981061-1_01112018423_dmtec

English

MD_1981061-1_01112018423_dmtec

English