

Data sheet | Item number: 2000-1392

End and intermediate plate; 0.7 mm thick; orange

www.wago.com/2000-1392



Data

Physical data

Width	0.7 mm / 0.028 inches
Height	58.2 mm / 2.291 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	33 mm / 1.299 inches
-------	----------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.041 MJ
Weight	1.2 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454711337
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates**Declarations of conformity and manufacturer's declarations**

Logo	Approval	Additional Approval Text	Certificate name
	Railway WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

Through terminal block		
Item no.: 2000-1304	3-conductor through terminal block; 1 mm ² ; for Ex e II and Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; blue	www.wago.com/2000-1304
Item no.: 2000-1302	3-conductor through terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; orange	www.wago.com/2000-1302
Item no.: 2000-1303	3-conductor through terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; red	www.wago.com/2000-1303
Item no.: 2000-1301	3-conductor through terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; gray	www.wago.com/2000-1301
Item no.: 2000-1305	3-conductor through terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; black	www.wago.com/2000-1305
Item no.: 2000-1306	3-conductor through terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; yellow	www.wago.com/2000-1306
Item no.: 2200-1301	3-conductor through terminal block; with push-button; 1 mm ² ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; gray	www.wago.com/2200-1301
Item no.: 2200-1304	3-conductor through terminal block; with push-button; 1 mm ² ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; blue	www.wago.com/2200-1304
Ground terminal block		
Item no.: 2000-1307	3-conductor ground terminal block; 1 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; green-yellow	www.wago.com/2000-1307
Item no.: 2200-1307	3-conductor ground terminal block; with push-button; 1 mm ² ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 1,00 mm ² ; green-yellow	www.wago.com/2200-1307

Downloads

Documentation

Bid Text

2000-1392	2019 年2月19 日	xml	Download
X81 - Datei		2.6 kB	

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



2000-1392 doc - Datei	2017 年4月27 日	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

pdf 2.3 MB	Download
---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2000-1392	URL	Download
------------------------	-----	----------

CAE data

EPLAN Data Portal 2000-1392	URL	Download
-----------------------------	-----	----------

WSCAD Universe 2000-1392	URL	Download
--------------------------	-----	----------

ZUKEN Portal 2000-1392	URL	Download
------------------------	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2000-1392 End and intermediate plate; 0.7 mm thick; orange	URL	Download
--	-----	----------

Installation Notes

Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!