

Data sheet | Item number: 741-906

End plate; snap-fit type; 1.5 mm thick; with fixing flange; gray

www.wago.com/741-906



Data

Physical data

Width	1.5 mm / 0.059 inches
Height	18.5 mm / 0.728 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	12.5 mm / 0.492 inches
-------	------------------------

Mechanical Data

Mounting type	Mounting flange
Mounting type	snap-on type

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.02 MJ
Weight	0.7 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	600 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332349048
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates**Approvals for marine applications**

Logo	Approval	Additional Approval Text	Certificate name
	BV	IEC 60998	11915/D0

Subject to changes. Please also observe the further product documentation!

Required accessories

End plate

Feedthrough terminal block		
Item no.: 741-911	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 5.08 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/741-911
Item no.: 741-912	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 7.62 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/741-912
Item no.: 741-905	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 6.5 mm; 1-pole; CAGE CLAMP®; clamping collar; 2,50 mm ² ; gray	www.wago.com/741-905
Item no.: 741-913	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 10.16 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; orange	www.wago.com/741-913
Item no.: 741-902	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 7.5 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/741-902
Item no.: 741-901	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 5 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/741-901
Item no.: 741-904	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 5 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/741-904
Item no.: 741-903	Stackable PCB terminal block; push-button; 2.5 mm ² ; Pin spacing 10 mm; 1-pole; CAGE CLAMP®; 2,50 mm ² ; gray	www.wago.com/741-903

Downloads

Documentation

Additional Information

2019 年4月3日

pdf
2.0 MB

Download

CAD/CAE-Data

CAE data

EPLAN Data Portal 741-906

URL

Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Environmental Product Compliance

Compliance Search

Environmental Product Compliance 741-906

URL

Download

End plate; snap-fit type; 1.5 mm thick; with fixing flange; gray

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.