



**IMPACT**

TE Internal #: 2057405-1

High Speed Backplane Connectors, 60 Position, Mating Alignment, Polarization Mating Alignment Type, 6 Row, 10 Column, PCB Mount Receptacle, IMPACT

[View on TE.com >](#)

Connectors > PCB Connectors > Backplane Connectors > High Speed Backplane Connectors



Connector System: **Board-to-Board**

Number of Positions: **60**

Row-to-Row Spacing: **1.35 mm [ .053 in ]**

Mating Alignment: **With**

Mating Alignment Type: **Polarization**

**Features**

**Product Type Features**

Signal Arrangement	Differential
Connector System	Board-to-Board
PCB Connector Assembly Type	PCB Mount Receptacle
Shroud Style	Unshrouded
Connector & Contact Terminates To	Printed Circuit Board

**Configuration Features**

Number of Ground Positions	20
Number of Pairs	20
Stackable	No
Number of Signal Positions	40
Number of Positions	60
Number of Rows	6
Number of Columns	10
PCB Mount Orientation	Right Angle
Guide Location	Unguided

**Electrical Characteristics**

Impedance	100 Ω
Operating Voltage	30 VAC



### Signal Characteristics

Number of Differential Pairs per Column	2
Data Rate	20 – 25 Gb/s

### Body Features

Primary Product Color	Black
-----------------------	-------

### Contact Features

PCB Contact Termination Area Plating Material Thickness	1.27 $\mu\text{m}$ [50 $\mu\text{in}$ ]
Contact Layout	Inline
Contact Type	Socket
Contact Underplating Material Thickness	1.27 $\mu\text{m}$ [50 $\mu\text{in}$ ]
Contact Mating Area Plating Material Thickness	.762 $\mu\text{m}$ [30 $\mu\text{in}$ ]
Contact Mating Area Plating Material	Gold
PCB Contact Termination Area Plating Material Finish	Matte
Contact Shape & Form	Dual Beam
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Copper Alloy
Contact Current Rating (Max)	.75 A

### Termination Features

Termination Post & Tail Length	1.2 mm[.047 in]
Termination Method to Printed Circuit Board	Through Hole - Press-Fit

### Mechanical Attachment

Guide Hardware	Without
Mating Retention	Without
PCB Mount Retention	With
PCB Mount Retention Type	Action/Compliant Tail
Mating Alignment	With
Mating Alignment Type	Polarization
Connector Mounting Type	Board Mount

### Housing Features

Number of Shrouded Sides	0
End Wall Location	None



Housing Material	LCP - GF (Liquid Crystal Polymer)
Centerline (Pitch)	1.9 mm[.075 in]

### Dimensions

Connector Length	19 mm[.748 in]
Connector Height	10.9 mm[.429 in]
Connector Width	20.1 mm[.791 in]
PCB Thickness (Recommended)	1.6 mm
PCB Hole Diameter	.39 mm[.015 in]
Row-to-Row Spacing	1.35 mm[.053 in]

### Usage Conditions

Operating Temperature Range	-55 – 85 °C[-67 – 185 °F]
-----------------------------	---------------------------

### Operation/Application

Circuit Application	Signal
---------------------	--------

### Industry Standards

Approved Standards	CSA Certified, UL E28476
UL Flammability Rating	UL 94V-0

### Packaging Features

Packaging Method	Box & Tube, Tube
------------------	------------------

## Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer



This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

## Compatible Parts



TE Part # 2057419-3  
IMP100S,H,V2P10C,LG,OEW39,5.5



TE Part # 2057430-3  
IMP100S,H,V2P10C,UG,OEW39,5.5



TE Part # 2143012-3  
IMP100S,H,RA2P10C,UG,OEW39,5.5



TE Part # 2143018-3  
IMP100S,H,RA2P10C,RG,OEW39,5.5



TE Part # 2057423-1  
IMP100S,H,V2P10C,RG,OEW39,4.5



TE Part # 2057423-3  
IMP100S,H,V2P10C,RG,OEW39,5.5



TE Part # 2057426-3  
IMP100S,H,V2P10C,UG,OEW46,5.5



TE Part # 2057427-3  
IMP100S,H,V2P10C,UG,LEW46,5.5



TE Part # 2143014-2  
IMP100S,H,RA2P10C,UG,DEW39,4.9



TE Part # 2143019-2  
IMP100S,H,RA2P10C,RG,LEW39,4.9



TE Part # 2143019-3  
IMP100S,H,RA2P10C,RG,LEW39,5.5



TE Part # 2057419-2  
IMP100S,H,V2P10C,LG,OEW39,4.9



**SEATING TOOL**  
REPRESENTATIONAL IMAGE ONLY.  
WILL VARY BY PART NUMBER.

TE Part # 2018538-1  
TOOL, SEAT 2 PR 10 COL,BP CONN



TE Part # 2057418-1  
IMP100S,H,V2P10C,LG,OEW46,4.5



TE Part # 2057418-2  
IMP100S,H,V2P10C,LG,OEW46,4.9



TE Part # 2057418-3  
IMP100S,H,V2P10C,LG,OEW46,5.5



TE Part # 2057419-1  
IMP100S,H,V2P10C,LG,OEW39,4.5



TE Part # 2057420-1  
IMP100S,H,V2P10C,LG,REW46,4.5




TE Part # 2057420-2  
IMP100S,H,V2P10C,LG,REW46,4.9



TE Part # 2057420-3  
IMP100S,H,V2P10C,LG,REW46,5.5

## Also in the Series | IMPACT




High Speed Backplane Connectors  
(1768)

## Customers Also Bought



TE Part #3-2343522-3  
SFP56 STACKED 2X2 RECEPTACLE ASSEMBLY



TE Part #1586040-2  
2P VAL-U-LOK VRT HDR W/P V0



TE Part #2143012-3  
IMP100S,H,RA2P10C,UG,OEW39,5.5



TE Part #5-1971846-2  
2P, RAST 5 Tab Header, THV



TE Part #1-2271451-4  
14 PIN BTB CONNECTOR, PIN HDR ASSEMBLY



TE Part #2-2301994-6  
RJ45 JACK INT.MAG. 10/100 LED 1X1



TE Part #4-1971846-2  
2P, RAST 5 Tab Header, THV



TE Part #2232580-5  
5P, PL RAST 5 Tab Header, TH,Vertical



TE Part #2271301-1  
AMPMODU, REC, 2.0P, RA, TH, 30P, 3U' AU



TE Part #2271302-1  
AMPMODU, PIN, 2.0P, RA, TH, 30P, 3U' AU



## Documents

### Product Drawings

[IMP100S,R,RA2P10C,UG,39](#)

English

---

### CAD Files

Customer View Model

[ENG\\_CVM\\_CVM\\_2057405-1\\_A.2d\\_dxf.zip](#)

English

3D PDF

3D

Customer View Model

[ENG\\_CVM\\_CVM\\_2057405-1\\_A.3d\\_igs.zip](#)

English

Customer View Model

[ENG\\_CVM\\_CVM\\_2057405-1\\_A.3d\\_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

---

### Datasheets & Catalog Pages

[7-1773458-1\\_IMPACT\\_BACKPLANE\\_CONNECTOR\\_SYSTEM\\_CATALOG](#)

English

---

### Product Specifications

[Application Specification](#)

English

---

### Product Environmental Compliance

[MD\\_2057405-1\\_02242013147\\_dmtec](#)

English

[MD\\_2057405-1\\_02242013147\\_dmtec](#)

English

---

### Agency Approvals

[Agency Approval Document](#)

English