6PCV-13-006 - ACTIVE

Buchanan | Buchanan 6 Series

TE Internal #: 6-1437653-3 Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 13 Position, 9.53 mm [.375 in] Centerline, 1 Row, Buchanan 6 Series View on TE.com >



Connectors > Terminal Blocks & Strips > Barrier Strips



Barrier Strip Style: Tri-Barrier

Bottom Termination Type: Printed Circuit Pin

Connector System: Wire-to-Board

Number of Positions: 13

Centerline (Pitch): 9.53 mm [.375 in]

Features

Product Type Features

Block Style	Flat Bottom with standoffs
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Levels	1
Number of Positions	13
Number of Rows	1
Electrical Characteristics	
Operating Voltage	300 V, 600 V
Body Features	
Primary Product Color	Black
Product Orientation	Vertical
Barrier Strip Style	Tri-Barrier
Contact Features	

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 13 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



PCB Contact Termination Area Plating Material	Tin	
Contact Base Material	Copper Alloy	
Contact Current Rating (Max)	5 A, 25 A	
Termination Features		
Bottom Termination Type	Printed Circuit Pin	
Mechanical Attachment		
Screw Head Type	Combo Phil-Slot	
Screw Plating Material	Zinc Chromate	
Screw Material	Steel	
Top Termination Type	Wire Clamp Combo Head	
Mounting Options	None	
Thread Size	6-32	
Connector Mounting Type	Board Mount	
Housing Features		
Housing Material	Thermoplastic	
Centerline (Pitch)	9.53 mm[.375 in]	

Dimensions

Product Length	125.37 mm[4.936 in]	
Wire Size	.326 – 3.31 mm²	
Operation/Application		
Circuit Application	Power	
Industry Standards		
UL Flammability Rating	UL 94V-0	
Packaging Features		
Packaging Quantity	70	
Packaging Method	Package	
Other		
Terminal Blocks & Strips Comment	Do not order screw and captive clamp in combination with other top hardware., Other options available upon request, consult our Product Information Center.	

Product Compliance

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 13 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on

requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach


Compatible Parts




Also in the Series | Buchanan 6 Series

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 13 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series





Customers Also Bought



CONTACT, PIN, 15AU, FFC	TC-CAF

Documents

Product Drawings 6PCV-13-006=6PCV ASSEMBLY

English

CAD Files

Customer View Model ENG_CVM_CVM_6-1437653-3_P.2d_dxf.zip

English

3D PDF

3D

Customer View Model ENG_CVM_CVM_6-1437653-3_P.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_6-1437653-3_P.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

C For support call+1 800 522 6752

Barrier Strips, Tri-Barrier, Printed Circuit Pin, Wire-to-Board, 13 Position, 9.53 mm [. 375 in] Centerline, 1 Row, Buchanan 6 Series



Datasheets & Catalog Pages 1-1773458-2_BARRIER_STRIPS_QUICK_REFERENCE_GUIDE

English