

# IB IL 24 SEG/F-PAC


Order No.: 2861373



<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=2861373>

Inline segment terminal block, complete with accessories (connector and labeling field), 24 V DC, with fuse



Commercial data	
GTIN (EAN)	 4 017918 894313
sales group	K417
Pack	1 pcs.
Customs tariff	85389091
Catalog page information	Page 249 (AX-2009)

### Product notes

WEEE/RoHS-compliant since:  
04/12/2007



<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

## Technical data

Interfaces	
Type of connection	Inline potential distributor
Interface	Supply voltage
Power supply	
I/O voltage	24 V DC

Peripherals voltage range	19.2 V DC ... 30 V DC
Max. current consumption	6 A
Fuse	SI 5 x 20 6, 300 AT (in scope of delivery)

#### General data

Type of protection	Overload protection
Protective circuit/component	Fuse
Weight	42 g
Number of connectors	1
Width	12.2 mm
Height	119.8 mm
Depth	71.5 mm

#### Inline potential routing

Current consumption from $U_M$	max. 6 A (nominal value)
Segment supply voltage $U_S$	24 V DC
Power supply at $U_S$	max. 6 A (nominal value)

#### Certificates / Approvals



Certification ABS, BV, CUL, DNV, GL, GOST, LR, UL


Certification Ex: CUL-EX LIS, UL-EX LIS

#### Accessories


Item	Designation	Description
<b>Marking</b>		
0809492	ESL 62X10	Insert strip for laser printer, lettering field: 62 x 10 mm
2727501	IB IL FIELD 2	Labeling field, width: 12.2 mm
<b>Plug/Adapter</b>		
2727637	IB IL SCN-PWR IN-CP	Connector, colored, for Inline power and segment terminal blocks

## Diagrams/Drawings

### Connection diagram




### Block diagram



Dimensioned drawing

---



**Address**

PHOENIX CONTACT Deutschland GmbH  
Flachmarktstr. 8  
32825 Blomberg, Germany  
Phone +49 5235 3 12000  
Fax +49 5235 3 41200  
<http://www.phoenixcontact.de>



© 2011 Phoenix Contact  
Technical modifications reserved;