

2905613

https://www.phoenixcontact.com/us/products/2905613

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Mounting set for connecting 4 lightning current arresters, type PWT 35-800AC-FM



Commercial data

Item number	2905613
Packing unit	1 pc
Minimum order quantity	1 pc
Note	Made to order (non-returnable)
Sales key	CL01
Product key	CL1141
Catalog page	Page 52 (C-4-2019)
GTIN	4046356980777
Weight per piece (including packing)	189.2 g
Weight per piece (excluding packing)	189.2 g
Customs tariff number	76109090
Country of origin	DE



2905613

https://www.phoenixcontact.com/us/products/2905613

Technical data

Product properties

Product type	Mounting material
Product family	POWERTRAB

Connection data

PE conductor connection

Connection method	Ring cable lug
Screw thread	M10
Tightening torque	20 Nm
Conductor cross section flexible	16 mm² 95 mm²
Conductor cross section rigid	16 mm² 95 mm²
Conductor cross section AWG	6 3/0

Material specifications

Color	Silver

Approvals

UL connection data

Tightening torque	175 lb _f -in.
Conductor cross section AWG	3/0



2905613

https://www.phoenixcontact.com/us/products/2905613

Classifications

UNSPSC 21.0

ECLASS

	ECLASS-11.0	27371392
	ECLASS-12.0	27371392
	ECLASS-13.0	27371392
ETIM		
	ETIM 8.0	EC002498
UNSPSC		

39121100



https://www.phoenixcontact.com/us/products/2905613



Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2023 © - all rights reserved https://www.phoenixcontact.com

Phoenix Contact USA 586 Fulling Mill Road Middletown, PA 17057, United States (+717) 944-1300 info@phoenixcon.com