

## PCB-Adaptor Han Q 8/0



Image is for illustration purposes only. Please refer to product description.

Part number	09 12 008 9901
Specification	PCB-Adaptor Han Q 8/0
HARTING eCatalogue	<a href="https://b2b.harting.com/09120089901">https://b2b.harting.com/09120089901</a>

### Identification

Category	Accessories
Type of accessory	PCB adapter
Description of the accessory	In the Han <sup>®</sup> Q 8/0

### Version

Gender	Male
Details	for PCB's up to 1.6 mm

### Technical characteristics

Rated current	16 A
Rated voltage conductor-earth	230 V
Rated voltage conductor-conductor	400 V
Rated impulse voltage	4 kV
Pollution degree	2
Limiting temperature	-40 ... +125 °C

### Material properties

Material (insert)	Liquid crystal polymer (LCP)
RoHS	compliant with exemption
RoHS exemptions	6(c): Copper alloy containing up to 4 % lead by weight
ELV status	compliant with exemption
China RoHS	50
REACH Annex XVII substances	Not contained



Pushing Performance  
Since 1945

## Material properties

REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Yes
REACH SVHC substances	Lead
ECHA SCIP number	564b7d75-7bf6-4cfb-acb1-2168eb61b675
California Proposition 65 substances	Yes
California Proposition 65 substances	Lead Nickel Naphthalene
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R22 (HL 1-3) R23 (HL 1-3)

## Specifications and approvals

UL / CSA	UL 1977 ECBT2.E235076 CSA-C22.2 No. 182.3 ECBT8.E235076
----------	--

## Commercial data

Packaging size	1
Net weight	11.68 g
Country of origin	Romania
European customs tariff number	85366990
GTIN	5713140017986
eCl@ss	27460201 PCB connector (board connector)