

Data sheet | Item number: 709-177

Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; translucent



www.wago.com/709-177



Data

Technical data

Suitable	for 270, 862, 869, 870 Series
Marking method	Thermal transfer
Marking	plain
Delivery form	Strip
Delivery form configuration	50 m; 1 line

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Printing device	Smart Printer (thermal transfer printer)
-----------------	--

Physical data

Strip width	7.5 mm
-------------	--------

Mechanical Data

Mounting type	Snapping on
Smear resistance	in conjunction with 258-5005 Ink Ribbon

Material Data

Color	translucent
Halogen-free	Yes
Weight	228 g

Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-37
eCl@ss 9.0	27-14-11-37
ETIM 8.0	EC000761
ETIM 7.0	EC000761
PU (SPU)	1 pcs
Packaging type	Bag
Country of origin	LU
GTIN	4044918151542
Customs tariff number	39206219888

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Optional accessories

Marking accessories

Marking device	
Item no.: 258-5000	
Thermal transfer printer; Smart Printer; for complete control cabinet marking; 300 dpi; With marking material	www.wago.com/258-5000

Subject to changes. Please also observe the further product documentation!



Downloads Documentation

Bid Text

709-177 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
709-177 doc - Datei	2018 年1月4 日	doc 24.1 kB	Download

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 709-177 Marking strips; on reel; 7.5 mm wide; not stretchable; plain; snap-on type; translucent	URL	Download
---	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!