




PART NUMBER 10106126-4004001LF




Copyright FCI.

spec ref	*	dr	Zhang Hong-Tu	2011/09/07	projection	MM	size	A3	scale	3:2											
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/14			ecn no		ELX-DG-013144-1												
surface	<table border="1"> <tr> <td>linear</td> <td>0.X</td> <td>±0.50</td> </tr> <tr> <td></td> <td>0.XX</td> <td>±0.25</td> </tr> <tr> <td></td> <td>0.XXX</td> <td>±0.10</td> </tr> <tr> <td>angular</td> <td>0°</td> <td>±2°</td> </tr> </table>	linear	0.X	±0.50				0.XX	±0.25		0.XXX	±0.10	angular	0°	±2°	chr	Tian-Xu Huang	2012/11/15	product family	-	rel level
linear	0.X	±0.50																			
	0.XX	±0.25																			
	0.XXX	±0.10																			
angular	0°	±2°																			
		appr	Pei-Ming Zheng	2012/11/15			title 2HP + 16S + 2HP RA SOLDER RECEPTACLE		dwg no 10106126-4004001	rev B											
		www.fci.com		cat. no.	-	Product - Customer Drw			sheet 1 of 3												

10106126-4004001



CODE	DESCRIPTION
H	STD HIGH POWER CONTACT
SA	STD SIGNAL CONTACT, ROW A
SB	STD SIGNAL CONTACT, ROW B
SC	STD SIGNAL CONTACT, ROW C
SD	STD SIGNAL CONTACT, ROW D
HA	METAL HOLD DOWN



Copyright FCI.

spec ref	*	dr	Zhang Hong-Tu	2011/09/07	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/14			ecn no	ELX-DG-013144-1	rel level	Released
		chr	Tian-Xu Huang	2012/11/15						
surface	✓	appr	Pei-Ming Zheng	2012/11/15			title 2HP + 16S + 2HP RA SOLDER RECEPTACLE	dwg no 10106126-4004001	rev B	
					www.fci.com	cat. no.	-	Product - Customer Drw	sheet 2 of 3	

NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED IN AREA SHOWN.
PART LENGTH UNDER 30MM SHOW DATE CODE ONLY.
- 2) MATERIALS:
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.
-SIGNAL CONTACT - COPPER ALLOY.
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION REFER TO FCI 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENSIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7) 1.15 ± 0.025 MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A 1.02 ± 0.07 MM HOLE.
- 8) PRODUCT SPECIFICATION REFER TO FCI GS-12-658.
APPLICATION SPECIFICATION REFER TO FCI GS-20-141.
PRODUCT PACKAGED IN TRAYS, REFER TO FCI GS-14-1502.
- 9) A \triangle SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH
HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.



Copyright FCI.

spec ref *		dr	Zhang Hong-Tu	2011/09/07	projection	MM	size	A3	scale	3:2
tolerance std	TOLERANCES UNLESS OTHERWISE SPECIFIED	eng	Peng-Bing Fu	2012/11/14		← →	ecn no	ELX-DG-013144-1		
		chr	Tian-Xu Huang	2012/11/15				rel level	Released	
surface ✓	linear	appr	Pei-Ming Zheng	2012/11/15	product family					
		0.X	±0.50		2HP + 16S + 2HP		dwg no	10106126-4004001		rev
		0.XX	±0.25		RA SOLDER RECEPTACLE			B		
0.XXX	±0.10	www.fci.com	cat. no.	-	Product - Customer Drw		sheet 3 of 3			
angular	0°	±2°								