

Data sheet | Item number: 280-440

Operating tool; made of insulating material; 10-way

www.wago.com/280-440



Data

Technical data

Main product function	Operating tool
Number of spacings	10 -way

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Physical data

Depth	150 mm / 5.91 inches
Pin spacing	5/5.08 mm

Mechanical Data

Suitable	for male and female connectors with CAGE CLAMP® connection
----------	--

Material Data

Fire load	0.929 MJ
Weight	30.7 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	30 (1) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332271936
Customs tariff number	82055980000

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Downloads

Documentation

Bid Text

280-440 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
280-440 doc - Datei	2017 年9月11 日	doc 24.1 kB	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 280-440

URL


Download

Operating tool; made of insulating material; 10-way

Installation Notes



Inserting a male connector via multipole operating tool.



Commoning front-entry disconnect terminal blocks via comb-style jumper bar using a 10-pole operating tool

Subject to changes. Please also observe the further product documentation!