
# 2007473-1 - ACTIVE

#### QSFP/QSFP+

TE Internal #: 2007473-1 QSFP, QSFP+ & zQSPF+, Cage, 1 x 3, Customer Applied Gasket, Standard, 3 Port, 1 Rear EONs per Port Column, Cable-to-Board, Sealable, QSFP/QSFP+

View on TE.com >

Connectors > Pluggable IO Connectors & Cages > QSFP, QSFP+ & zQSPF+



### Pluggable I/O Product Type: Cage

Port Matrix Configuration: 1 x 3

EMI Containment Feature Type: Customer Applied Gasket

Included Lightpipe: No

Enhancements: Standard

### Features

## Product Type Features

Form Factor	QSFP+
Cage Type	Ganged
Pluggable I/O Product Type	Cage



Connector System	Cable-to-Board	
Sealable	Yes	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Port Matrix Configuration	1 x 3	
Number of Ports	3	
Number of Rear EONs per Port Column	1	
Contact Features		
PCB Contact Termination Area Plating Material	Tin	
Termination Features		
Termination Post & Tail Length	2.2 mm[.086 in]	
Termination Method to Printed Circuit Board	Through Hole - Press-Fit	
Mechanical Attachment		
Connector Mounting Type	Board Mount	
Housing Features		

QSFP, QSFP+ & zQSPF+, Cage, 1 x 3, Customer Applied Gasket, Standard, 3 Port, 1 Rear EONs per Port Column, Cable-to-Board, Sealable, QSFP/QSFP+



Cage Material	Nickel Silver
Dimensions	
PCB Thickness (Recommended)	1.45 mm[.057 in]
Operation/Application	
Heat Sink Compatible	Yes
For Use With Pluggable I/O Products	QSFP Cable Assembly, QSFP MSA Compatible Transceiver
Pluggable I/O Applications	SFP+ Stacked Belly-to-Belly
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Method	Box & Tray
Other	
EMI Containment Feature Type	Customer Applied Gasket
Included Lightpipe	No
Enhancements	Standard

## Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant		
EU ELV Directive 2000/53/EC	Compliant		
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold		
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC		
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free		
Solder Process Capability	Not applicable for solder process capability		
Product Compliance Disclaimer			


This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

QSFP, QSFP+ & zQSPF+, Cage, 1 x 3, Customer Applied Gasket, Standard, 3 Port, 1 Rear EONs per Port Column, Cable-to-Board, Sealable, QSFP/QSFP+



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**



TE Part # 1888810-2 EMI/Dust Cover,XFP And QSFP	TE Part # 2007477-3 1xN QSFP Bhnd Bzl Dbl L Pipe	TE Part # CAT-C11-H5011 QSFP-Four SFP+ I/O Cable Assembly 28 AWG	TE Part # CAT-C11-H5011142 QSFP to QSFP I/O Cable Assembly: 33 AWG
TE Part # 2053638-4 C/A, QSFP, 4M, P1-P2, UNEQUALIZED	TE Part # 2202165-4 QSFP TO QSFP, 26AWG, FDR, 4.0 METER	TE Part # 2202165-5 QSFP TO QSFP, 26AWG, FDR, 5.0 METER	TE Part # 2829040-2 QSFP IB EDR, 33AWG, 1.0M
TE Part # 2829040-4 QSFP IB EDR, 30AWG, 1.0M	TE Part # 2829040-6 QSFP IB EDR, 30AWG, 2.0M	TE Part # 2829040-7 QSFP IB EDR, 26AWG, 2.0M	TE Part # 2829040-8 QSFP IB EDR, 26AWG, 3.0M


QSFP, QSFP+ & zQSPF+, Cage, 1 x 3, Customer Applied Gasket, Standard, 3 Port, 1 Rear EONs per Port Column, Cable-to-Board, Sealable, QSFP/QSFP+






TE Part # 2821033-8 QSFP TO [4]SFP+, 28G, 1M, 33AWG

# Also in the Series **OSFP/OSFP+**



# Customers Also Bought



## Documents

## Product Drawings 1x3 QSFP Cage Assy Behind Bzl

English

### **CAD** Files

3D PDF

3D

QSFP, QSFP+ & zQSPF+, Cage, 1 x 3, Customer Applied Gasket, Standard, 3 Port, 1 Rear EONs per Port Column, Cable-to-Board, Sealable, QSFP/QSFP+



Customer View Model

ENG\_CVM\_CVM\_2007473-1\_D.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2007473-1\_D.3d\_igs.zip

English

Customer View Model

ENG\_CVM\_CVM\_2007473-1\_D.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages 1773408-1 Pluggable Input/Output Solutions catalog - QSFP section

English

4-1773455-5 - Quick Reference Guide QSFP/QSFP+ Solutions

English

**Product Specifications** 

**Application Specification** 

English