



# Sustainable Innovation



# A letter from the Chairman, President and Chief Executive Officer

*Long before the concept of sustainability ever had a name, 3M served as a leader among its peers for reducing its impact on the environment while conserving resources. 3M learned a few things over the last 30 years and now offers this catalog of products developed from 3M innovation to help customers achieve sustainability goals -- whether they are saving energy, reducing greenhouse gas emissions, or purchasing products that are made with fewer solvents, 3M has a solution.*

*Sustainability is the responsibility of everyone. Together with customers, 3M hopes to continue to meet today's needs while allowing the next generation to meet its needs.*

*Sincerely,*

*George W. Buckley,  
Chairman, President and CEO*





# Our Operations

## EHS Management

3M's Environmental, Health and Safety (EHS) Management System promotes sound environmental management at our facilities worldwide. It helps us address changing customer needs and expectations as we continue to drive sustainable growth. The EHS Management System:

- Includes an integrated, holistic system that anticipates and addresses long-term issues and drives continuous improvement.
- Promotes a strategic planning process that integrates EHS issues into business unit strategic plans.
- Requires each business unit to identify EHS issues, develop formal action plans, set goals and measure results.

## Reducing Our Environmental Footprint

Continuous improvement is a vital component of the company's environmental performance. 3M believes in setting aggressive corporate environmental goals and we've been articulating our environmental objectives since the early 1990s. In 2005, 3M set a new group of goals for the period of 2005 to 2010. These are stretch goals that are built on 3M's reductions achieved through 2005. The current goals, which are indexed to net sales, are as follows:

- Reduce Volatile Air Emissions by 25%.
- Improve Energy Efficiency by 20%.
- Reduce Waste by 20%.
- Complete 800 3P Projects (not indexed to net sales).

## Addressing Climate Change

3M understands that energy efficiency is a critical element in managing climate change. These efforts date back to 1973, when the Energy Management Department was first formed. Today, 3M has an aggressive energy and greenhouse gas (GHG) management strategy which includes developing a 3rd-party certified GHG inventory; continuously improving GHG accounting systems; setting voluntary GHG emissions reduction goals; reducing the company's GHG footprint through energy efficiency, renewable energy, and controls; and

developing a range of products that help 3M's customers reduce their energy use and GHG emissions.

- GHG emissions reduction goal of 50% (from a 1990 base year).
- Achieved a 54% reduction from 1990 – 2006.

## Ethical Operations

Sustaining 3M's future includes acting in a socially responsible way toward potential, current and former employees. As an ethical and law-abiding company, 3M complies with government regulations around the world concerning human rights, employees and employment laws and expects ethical behavior from employees in accordance with our global Business Conduct Manual. 3M's conduct goes beyond obligation to include policies that help support a challenging, productive and enjoyable work culture.


## Bringing Greater Opportunity to Employees

The success of 3M over the years has been due, in large part, to the dedication, skill and effort of our employees — all over the world. Our culture always has emphasized integrity and fairness alongside innovation and excellence, and we will continue to help employees develop their diverse talents which:

- Respects the dignity and worth of individuals.
- Encourages the initiative of each employee.
- Challenges individual capabilities.
- Provides equal opportunity.

## 1990 – 2007 Environmental Progress

- 95% reduction in absolute volatile air emissions.
- 95% reduction in absolute U.S. Toxic Release Inventory (TRI) releases (2006 reporting year).
- 54% reduction in absolute greenhouse gas emissions.
- 57% reduction in solid waste indexed to net sales.



3M has a longstanding commitment to sustainable development through environmental protection, social responsibility and economic progress. To us, that means meeting the needs of society today, while respecting the ability of future generations to meet their needs. We recognize that the company's long-term success springs from adopting and implementing the principles of sustainable development: stewardship to the environment, contributions to society, and to the creation of economic value and worth. At the same time, we recognize that only by continuing to be a viable and successful enterprise can we continue to be a positive contributor to sustainable development.

## Our Corporate Values

3M's sustainability policies and practices are directly linked to our fundamental corporate values:

- Act with uncompromising honesty and integrity in everything we do.
- Satisfy our customers with innovative technology and superior quality, value and service.
- Provide our investors an attractive return through sustainable, global growth.
- Respect our social and physical environment around the world.
- Value and develop our employees' diverse talents, initiative and leadership.
- Earn the trust and admiration of all those associated with 3M worldwide.

## Our Sustainability Strategies

3M's strategies for sustainability encompass the pursuit of customer satisfaction and commercial success within a framework of environmental, social and economic values.

Meeting society's and 3M's expectations for environmental improvement:

- Promoting sound environmental, health and safety management at our locations worldwide.
- Making pollution prevention pay through the development of new technologies and products.
- Developing products that help our customers address their environmental challenges.

Meeting employee and community needs as a socially responsible company:

- Attracting and retaining a diverse and talented work force.
- Supporting continuous learning and knowledge sharing.
- Supporting communities where we operate.
- Driving 3M's future economic success by satisfying our customers with innovative technology and products and providing our investors an attractive return on their investment.

## 2007 Company Snapshot

- \$24.5 billion in Net Sales.
- More than 75,000 employees worldwide.
- 3M employs mostly local nationals. Fewer than 300 3M employees worldwide are Foreign Service Employees not residing in their home countries.
- In the United States, 3M and the 3M Foundation donated more than \$42 million through its community giving programs.

# 3M's Environmental Social and Economic Sustainability



## Solutions for Our Customers

### Product Life Cycle Management

Life Cycle Management is an integral part of 3M's sustainability strategy. Instead of only focusing on the manufacturing process to control environmental, health, safety and energy effects, the spotlight is now on products throughout their entire life cycle, from manufacturing through customer use and disposal. 3M has adopted a Life Cycle Management Policy requiring all business units to conduct LCM reviews for all new products and to conduct LCM reviews on existing products on a prioritized basis. LCM reviews of all existing products must be completed by 2010.

### 3M Environmental Product Solutions

Reducing our own footprint is just part of the equation. 3M also offers our customers a portfolio of products to help them reduce their impact on the environment. In 2007, 3M launched a new catalog showcasing 3M products designed to address environmental challenges in the following markets: cleaning and maintenance, construction and industrial production, communications, office supplies, transportation, and health care. The Environmental Solutions Catalog can be downloaded at [www.3M.com/EnvSolutions](http://www.3M.com/EnvSolutions).

## Engaging Stakeholders

### Partnering to Drive Sustainability

3M strives to maintain a continuous and open dialogue with the community, shareholders, employees, retirees and other interested parties about the environmental, social and economic

issues related to our operations including past achievements and future sustainability goals. We partner with a variety of organizations to help provide the company with a diverse set of viewpoints on sustainability, a better understanding of the positions of our stakeholders, and a mechanism to learn from the successes and failures of our peers.

### Working with Suppliers

3M has a formal process as part of its Sourcing Policy that sets standards for its suppliers in the areas of environmental, health and safety, transportation, and labor and human resources. The standards apply to the selection and retention of all suppliers that provide goods or services to 3M worldwide and establish a framework that 3M considers important to a safe and healthy workplace, to the maintenance of fair and reasonable labor and human resource practices, and to the management of manufacturing and distribution operations to minimize adverse impact to the environment.

### Community Giving

Because of 3M's business success, we are able to invest in innovative community programs that help make the future brighter for everyone. Community giving is an important part of 3M's sustainability strategy. 3M's philanthropy combines 3M and 3M Foundation cash gifts, donated products and volunteerism by employees and retirees. Our global Community Giving Program is decentralized with 3M subsidiaries in each country developing and administering a program that is consistent with the local culture, community needs and environment in which we operate.

## 3M's Key Business Strengths

Every day, 3M people find new ways to make amazing things happen. Wherever they are, whatever they do, the company's customers know they can rely on 3M to help make their lives better.

**Strong Technology Base:** Virtually anywhere you go, 3M technologies are at work - making life easier and better for people around the world. You'll find 3M technologies and products in homes, offices, hospitals, dental offices, manufacturing facilities, cars, aircraft, traffic signs, LCD displays and countless other places. Drawing on more than 40 technology platforms, 3M employees use their imagination to develop products that transform existing industries and create entirely new ones.

**Leading Market Positions:** 3M is a world leader in most of its businesses. We've created many markets, frequently by developing products that fulfill unarticulated customer needs.

**Healthy Mix of businesses:** 3M serves a broad array of markets, providing many avenues for growth and cushioning the company from disruptions in any single market.

3M has a worldwide presence in the following markets: consumer and office; display and graphics; electro and communications; health care; industrial and transportation; and safety, security and protection services.

**Well-Known Brands:** Representing quality, innovation and reliability, 3M brands earn customer loyalty, encourage repeat purchases and motivate users to try new 3M products.

**Worldwide Presence:** We have companies in more than 60 countries around the world, and we sell our products in nearly 200 countries. More than half of our sales are outside the United States.



### Corporate Headquarters

3M Center  
St. Paul, MN 55144-1000  
[www.3M.com/sustainability](http://www.3M.com/sustainability)

Please recycle.  
© 3M 2008. All rights reserved.





# Table Of Contents

Automotive & Aircraft .....	1
Abrasives .....	8
Home & Office.....	9
Desk Solutions.....	9 - 11
Presentation Products .....	12 - 17
Post-it® Notes .....	17 - 19
Mailers.....	19 - 20
Tapes & Glues .....	20 - 25
Cleaning .....	25 - 30
Sponges & Cloths .....	26 - 30
Air Cleaning.....	30 - 31
Restaurant Solutions.....	32
Building Management .....	34
Cleaning Chemicals .....	34 - 42
Air Filtration .....	42 - 43
Floor Cleaning Pads.....	44 - 45
Floor Matting .....	45 - 46
Water Filtration .....	47 - 48
Window Films .....	48 - 52
Lighting Solutions .....	53
Large Format Graphics .....	55
Construction & Home Improvement.....	59
Duct Tapes.....	60
Masking Tape .....	61
Industrial Tapes.....	62
Masking Tapes .....	62 - 64
Filament.....	64 - 66
Packaging Products .....	67 - 70
VHB .....	70 - 73
Electrical.....	73 - 74
Adhesives and Sealants .....	75
Security Solutions .....	80
Display Films.....	82
Electronic Solutions .....	85
Industrial & Energy Solutions.....	87
Protective Tapes.....	89 - 90
Sorbents .....	90 - 95
Engineered Fluids .....	96 - 100
Transportation Solutions .....	101
Health Care.....	105



### 3M™ Scotch-Weld™ Structural Void Filling Compound 3550 B/A FST

This is a two part RT cure low density Void Filler designed for honeycomb constructions of aircraft interiors.

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** Contains a non-halogen based FST system. The new retardant meets flammability, smoke density and toxic gas emission requirements for the aircraft market. It also reduces worker exposure to toxic substances during the product manufacturing and recycling process.



### 3M™ Scotch-Weld™ Structural Void Filling Compound 3450 FST

Structural one-part low weight void filler for aircraft interiors. One-part low weight filler combining extreme low density with high extrusion rate for manual and automatic applications. Full stand alone FST properties with patented non-halogen based FST system. Low flow for ease of application.

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** Contains a non-halogen based FST system. The new retardant meets flammability, smoke density and toxic gas emission requirements for the aircraft market. It also reduces worker exposure to toxic substances during the product manufacturing and recycling process.



### 3M™ Wheel Weight System TN-2015 and TN-2023

3M™ Wheel Weights are made of an advanced lead-free, corrosion-resistant composite material. Unlike traditional metal weights, the 3M material is flexible and can be custom cut to exact weight so wheels are precision balanced for increased performance and a better ride. The system minimizes inventory to one or two SKUs for more efficiency, less waste and less floor space. The weights are attached using OEM-approved 3M™ Automotive Attachment Tape, a known and trusted technology that 3M has been providing to the industry for decades.

The 3M Wheel Weight System is available for both aftermarket and OEM use. 3M's *aftermarket* wheel weight system comes as a roll good in a self-dispensing package with a cutting stand and cutting device. 3M also offers a surface prep cleaner and removal tool. The system designed for *OEM* use can be supplied in different formats including level wound rolls that can be used with semi-automated and automated equipment by manufacturing locations.

**Website:** [www.3M.com/wheelweights](http://www.3M.com/wheelweights)

**Environmental/Energy Advantage:** The 3M™ Wheel Weight system is designed to have less impact on the environment than traditional lead weights. Clip-on lead weights can loosen over time and fall from a vehicle, leaving harmful lead on our streets and highways. The 3M system replaces lead with a non-lead composite that is tough enough to withstand rigorous durability, weathering, salt spray and adhesion testing to exceed current OEM standards.



### 3M™ Wheel Weight Starter Kit TN-315

Contains 1 Roll 10.7m x 15mm x 17mm (5#) wheel weights; 1 Universal Cutter; 1 Stand & Box Holder; 1 Bottle, 3.0 oz. Wheel Weight Surface Prep 1000; 1 Removal Tool

**Website:** [www.3M.com/wheelweights](http://www.3M.com/wheelweights)

**Environmental/Energy Advantage:** Designed to replace environmentally harmful lead wheel weights

### 3M™ Wheel Weight Starter Kit TN-323

Contains 1 Roll 20.1m x 23mm x 4mm (5#) wheel weights; 1 Universal Cutter; 1 Stand & Box Holder; 1 Bottle, 3.0 oz., Wheel Weight Surface Prep 1000; 1 Removal Tool

**Website:** [www.3M.com/wheelweights](http://www.3M.com/wheelweights)

**Environmental/Energy Advantage:** Designed to replace environmentally harmful lead wheel weights

### 3M™ Wheel Weight Surface Prep 1000

A self-contained cleaning system with citrus-based solution in a bottle with a Scotch-Brite™ scrubbing applicator tip. Used to remove grease, oil, dirt, brake dust and tape residue to prepare the wheel rim surface for the 3M™ Wheel Weight product.

**Website:** [www.3M.com/wheelweights](http://www.3M.com/wheelweights)

**Environmental/Energy Advantage:** Used to clean wheels before applying 3M™ Wheel Weights which are designed to replace environmentally harmful lead wheel weights. Designed to replace environmentally harmful lead wheel weights



### 3M™ Universal Fuel System Cleaner 3-Pack

This is the most complete package of fuel system cleaning chemicals available. Contains one each of the following: 3M™ Universal Fuel System Cleaner 08955, 3M™ Fuel System Cleaner Tank Additive 08813, 3M™ Throttle Plate Cleaner 08182. This 3-pack is designed with the professional user in mind, providing the cleaning agents to go through-the-rail and in the tank, while including an aerosol product to clean the throttle plate and air intake on fuel-injected gasoline engines. 3M hardware is required to administer the through-the-rail "purge" product, 08955. Application instructions are vehicle specific. You should refer to the 3M™ Fuel System Cleaning Application Guide available under the Product Selector category in [www.3m.com/automotive](http://www.3m.com/automotive).

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Can help improve fuel economy.



### 3M™ Universal Fuel Injector Cleaner Kit

Hardware for the use of 3M™ Universal Fuel Injection Cleaner, 08956. Contains 3M™ Fuel Injector Cleaner Can Hanger 08837, 3M™ Fuel Injector Cleaner Long Hose 08838 and a 3M™ Gauge/Regulator for Fuel Injector Cleaner Systems 08828.

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Universal Fuel Injection Cleaner

Fuel injector cleaner that can help restore injector efficiency, decrease exhaust emissions and improve fuel atomization. [Must be used with 3M™ Universal Fuel Injector Cleaner Kit, 08836.] 3M™ Universal Fuel Injector Cleaner (100 psi Can) is a proprietary blend of high octane fuel and solvents, designed to run the engine during the cleaning procedure while cleaning the injectors as the cleaner passes through them. Developed in the 1980's as a concentrated cleaner formulated to clean fuel injectors on gasoline engines. It is a disposable pressurized can that requires specialized hardware to administer. It is designed to be attached directly to the engine fuel system with appropriate 3M™ adapters and hardware. When connected properly, the engine runs on the contents of the can. For best results, use this product together with 3M™ Fuel Injector Cleaner Tank Additive 08812 and an aerosol can of 3M™ Throttle Plate and Intake Cleaner 08866. Application instructions are vehicle specific. You should refer to the 3M™ Fuel System Cleaning Application Guide, CD-ROM, 08816 for detailed directions. You may also call 3M at 1-877-666-2277 (8:00 am to 4:30 pm CST).

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Intake System Cleaner Kit

A complete fuel system cleaner. Contains 3M™ Intake System Cleaner Aerosol 08958, 3M™ Complete Fuel System Cleaner 08813, and 3M™ Throttle Plate Cleaner 08182.

This is the most complete package of intake system cleaning chemicals available. This 3-pack is designed with the professional user in mind, providing the cleaning agents to go through the upper intake and in the tank, while including an aerosol product to clean the throttle plate and air intake on fuel-injected gasoline engines. The 3M™ Intake System Cleaner 08958 is a unique and proprietary blend of the most effective cleaning chemicals available. This product is easily and effectively applied with the use of the 3M™ Intake System Aerosol Adaptor Kit 08960.

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Intake System Aerosol Adaptor Kit

An adaptor kit equipped with an assembled tube attached to a brass quick disconnect fitting (08927) for attachment to the 3M™ Intake System Cleaner 08958. The kit also includes a can hanger (08837) and a complete set of instructions for use.

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Max Strength Fuel System Cleaner

A concentrated tank additive that cleans fuel injectors, intake valves, combustion chambers in one tank. For gasoline engines only.

**Website:** [www.3M.com/automotive](http://www.3M.com/automotive)

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Complete Fuel System Cleaner

Tank additive. Designed to clean intake valves and combustion chambers and remove fuel injector deposits during the time it takes to consume one tank of gas. Protects against carbon buildup and engine knock. Helps eliminate stalling, hesitation and poor performance due to dirty fuel system.

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Injector Cleaner

Tank additive. Clean fuel injectors and removes deposits during the time it takes to consume one tank of gas. Restores power and fuel economy. Helps eliminate stalling, hesitation and poor performance due to dirty fuel injectors.

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Do-It-Yourself Fuel System Tune-Up Kit

A three part kit designed for the 'medium' to 'heavy' do-it-yourselfer to perform a professional fuel system cleaning at home. Contains 3M™ DIY Intake System Cleaner (PN08954), 3M™ Throttle Plate and Carb Cleaner (PN08185) and 3M™ Complete Fuel System Cleaner (PN08813).

**Environmental/Energy Advantage:** Helps restore automobile engine performance. Helps improve fuel economy.



### 3M™ Series 07 & 07HS HVLP Spray Guns

High Volume/Low pressure paint spray guns used with compressed air systems in automotive type basecoat applications. The soft controlled spray pattern makes it ideal for metallics. The Series 07 gun is most frequently sold in the sign, automotive refinish, aerospace and marine applications.

**Website:** [www.3m.com/automotive](http://www.3m.com/automotive)

**Environmental/Energy Advantage:** > 65% coating transfer efficiency. Atomizes paint at a pressure < 10 psi as measured at the cap of the gun.



## 3M™ PPS™ Paint Preparation System

An innovative system from 3M which enables painters to mix less paint and drastically reduces the amount of solvent and technician time required for gun cleaning, improving operator efficiency by as much as 15%.

3M™ PPS™ Paint Preparation System is a unique, closed paint system which eliminates the need for traditional mixing cups and paint strainers. Now, paint can be mixed and sprayed out of the same PPS™ liner with a lid and built-in filter. Specifically designed adapters allow painters to use the PPS™ system with virtually any spray gun. A key advantage of this closed system is that it enables a painter's spray gun to function at any angle, even upside down! The liner, lid and built-in filter are all disposable, leaving only the adapter and spray gun to be cleaned. The PPS™ system is therefore a cleaner, faster system, safe from outside contamination and offers considerable time and solvent savings in regards to gun cleaning.



**Website:** [www.3m.com/automotive](http://www.3m.com/automotive)

**Environmental/Energy Advantage:** By eliminating the need for mixing cups and filters, the PPS paint preparation system reduces the need for cleaning solvents by as much as 70 percent, and there is also less wasted paint. Less solvent means less hazardous waste and lower volatile organic compound (VOC) emissions, enabling automotive paint shops to maintain cleaner working environments and reduce costs. Recipient of the Society of Automotive Engineers (SAE) International Environmental Excellence in Transportation Award, which recognizes groups that have made strides toward reducing the environmental impact of the transportation industry.

## Scotch® Automotive Heavy Duty All Weather Duct Tape 03453NA

Scotch® Automotive Heavy Duty All Weather Duct Tape is perfect for heavy-duty patching, indoor and outdoor repair and general masking of cement and other durable surfaces. This duct tape is designed for indoor and outdoor use. It is strong, water resistant and tears easily.

**Toll Free Number:** 1-800-364-3577

**Website:** [www.3m.com/duct](http://www.3m.com/duct)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process



## 3M™ Automotive Masking Tape

Designed for automotive aftermarket masking applications prior to painting; balanced construction features include consistent adhesive coating, adhesive transfer resistance, consistent unwind, and leaves an excellent paint edge. 3M™

**Website:** [www.3m.com/automotive](http://www.3m.com/automotive)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



## 3M™ Automotive Performance Masking Tape

A quality automotive masking tape that provides excellent adhesion to a variety of substrates, a sharp paint line, and removes cleanly upon completion of the job.

**Website:** [www.3m.com/automotive](http://www.3m.com/automotive)

**Environmental/Energy Advantage:** Environmental and energy advantage of solvent free manufacturing process.



## Scotch® Performance Masking Tape 233+

Highly conformable, provides the best adhesive transfer resistance, hugs curves, contours and provides outstanding paint lines. Goes on quickly and easily, sticks at a touch and stays put. Perfectly balanced to give outstanding masking results.

**Website:** [www.3m.com/automotive](http://www.3m.com/automotive)

**Environmental/Energy Advantage:** Environmental and energy advantage of solvent free manufacturing process.



## 3M™ Crystalline Automotive Window Film

Superior in quality, the new 3M™ Crystalline Automotive Window Films are innovative, high-technology films that represent a clear breakthrough in automotive solar protection. Developed in our world-leading laboratories, 3M™ Crystalline Automotive Window Films are produced using multilayer nanotechnology, the same advanced technology used to improve the brightness in flat panel LCD televisions. The metal-free construction of the window film helps reduce the typical problems with dropped cell phone calls and weak signals commonly caused by traditional metallic window films.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**Environmental/Energy Advantage:** 3M™ Crystalline Automotive Window Film blocks up to 99.9% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort, with up to 59% of the sun's heat that comes through the window being rejected. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.



## 3M™ FX-ST Window Films / Standard

This standard line of window films offer a great non-reflective charcoal look at an exceptional value. The FX-ST line of automotive window films comes in a variety of light transmissions, with a 3-year limited warranty. Product tint level must be chosen based on applicable state law.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort, with up to 45% of the sun's heat that comes through the window being rejected. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.





### 3M™ FX-HP Window Films / High-Performance

This line of window films offers unbeatable solar performance with a great sleek charcoal look. The FX-HP line of automotive window films comes in a variety of light transmissions, with a limited lifetime warranty. Product tint level must be chosen based on applicable state law.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort, with up to 58% of the sun's heat that comes through the window being rejected. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.



### 3M™ Color-Stable Automotive Window Films

3M™ Color-Stable Automotive Window Films are designed for the automotive market and the product tint level must be chosen based on applicable state law. These films provide an excellent combination of heat rejection with low reflectivity and are designed to closely match factory automotive tint. Customer benefits include heat rejection, glare protection and reduction of interior fading without interfering with cell phone or GPS signals. The product is designed to never fade over the product lifetime or turn purple.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort, with up to 58% of the sun's heat that comes through the window being rejected. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.



## Structured Abrasives Cloth Belts from 3M

The 3-dimensional, micro- and macroreplicated shapes of 3M™ structured abrasives coated on a cloth backing provide an extremely consistent finish as the uniform shapes wear, exposing fresh abrasives which can lead to longer life and sustainable cutting.

**Toll Free Number:** 1-866-279-1235

**Website:** [www.3m.com/abrasives](http://www.3m.com/abrasives)

**Environmental/Energy Advantage:** The manufacturing process for structured abrasives such as 3M™ Trizact™ Abrasive Cloth Belts 237AA and 307EA reduces VOC emissions by 97%, CO2 emissions by 99% and uses 1/10th the energy required to manufacture conventional, non-structured abrasives. In some applications, structured abrasives have been shown to last 3-6 times longer than conventional, non-structured abrasives.



## 3M™ Purple Clean Sanding Discs with Hookit™ Attachment System

3M™ abrasive sanding discs are the hallmark of sandpaper in the automotive collision repair industry. The precise hole design of Purple Clean Sanding Discs provides improved life and dust extraction. 3M™ abrasive sanding discs are available in the fine to coarse grades. The 3M™ Hookit 3M™ Attachment System is used with the discs.

**Website:** [www.3M.com/abrasive](http://www.3M.com/abrasive)

**Website:** [www.3M.com/automotive](http://www.3M.com/automotive)

**Environmental/Energy Advantage:** 3M™ Clean Sanding Discs cut and last up to 33% longer than conventional 5- or 6- hole products. These discs can evacuate dust more than 50% better than conventional 5- or 6- hole products, removing up to 90% of the dust generated from sanding when used with appropriate dust extraction equipment, which translates into up to 50% better waste containment of dust over conventional 5- or 6- hole products.




## 3M™ Clean Sanding Discs: 216U, 236U, 360L and 735U for Dry Sanding with 3M™ Hookit™ Attachment System

Featuring 3M-patented, precise multi-hole patterns, these discs can evacuate dust better than 5- or 6-hole products - dramatically increasing disc life. Cut isn't compromised as the design achieves an ideal balance between abrasive performance and dust-extraction. The Disc Pad is designed so hole alignment is not required. 3M™ Clean Sanding Discs can improve productivity and are an ideal solution for most dry sanding applications including: gel coat sanding, composite sanding, wood sanding, e-coat sanding, primer sanding and paint prep. The 3M™ Hookit™ Attachment System is used with the discs.

**Toll Free Number:** 1-866-279-1235

**Website:** [www.3M.com/abrasive](http://www.3M.com/abrasive)

**Environmental/Energy Advantage:** 3M™ Clean Sanding Discs cut and last up to 33% longer than conventional 5- or 6- hole products. These discs can evacuate dust more than 50% better than conventional 5- or 6- hole products, removing up to 90% of the dust generated from sanding when used with appropriate dust extraction equipment, which translates into up to 50% better waste containment of dust over conventional 5- or 6- hole products.



### 3M™ Glare Reducing Task Light, TL1000S

Attractive designs fit into any office environment. Polarizing lens technology reduces reflective glare up to 80% on reading materials and work surfaces. Improves eye comfort. Attractive space-saving design. Energy-efficient 27W compact fluorescent. Weighted base. Silver color. Fluorescent bulb contains mercury. Visit [www.lamprecycle.org](http://www.lamprecycle.org) for proper disposal information.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** Energy-efficient 27W fluorescent lamp produces the illumination of a 150W incandescent lamp and lasts up to 10,000 user hours.



### 3M™ Glare Reducing Task Light, TL1000C

Attractive designs fit into any office environment. Polarizing lens technology reduces reflective glare up to 80% on reading materials and work surfaces. Improves eye comfort. Attractive space-saving design. Energy-efficient 27W compact fluorescent. Weighted base. Charcoal grey. Fluorescent bulb contains mercury. Visit [www.lamprecycle.org](http://www.lamprecycle.org) for proper disposal information.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** Energy-efficient 27W fluorescent lamp produces the illumination of a 150W incandescent lamp and lasts up to 10,000 user hours.



### 3M™ Notebook Computer Cleaning Cloth

Microfiber texture conveniently removes dust, smudges and fingerprints without scratching. Great for computer screens and keyboards.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.scotch-brite.com](http://www.scotch-brite.com)

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners.



### 3M™ Office Air Cleaner OAC50

Each unit has a sound absorbing cushion to deliver ultra-quiet operation, while the multi-stage cleaning system traps microparticles as small as .01 microns from the air that flows through the filter. The Filtrete™ filter from 3M does not support fungal growth and has no fiberglass that can shed into the air. Innovative technology with low power consumption, needs no periodic maintenance.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** 3M™ Office Air Cleaners use Filtrete™ Filters that have an ionization feature which enhances the performance up to an additional 25%.



### 3M™ Office Air Cleaner OAC150

Each unit has a sound absorbing cushion to deliver ultra-quiet operation, while the multi-stage cleaning system traps microparticles as small as .01 microns from the air that flows through the filter. The Filtrete™ filter from 3M does not support fungal growth and has no fiberglass that can shed into the air. Innovative technology with low power consumption, needs no periodic maintenance.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** 3M™ Office Air Cleaners use Filtrete™ Filters that have an ionization feature which enhances the performance up to an additional 25%.



### 3M™ Office Air Cleaner OAC250

Each unit has a sound absorbing cushion to deliver ultra-quiet operation, while the multi-stage cleaning system traps microparticles as small as .01 microns from the air that flows through the filter. The Filtrete™ filter from 3M does not support fungal growth and has no fiberglass that can shed into the air. Innovative technology with low power consumption, needs no periodic maintenance.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** 3M™ Office Air Cleaners use Filtrete™ Filters that have an ionization feature which enhances the performance up to an additional 25%.



### 3M™ Adjustable Keyboard Trays

3M™ Adjustable Keyboard trays come in a wide variety of designs and features to suit your working style as well as your workspace.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** These products feature 3M™ Precise™ Optical Mousing Surfaces with battery saving designs which extend the battery life of wireless optical mice up to 75%. Our lab testing has shown that these surfaces draw less current and thus offer 75% more battery life. The lab tests were done using mice from the leading manufacturers in the marketplace (Microsoft and Logitech) in conjunction with batteries from the leading battery manufacturers in the U.S. (Energizer, Duracell and Rayovac). Our battery saving mousing surfaces feature the 3M micro-textured technology used to make 3M™ Precise™ Optical Mousing Surfaces.



### 3M™ Gel Wrist Rest for Keyboard and Mouse

Sleek platform works as beautifully as it looks. Tilt feature helps keep your wrists properly aligned and improves ergonomic posture. Includes soft gel wrist rests and 3M™ Precise™ Optical Mousing Surface. Leatherette surfaces on wrist rests are buttery-soft and easy to keep clean. Gel-filled wristrests with antimicrobial product protection inhibit the growth of microorganisms, such as bacteria, on the product surface, that can cause stains, odors and product degradation.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** These products feature 3M™ Precise™ Optical Mousing Surfaces with battery saving designs which extend the battery life of wireless optical mice up to 75%. Our lab testing has shown that these surfaces draw less current and thus offer 75% more battery life. The lab tests were done using mice from the leading manufacturers in the marketplace (Microsoft and Logitech) in conjunction with batteries from the leading battery manufacturers in the U.S. (Energizer, Duracell and Rayovac). Our battery saving mousing surfaces feature the 3M micro-textured technology used to make 3M™ Precise™ Optical Mousing Surfaces.



### 3M™ Keyboard Drawers

3M™ Keyboard Drawers offer a cost effective alternative to Adjustable Keyboard Trays, with both above and below desk solutions as well as height and tilt adjustable models. Each keyboard drawer features a soft 3M™ Gel Wrist Rest and 3M™ Precise™ Optical Mousing Surface.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** These products feature 3M™ Precise™ Optical Mousing Surfaces with battery saving designs which extend the battery life of wireless optical mice up to 75%. Our lab testing has shown that these surfaces draw less current and thus offer 75% more battery life. The lab tests were done using mice from the leading manufacturers in the marketplace (Microsoft and Logitech) in conjunction with batteries from the leading battery manufacturers in the U.S. (Energizer, Duracell and Rayovac). Our battery saving mousing surfaces feature the 3M micro-textured technology used to make 3M™ Precise™ Optical Mousing Surfaces.



### 3M™ Precise™ Optical Mousing Surface

Great for wireless mice. Battery saving design. Patented micro-textured Precise™ Optical Mousing Surface helps your optical or trackball mice work better. Virtually eliminates slippage at faster mouse speeds. Point, click and drag quickly, smoothly and accurately.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** These products feature 3M™ Precise™ Optical Mousing Surfaces with battery saving designs which extend the battery life of wireless optical mice up to 75%. Our lab testing has shown that these surfaces draw less current and thus offer 75% more battery life. The lab tests were done using mice from the leading manufacturers in the marketplace (Microsoft and Logitech) in conjunction with batteries from the leading battery manufacturers in the U.S. (Energizer, Duracell and Rayovac). Our battery saving mousing surfaces feature the 3M micro-textured technology used to make 3M™ Precise™ Optical Mousing Surfaces.



### 3M™ Desk Drawer Organizer C71

Convenience reaches a new level with this clutter-reducing organizer. It dispenses Post-it® Notes, Post-it® Flags and Scotch® tape, keeping office essentials within easy reach. Keeps the things you use daily conveniently stored away in a drawer where you can easily find them. Expands to fit most drawers.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** This product contains 100% preconsumer recycled content.



### 3M™ Desk Drawer Organizer C91

Convenience reaches a new level with this clutter-reducing organizer. It dispenses Post-it® Notes, Post-it® Flags and Scotch® tape, keeping office essentials within easy reach.

**Website:** [www.3m.com/myworkspace](http://www.3m.com/myworkspace)

**Environmental/Energy Advantage:** This product contains 100% preconsumer recycled content.



### 3M™ Vikuiti™ Super Close Projector SCP712

3M™ Vikuiti™ Super Close Projector, 30" to 120" image size adjustability; tabletop, ceiling mount or preferred wall mount applications; 2000 lumens; XGA resolution (1024 x 768); 2100:1 contrast ratio; 4:3 aspect ratio w/16:9 supported; VGA, power and USB connectivity with additional input/output and annotation modules available. Perfect solution for classroom existing interactive whiteboards or over dry erase boards.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** Eco mode settings for brightness (wattage consumption) and high efficiency cooling system with low acoustic dB noise levels. WEEE and RoHS compliant.



### 3M™ Vikuiti™ Super Close Projector SCP715

3M™ Vikuiti™ Super Close Projector, 30" to 120" image size adjustability; tabletop, ceiling mount applications; 2200 lumens; XGA resolution (1024 x 768); 1600:1 contrast ratio; 4:3 aspect ratio with 16:9 supported; 2-2W speakers; front panel input/output connectivity; great solution for the office or the classroom if ceiling mounting is required.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** Eco mode settings for brightness (wattage consumption) and high efficiency cooling system with low acoustic dB noise levels. WEEE and RoHS compliant.



### 3M™ Digital Projector X20

A True XGA (1024 x 768) LCD projector, lightweight model. Weighing less than 4 lbs., this 2000 lumen, 4:3 aspect ratio projector delivers a crisp image from 30-300 inches-perfect for almost any office, classroom, or small space screen.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)



### 3M™ Digital Projector X64

With its 2600 ANSI lumens crisp video and data image display, the 3M™ Digital Projector X64 is ideal for business, education, multimedia and multi-purpose environments. Advanced features like personalized settings, daytime mode and anti-theft deterrents, make the 3M X64 a great tool for presenting a professional image.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)



### 3M™ Digital Projector WX20

The 3M Digital Projector WX20 has WXGA 1280 x 800 resolution for today's wide format computers and laptops. High definition video looks great when displayed using the HDMI connections. Compact and light-weight but fully loaded, the 3M WX20 is ideal for boardrooms, classrooms, multi-media and multipurpose environments.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)



### 3M™ Digital Projector X64w

With its 2600 ANSI lumens crisp video and data image display, the 3M™ Digital Projector X64w is ideal for business, education, multimedia and multi-purpose environments. Advanced features like wireless capability, personalized settings, daytime mode and anti-theft deterrents, make the 3M X64w a great tool for presenting a professional image.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)



### 3M™ Digital Projector X66

The 3M Digital Projector X66, with its 3000 lumens and crisp data and video image display is ideal projector for larger classroom, conference rooms, executive boardrooms, hotel meeting and ballrooms, or even small auditorium-designed rooms. The native 4:3 aspect ratio delivers data in a clear XGA, 1024 x 768 resolution. 16:9 format is available for popular DVD formats. One of the top features is an Automatic Vertical Digital Keystone Adjustment. Comes with full connectivity.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)





### 3M™ Digital Projector DX70

The 3M DX70 offers 3800 lumen video and data display, ideal for larger conference or training rooms, boardrooms, ballrooms or virtually any multi-purpose environment that requires crisp, clear multi-media display. It utilizes the XGA DrakChip3™ DLP® Technology from Texas Instruments.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)

Power Consumption: 385W (Normal Mode), 320W (Whisper Mode)



### 3M™ Digital Projector X76

Ideal for larger conference rooms, boardrooms, training rooms and classrooms the 3M Digital Projector X76 delivers impressive brightness with its powerful 3500 lumens and crisp video and data image display for multimedia and multi-purpose environments. Advanced features like automatic vertical keystone adjustment and personalized settings make the 3M X76 a great tool for presenting a professional image.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Lamp: UHB 230W (Normal Mode), 170W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)



### 3M™ Digital Projector X90

With its 4000 lumens, crisp video and data image display and wide selection of connectors, the 3M Digital Projector X90 is ideal for boardrooms, classrooms, multi-media and multipurpose environments. Advanced features like personalized settings, video enhancements and anti-theft deterrents, make the 3M X90 a great tool for presenting a professional image.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 39dB, Whisper 33dB

Lamp: UHB 285W (Normal Mode), 228W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (Whisper Mode)

Power Consumption: 460W



### 3M™ Digital Projector X90w

With its 4000 lumens, crisp video and data image display, the 3M Digital Projector X90w, featuring wireless and wired LAN capabilities, is ideal for boardrooms, classrooms, multi-media and multipurpose environments. Advanced features like personalized settings, video enhancements and anti-theft deterrents, make the 3M X90w a great tool for presenting a professional image.

**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 39dB, Whisper 33dB

Lamp: UHB 285W (Normal Mode), 228W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (Whisper Mode)

Power Consumption: 460W



### 3M™ Digital Projector X95

For the projection needs that call for maximum brightness to fill a large room but still reach the audience, the 3M Digital Projector X95 is the one to have. Boasting 5000 lumens, this XGA projector is ideal for larger boardrooms, classrooms, and auditoriums. Lens shift capabilities make for easy placement in virtually any room, and the multiple security features give you peace of mind that your assets are protected



**Toll Free Number:** 1-800-328-1371

**Website:** [www.3m.com/meetings](http://www.3m.com/meetings)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company Visual Systems Department in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.

Noise level: Normal 36dB, Whisper 30dB

Lamp: UHB 220W (Normal Mode), 172W (Whisper Mode)

Lamp Life: 2000 hours (normal), up to 3000 hours (whisper)

Power Consumption: 385W (Normal Mode), 320W (Whisper Mode)

### Post-it® Notes

#### Post-it® Recycled Notes in Cabinet Packs

These 3 in x 3 in 100% recycled Post-it® Notes are conveniently stored in a 100% recycled carton. Made from recycled paper in Canary Yellow and Assorted Pastel Colors.

**Website:** <http://www.Post-it.com>

**LEED® Claim:** Use of this product helps contribute to LEED® Green Building Certification EB O&M MR Credit 1.1 -1.3 Sustainable Purchasing: Ongoing Consumables because Post-it® Recycled Notes in Cabinet Packs contain a minimum of 30% postconsumer recycled content.

**Environmental/Energy Advantage:** This product is made with 100% recycled paper and contains a minimum of 30% postconsumer recycled content. All Post-it® Notes are recyclable.



#### Post-it® 100% Recycled Notes - Canary Yellow

These Post-it® Notes are perfect for capturing messages, telephone numbers and to-do items. Made from recycled paper in Canary Yellow.

**Website:** <http://www.Post-it.com>

**LEED® Claim:** Use of this product helps contribute to LEED® Green Building Certification EB O&M MR Credit 1.1 -1.3 Sustainable Purchasing: Ongoing Consumables because Post-it® 100% Recycled Notes - Canary Yellow contain a minimum of 30% postconsumer recycled content.

**Environmental/Energy Advantage:** This product is made with 100% recycled paper and contains a minimum of 30% postconsumer recycled content. All Post-it® Notes are recyclable.



## Post-it® 100% Recycled Notes - Assorted Pastel Colors

These Post-it® Notes are perfect for capturing messages, telephone numbers and to-do items. Made from recycled paper in an assortment of pastel colors. Canary Yellow, Carnation, Sky Blue, Spring Green.

**Website:** <http://www.Post-it.com>

**LEED® Claim:** Use of this product helps contribute to LEED® Green Building Certification EB O&M MR Credit 1.1 -1.3 Sustainable Purchasing: Ongoing Consumables because Post-it® 100% Recycled Notes - Assorted Pastel Colors contain a minimum of 30% postconsumer recycled content.

**Environmental/Energy Advantage:** This product is made with 100% recycled paper and contains a minimum of 30% postconsumer recycled content. All Post-it® Notes are recyclable.



## Post-it® Super Sticky Recycled Notes - Nature's Hues Colors

Post-it® Super Sticky Notes stick practically anywhere! Revolutionary adhesive technology ensures your notes will stick securely to more surfaces. Now you can stick your notes where they will really get noticed...like monitors, doors and walls! Made from recycled paper in Nature's Hues Colors.

**Website:** <http://www.Post-it.com>

**LEED® Claim:** Use of this product helps contribute to LEED® Green Building Certification EB O&M MR Credit 1.1 -1.3 Sustainable Purchasing: Ongoing Consumables because Post-it® Super Sticky Recycled Notes - Nature's Hues Colors contain a minimum of 30% postconsumer recycled content.

**Environmental/Energy Advantage:** This product is made with a minimum of 30% postconsumer recycled content. All Post-it® Notes are recyclable.



## Post-it® Super Sticky Recycled Notes - Tropical Colors

Post-it® Super Sticky Notes stick practically anywhere! Revolutionary adhesive technology ensures your notes will stick securely to more surfaces. Now you can stick your notes where they will really get noticed...like monitors, doors and walls! Made from recycled paper in Tropical Colors.

**Website:** <http://www.Post-it.com>

**LEED® Claim:** Use of this product helps contribute to LEED® Green Building Certification EB O&M MR Credit 1.1 -1.3 Sustainable Purchasing: Ongoing Consumables because Post-it® Recycled Notes - Tropical Colors contain a minimum of 30% postconsumer recycled content.

**Environmental/Energy Advantage:** This product is made with a minimum of 30% postconsumer recycled content. All Post-it® Notes are recyclable.



## Post-it® Super Sticky Notes 4621-SSNP

Post-it® Super Sticky Notes stick practically anywhere! Revolutionary adhesive technology ensures your notes will stick securely to more surfaces. Now you can stick your notes where they will really get noticed...like monitors, doors and walls!

**Website:** <http://www.Post-it.com>

**Environmental/Energy Advantage:** All Post-it® Notes are recyclable.



### 3M™ Post-it® Note Easel Pad 559RP

Perfect for brainstorming, problem solving and presentations. Bleed-through resistant sheets pull off easily, stick securely to most wall surfaces and remove cleanly.

**Website:** <http://www.Post-it.com>

**Environmental/Energy Advantage:** This product is made with a minimum of 30% postconsumer recycled content. This product is recyclable, as are all Post-it® Notes.



### Mailers

#### Scotch® Padded Mailer 6913

Self-sealing. Lightweight cushioned protection. Made from 100% recycled paper, 30% postconsumer

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable, made from 100% recycled paper, containing minimum 30% postconsumer waste.



#### Scotch® Padded Mailer 6914

Self-sealing. Lightweight cushioned protection. Made from 100% recycled paper, 30% post-consumer.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable, made from 100% recycled paper, containing minimum 30% postconsumer waste.



#### Scotch® Padded Mailer 6915

Self-sealing. Lightweight cushioned protection. Made from 100% recycled paper, 30% postconsumer.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable, made from 100% recycled paper, containing minimum 30% postconsumer waste.



## Mailables, cont'd

**Scotch® Recyclable Paper Wrap 6955**

50# Kraft paper. Cushion wrap made from recycled material (Minimum 30% postconsumer) and product is recyclable.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable, made from 100% recycled paper, containing minimum 30% postconsumer waste.

**Scotch® Recyclable Paper Wrap 69110**

50# Kraft paper. Cushion wrap made from recycled material (Minimum 30% postconsumer) and product is recyclable.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable, made from 100% recycled paper, containing minimum 30% postconsumer waste.

## Tapes &amp; Glues

**Scotch® Magic™ Tape 810K18CP**

Scotch® Magic™ Tape 18 Roll Cabinet Pack is the original matte-finish, invisible tape. It's the preferred tape for offices, home offices and schools. Write on it with pen, pencil or marker.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Less packaging and less waste than individually boxed rolls. Reduced waste minimizes environmental impact.

**Scotch® 3850-18CP**

Scotch® Premium Performance 18 Roll Cabinet Pack. Provides extra strength for package protection. Clear to the Core. Meets U.S. Postal regulations for standard packages.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Recyclable carton made from 100% recycled paper (minimum 35% postconsumer). No plastic shrink wrap used.

**Scotch® Sealing Tape 3901**

Scotch® Sealing Tape is designed for light duty box sealing. Ideal for lighter weight boxes and general use.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



### Scotch® Mailing Tape w/Dispenser 141

Strong, moisture resistant clear mailing tape comes in an easy to use dispenser. Polypropylene. Meets U.S. Postal regulations.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



### Scotch® Packaging Tape 142

Scotch® Packaging Tape is super strong for your heaviest packages. The dispenser ensures the tape will not fall back on the roll and the tape has an easy unwind. Ideal for moving and package sealing. Meets U.S. postal regulations for standard packages.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



### Scotch® Packaging Tape 143, Tan

Scotch® Packaging Tape is super strong for your heaviest packages. The dispenser ensures the tape will not fall back on the roll and the tape has an easy unwind. Ideal for moving and package sealing. Meets U.S. postal regulations for standard packages.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



### Scotch® Mailing Tape w/Dispenser 147, Tan

Strong, moisture resistant tan mailing tape comes in an easy to use dispenser. Polypropylene. Meets U.S. Postal regulations.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



## Scotch® Packaging Tape 3750-P

Strong conformable film backing and hot melt synthetic rubber-resin adhesive system provides a consistent uniform seal. Resists center seam splitting, assures reliable closures. Seals out moisture, dust and dirt.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Packaging Tape 3750 Tan and Clear

Scotch® Packaging Tape is designed for Commercial Performance. This tape combines our strongest hot melt adhesive, a strong backing to provide instant adhesion that seals out moisture, dust and dirt. Resists splitting and assures reliable closures.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



## Scotch® Packaging Tape 3850

Scotch® Packaging Tape provides extra strength for package protection. Ideal for mailing, moving and package sealing. Superior clarity in a hot melt adhesive. Resists splitting & tearing. Meets standard U.S. Postal regulations.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



## Scotch® Tear-By-Hand Tape 3842

Easily tears by hand in a straight line. No scissors or dispenser needed. Super strong in use, seals package securely. Ideal for mailing, moving and package sealing. Mailing labels adhere without peeling off.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.





### Scotch® Tear-By-Hand Tape 3841

Easily tears by hand in a straight line. No scissors or dispenser needed. Super strong adhesive seals package securely. Ideal for mailing, moving and package sealing. Mailing labels adhere without peeling off. Meets U.S. Postal regulations.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Manufactured with a solvent free adhesive coating process.



### Scotch® Premium Transparent Film Tape 600

Scotch® Transparent Tape is the classic, glossy- finish tape. A great value for general-purpose wrapping, sealing and mending. Clear when applied and won't dry out.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product is made with a water-based adhesive.



### Scotch® Scrapbooking Tape 001

This long lasting, acid-free tape permanently bonds most surfaces. It's perfect for mounting pictures, documents, and memorabilia. It's also great for crafts and decorating. Scotch® Scrapbooking Tape has been independently laboratory tested to be safe for use on both the front and back sides of photos. The pH of this tape is 7.0 to 8.0.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product is made with a water-based adhesive.



### Scotch® MultiTask Tape

Scotch® MultiTask Tape combines crystal clarity, strength, and moisture resistance for performance over a wide range of taping tasks. An excellent multi-purpose tape for home and work.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product is made with a water-based adhesive.



### Scotch® Purple Glue Sticks 6108

A clean, easy-to-use permanent adhesive. Sticks to paper, cardboard, and fabric. Easy-to-see purple adhesive dries clear and wrinkle-free. Non-toxic and washable.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product uses a low organic-solvent manufacturing process and is non-toxic as defined in the Federal Hazardous Substances Act.



### Scotch® Restickable Adhesive Glue Stick 6307

From the makers of Post-it® Notes. Neat, easy-to-use, solid adhesive stick makes paper self-sticking, removable, and repositionable. 0.20 oz White, Bagged 36/Case

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product uses a low organic-solvent manufacturing process and is non-toxic as defined in the Federal Hazardous Substances Act.



### Scotch® Craft Sticks - Acid Free 003

Ideal for memory books and other crafts. Acid Free and photo safe. Great for photos, paper and fabric.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product uses a low organic-solvent manufacturing process and is non-toxic as defined in the Federal Hazardous Substances Act.



### Scotch® Permanent Adhesive Glue Sticks 6008

Scotch® Permanent Adhesive Glue Stick. A neat, easy-to-use solid adhesive sticks to paper, cardboard, photos and fabric. Dries clear and wrinkle-free. Non-toxic and washable.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product uses a low organic-solvent manufacturing process and is non-toxic as defined in the Federal Hazardous Substances Act.



### Scotch® Removable Tape 811

Scotch® Removable Tape features a unique adhesive that holds paper securely, yet is easy to remove or reposition. Great for layouts and temporary posting of papers, and you can write on it.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product is made with a water-based adhesive.



### Scotch® Magic™ Tape 810

Scotch® Magic™ Tape is the original matte-finish, invisible tape. It's the preferred tape for offices, home offices and schools. Write on it with pen, pencil or marker.

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** This product is made with a water-based adhesive.



## Cleaning

### Scotch™ Lint Brush

With a simple sweep of the handle, thousands of directional fibers lift lint, hair and other debris from virtually any fabric. Brush head stands up to repeated use. Fibers clean easily for a "fresh" brush every time.

**Website:** [scotchlint.com](http://scotchlint.com)

**Environmental/Energy Advantage:** Product is reusable, creating less waste than disposable products.



### Scotch-Brite™ Microfiber Hardwood Floor Mop

Use with your favorite wood floor cleaner for shining, dust-free floors in seconds.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.scotch-brite.com](http://www.scotch-brite.com)

**Environmental/Energy Advantage:** It is washable, so can be reused, creating less waste than with disposable products.



## Cleaning, cont'd

**Scotch-Brite™ Microfiber Super Duster**

Lifts and traps dust. In addition it is lightweight, great for floors, walls and under furniture.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** It is washable, so can be reused, creating less waste than with disposable products.

**Scotch-Brite™ Never Rust® Heavy Duty and Delicate Duty Soap Pads**

Cleaning pads containing effective, grease-cutting soap that do not rust or splinter.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Pad fibers are made from 100% postconsumer plastic bottles, soap is biodegradable and phosphorus free, packaging is made from 100% recycled paper, 35% postconsumer. 1 20-ounce soda bottle will make approximately 9 Never Rust Scotch-Brite Soap Pads.



## Cleaning, Sponges &amp; Cloths

**Scotch-Brite™ Premium Glass Cleaning Cloth**

Microfiber glass cleaning cloth. Great for glass, mirrors and chrome.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners. Washable and reusable.

**Scotch-Brite™ Kitchen Cloth**

Scotch-Brite™ Bamboo Kitchen Cloth rinses and wrings easily and has a soft, silky feel. It lifts and traps messes in sinks and on countertops. The Bamboo Kitchen Cloth is machine washable, up to 50% more absorbent than ordinary cotton dishcloths according to internal 3M lab tests measuring liquid gram per fiber gram absorption against representative sample of cotton dishcloths sold at retail. It dries quickly and is safe for all surfaces (cloth itself does not scratch surfaces; however, it can pick up particles that do scratch).

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Naturally, the brighter way to clean! Scotch-Brite™ Bamboo Kitchen Cloth is made with 60% bamboo fibers, a readily renewable resource, and 40% cotton.



### Scotch-Brite™ High Performance Cleaning Cloth 2011

Specifically designed with a unique combination of bi-component microfibers and knit construction for safe, effective cleaning on the most delicate surfaces. So effective - you can clean without chemicals!

**Toll Free Number:** 1-800-626-8578

**Website:** www.3M.com/commcare

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners. Washable and reuseable, creating less waste than disposable products.



### Scotch-Brite™ Microfiber Dusting Cloth

Microfiber dusting cloth traps dust, dirt and smudges. Work without messy sprays and cleans without scratching. Effective after hundreds of washings.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners. Washable and reusable, creating less waste than disposable products.



### 3M™ Lens Cleaning Cloth

Microfiber texture cleans eyeglasses, cameras, binoculars and more without scratching.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners. Washable and reuseable.



### Scotch-Brite™ Sponge Cloth

Absorbs up to 10 times its own weight in water. Great for kitchen, bath, around the house and outdoors.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Made of cellulose, which is derived from wood pulp, a renewable resource. Unlike paper towels this cloth is reuseable.



## O-Cel-O™ Expressions Bowtie Sponges

Uses 3M's unique antimicrobial StayFresh™ technology to stop odors in the sponge through hundreds of uses. Shaped for comfort, it's ideal for washing and wiping.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Made of cellulose, which is derived from wood pulp, a renewable resource.



## O-Cel-O™ No Scratch Light Duty Scrub Sponge

The O-Cel-O™ No Scratch Scrub Sponge cleans delicate surfaces without scratching. It's ideal for cleaning glassware, china and stainless steel.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.



## O-Cel-O™ Heavy Duty Scrub Sponge

O-Cel-O™ Heavy Duty Scrub Sponge is specially made to tackle the toughest cleaning jobs. It's ideal for baked-on messes and cleaning cast-iron.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.



## O-Cel-O™ Home, Car & Boat Sponge

The O-Cel-O™ Home, Car & Boat Sponge handles large household jobs indoors and outdoors. Great for washing cars and boats.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Made of cellulose, which is derived from wood pulp, a renewable resource.



## O-Cel-O™ Handy Sponge 6-Pack

America's #1 sponge, O-Cel-O™ Handy Sponges is ideal for washing dishes, wiping counters, cleaning household appliances and getting into tight corners.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Made of cellulose, which is derived from wood pulp, a renewable resource.



## O-Cel-O™ Oval Sponge 6-Pack

Delicately shaped, O-Cel-O™ Oval Sponges are ideal for the kitchen and bath. It fits easily in the palm of your hand.

**Website:** [www.o-cel-o.com](http://www.o-cel-o.com)

**Environmental/Energy Advantage:** Made of cellulose, which is derived from wood pulp, a renewable resource.



## Scotch-Brite® Delicate Duty Scrub Sponges

Safe cleaning of most delicate surfaces. Perfect for china, crystal and non-stick cookware. Large size great for appliances, bathroom fixtures, shower enclosures, cultured marble, Formica®, vinyl floors, windows and other large surfaces. Regular size made with a comfortable, easy-to-hold shape.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.scotch-brite.com](http://www.scotch-brite.com)

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.



## Scotch-Brite® Extra Heavy Duty Scrub Sponges

Heavy duty scouring for the toughest messes. 3M technology helps protect cookware from scratching. They are made with a comfortable, easy-to-hold shape.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.scotch-brite.com](http://www.scotch-brite.com)

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.



## Cleaning, Sponges &amp; Cloths, cont'd

**Scotch-Brite® Multi-Purpose Scrub Sponges**

Fast cleaning without scratching for most household surfaces. Safe for Silverstone™ and Calphalon® non-stick cookware. They are made with a comfortable, easy-to-hold shape.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.

**Scotch-Brite® Heavy Duty Scrub Sponges**

Number 1 scrub sponge in America. With the Scotch-Brite™ Heavy Duty Scrub Sponge you get two cleaning tools in one - Scotch-Brite™ Scour Pad combined with a sponge.

**Toll Free Number:** 1-800-626-8578

**Website:** www.scotch-brite.com

**Environmental/Energy Advantage:** Sponge made of cellulose, which is derived from wood pulp, a renewable resource.



## Air Cleaning

**Filtrete™ Ultra Quiet Room Air Purifier**

The Filtrete™ Ultra Quiet Room Air Purifier cleans room sizes up to 90 sq. ft, ideal for a small bedroom or home office. The filter is 96% effective at capturing large allergens like pollen, mold spores and dust mite debris.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** This product meets the requirements for the ENERGY STAR room air cleaner guidelines.

**Filtrete® Maximum Allergen Filter**

The Filtrete® Dust & Pollen Reduction filter is for use in residential forced air heating and cooling systems and has an MPR of 1700. The electrostatically charged fibers attract and captures allergens like smoke, pet dander, household dust, smog, bacteria, particles that can carry viruses, and particles that can carry odors.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** Filter Frame composed of 100% recycled material, 65% post-consumer.





## Filtrete® Ultimate Allergen Filter

The Filtrete® Dust & Pollen Reduction filter is for use in residential forced air heating and cooling systems and has an MPR of 1700. The electrostatically charged fibers attract and capture allergens like smoke, pet dander, household dust, smog, bacteria, particles that can carry viruses, and particles that can carry odors.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** Filter Frame composed of 100% recycled material, 65% post-consumer.



## Filtrete® Ultra Allergen Filter

The Filtrete® Dust & Pollen Reduction filter is for use in residential forced air heating and cooling systems and has an MPR of 1250. The electrostatically charged fibers attract and capture microscopic allergens like smoke, smog, pet dander, household dust, bacteria and particles that can carry viruses.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** Filter Frame composed of 100% recycled material, 65% post-consumer.



## Filtrete® Ultra Pure Filter

The Filtrete® Dust & Pollen Reduction filter is for use in residential forced air heating and cooling systems and has an MPR of 1250. The electrostatically charged fibers attract and capture microscopic allergens like smoke, smog, pet dander, household dust, bacteria and particles that can carry viruses.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** Filter Frame composed of 100% recycled material, 65% post-consumer.



## Filtrete® Dust & Pollen Reduction Filter

The Filtrete® Dust & Pollen Reduction filter is for use in residential forced air heating and cooling systems and has an MPR of 600. The electrostatically charged fibers attract and capture: Household Dust, Pollen, Mold Spores, Pet Dander and Lint.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** Filter Frame composed of 100% recycled material, 65% post-consumer.



## Scotch-Brite™ Quick Clean Griddle Liquid 701

Heat-activated liquid griddle cleaner. Clean your griddle faster, easier and safer. Lifts and loosens burnt on food soil for easy removal. Safe for food contact surfaces.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0-ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for environmental sustainability and performance. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Quick Clean Griddle Cleaning System 710

Scotch-Brite™ Quick Clean Griddle System Starter Kit is a complete system for cleaning commercial griddles. This system is faster, safer and easier than traditional griddle cleaning products, such as grill bricks.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0-ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for environmental sustainability and performance. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Griddle Polishing Pad 46

An integral part in both our Scotch-Brite™ Quick Clean Griddle System and Scotch-Brite™ Griddle Cleaning System No.46/461/200. Use w/Quick Clean Griddle System to lightly scour surface, w/200 griddle screen to maximize screen life and a final polish

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0-ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Power Pad 2000

Scotch-Brite™ Power Pad - Scours up to four times faster than conventional scouring products. Scouring power for the toughest cleaning jobs, yet gentle enough to use on most surfaces. Safe on stainless steel; up to eight times less abrasive than other medium/heavy-duty commercial scouring products.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0-ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Power Pad Sponge No. 3000

Two cleaning tools in one. Scotch-Brite™ Power pad combined with a sponge. Patented antimicrobial protection that is locked in to resist odors in the sponge. 20 per case.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commmcare](http://www.3M.com/commmcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Heavy Duty Commercial Scouring Pad 86

Use in the kitchen to replace scrapers, steel wool and metal sponges. Tough fibers and abrasives clean grills and ovens and remove baked-on food from pots and pans. 6 in x 9 in.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commmcare](http://www.3M.com/commmcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ General Purpose Scouring Pad No. 96

Synthetic scouring pad is excellent for common cleaning jobs. Performs well on kitchen equipment, walls, railings, floors, desks, stairways, counters and maintenance equipment. Green. 6 in x 9 in.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commmcare](http://www.3M.com/commmcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



## Scotch-Brite™ Extra Heavy Duty Pot and Pan Handler 88

The most aggressive scouring pad. Quickly removes stubborn dirt and grime from kitchen and maintenance equipment. Removes heavily encrusted baked-on food from pots and pans. For use in place of metal sponges. Dark gray. 3.5 in x 10 in.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commmcare](http://www.3M.com/commmcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- ID Credit 1.1 Innovation in Operation & Upgrades

**Environmental/Energy Advantage:** Scotch-Brite Hand Pads are engineered for high performance and durability. In side-by-side same product comparisons, Scotch-Brite™ Hand Pads are more aggressive than most competitive pads removing up to twice as much baked-on food from cookware and dishes. Being more aggressive means that less effort is required and less time is needed to complete each cleaning operation.



### 3M™ Photoluminescent Film Series 6900

3M™ Photoluminescent Film Series 6900 is the ideal solution for emergency exits and directional signage in buildings, ships, ferries and railcars. Delivering performance you can count on, 3M™ Photoluminescent Film Series 6900 film meets and/or exceeds ASTM 2072, NFPA 101, IMO A.752.18, OSHA 1910 Means of Egress and 2000 International Building Code. Superior initial and retained luminosity; high conformability; superior PSA adhesion for easy installation; resists graffiti, chemicals and stains; no radioactive materials used in production; expected performance life of six (6) years; wide selection of signs and markings.

**Toll Free Number:** 1-800-553-1380

**Website:** [www.3M.com/tss](http://www.3M.com/tss)

**Environmental/Energy Advantage:** Long expected performance life minimizes removal of old material and reinstallation costs.



## Cleaning Chemicals

### 3M™ Twist 'n Fill™ Cleaning Chemical Management System

The Twist 'n Fill Cleaning Chemical Management System dispenses the correct ratio of Twist 'n Fill concentrate with water to produce ready-to-use cleaning products. All Twist 'n Fill products meet California Air Resource Board volatile organic compound (VOC) regulations.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** Diluted products formulations were optimized to be effective using cold water instead of hot water, which helps to prevent a possible scalding hazard and can help reduce energy use. The Twist 'n Fill system is an engineered, controlled system designed to help prevent direct contact with the concentrate. Twist 'n Fill system produces accurate ready-to-use products and offers material safety data sheets (MSDSs) and labels for both concentrates and ready-to use products, in both English and Spanish. To help minimize packaging impacts on the environment, Twist 'n Fill uses concentrated formulas, packaging designed to reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety. 3M provides technical and application information for its products and, where appropriate, material safety data sheets with up-to-date safety, environmental, and health hazard information. We have expert, professional personnel on our staff, specialists in the areas of product composition, use, toxicology and environmental science who contribute to and manage the release of the information in these publications. As a result, 3M stands behind its products for performance, safety, minimizing environmental impact and general customer satisfaction when used according to directions.



### 3M™ Twist 'n Fill™ Cleaning Chemical Dispenser Gray Cap

A unique, compact, versatile chemical dispenser which dilutes chemical concentrates with water to create ready-to-use cleaning products.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** Diluted products formulations were optimized to be effective using cold water instead of hot water, which helps to prevent a possible scalding hazard and can help reduce energy use.



### 3M™ Glass Cleaner 1L

3M™ Glass Cleaner is a concentrated product to be diluted and dispensed using the 3M™ Twist 'n Fill Cleaning Chemical Management System. 3M™ Glass Cleaner is a fast-drying, non-streaking glass cleaner formulated to effectively clean soil, water spots, oil, lipstick, and hairspray from non-porous surfaces.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** This product meets the requirements of Green Seal Standard 37 (GS-37). GS-37 is an environmental standard for industrial and institutional cleaner with specific requirements for effects on human health and the environment.



### 3M™ Heavy Duty Multi-Surface Mark Remover 2L

Versatile cleaner removes most spots, stains and grease from washable surfaces. Use to clean carpets, marble, aluminum, stainless steel, chrome, etc.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Neutral Cleaner Concentrate 3H

3M™ Neutral Cleaner is a concentrated product to be diluted and dispensed using the 3M™ Twist 'n Fill™ Cleaning Chemical Management System. Ready-to-use Neutral Cleaner is designed to clean washable hard surfaces.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** This product meets the requirements of Green Seal Standard 37 (GS-37). GS-37 is an environmental standard for industrial and institutional cleaner with specific requirements for effects on human health and the environment.



### 3M™ Bathroom Disinfectant Cleaner Concentrate 4L

Removes soap scum and scale from bathroom surfaces. Low flow for use in filling spray bottles. EPA-registered, one-step, disinfectant, cleaner, fungicide, mildewstat and virucide for homes, hospitals and industrial and institutional use.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Quat Disinfectant Cleaner Concentrate 5H

EPA-registered, disinfectant cleaner for use in hospitals. Kills HIV-1, MRSA, VRE, herpes simplex I and II and other pathogens. Rinse-free, pleasant fragrance. High flow for dispensing into buckets. 2-liter bottle, 6 per case.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Speed Stripper Concentrate 6H

High-performance, five-minute stripper. Removes sealers and floor finish buildup and finishes hardened by frequent burnishing. No unpleasant odor. High flow for dispensing into buckets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Food Service Degreaser Concentrate 7H

Removes food and oily soils from hard surfaces such as walls, floors, tables and vinyl. High flow for use in filling buckets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ General Purpose Cleaner Concentrate 8H

3M™ General Purpose Cleaner is a concentrated product to be diluted and dispensed using the 3M™ Twist 'n Fill™ Cleaning Chemical Management System. General Purpose Cleaner is formulated to clean floors, walls and most other non-porous surfaces.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** This product meets the requirements of Green Seal Standard 37 (GS-37). GS-37 is an environmental standard for industrial and institutional cleaner with specific requirements for effects on human health and the environment.



### 3M™ Extraction Cleaner Concentrate 9H

Powerful, low-foaming cleaner. Use to clean colorfast carpet with portable extraction machines. Ready-to-use product with neutral pH is safe for cleaning nylon stain-resistant carpets. High flow for use in filling buckets. 2 liter, 6 per case

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3m.com/commcare](http://www.3m.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Pretreatment Cleaner Concentrate 10H

Excellent cleaner for heavily soiled areas of colorfast carpet. Use as prespray prior to extraction or shampooing to loosen soils and stains.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### Scotchgard™ Bonnet Cleaner Concentrate 11L

Excellent cleaner for lightly soiled carpets. Maintains anti-soiling and stain-resistant properties of carpets treated with Scotchgard™ Protector. Ready-to-use product with neutral pH is safe for cleaning nylon stain-resistant carpets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Deodorizer Concentrate

Long-lasting deodorizers. Country Day Scent leaves a light, floral scent. Fresh Scent leaves a fresh, clean scent. Mountain Spice leave a fragrant, spiced scent. Low flow for use in filling spray bottles. Use anywhere where there is a need to control unpleasant odors.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Non-Acid Disinfectant Bathroom Cleaner Concentrate 15L

Daily-use, EPA registered, disinfectant bathroom cleaner for bowls, urinals, and other hard surfaces including ceramic tile, plastic, stainless steel, fiberglass, and marble.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Sanitizer Concentrate 16L

EPA-registered sanitizer for walls, floors and other hard, non-porous surfaces. For sanitizing food contact surfaces. 2-liter bottle, 6 per case.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Phenolic Disinfectant Cleaner Concentrate 18H

EPA registered, multi-purpose disinfectant detergent cleaner for use in hospitals. Disinfects, cleans and deodorizes in one labor-saving step. High flow for dispensing into buckets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3m.com/commcare](http://www.3m.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Non-Acid Bathroom Cleaner Concentrate 19L

Daily-use bathroom cleaner for toilets, urinals, and other hard surfaces. Excellent soap scum remover. Low flow for use in filling spray bottles.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** This product is sold as a concentrate. Products sold in concentrated form and diluted by the end user help reduce packaging and transportation costs when compared to products not sold as concentrates. In addition, the packaging of this product is recyclable and the container has been engineered to ensure proper dilution and help reduce exposure to the concentrated chemicals. All of these features help reduce waste of both product and non-renewable resources. This product has the potential to be used to obtain points toward LEED™ green building certification.





### 3M™ Heavy Duty Glass Cleaner Concentrate 20L

Non-streaking, heavy-duty cleaner for windows, glass, mirrors as well as stainless steel, chrome, aluminum, ceramic and plastic. Low flow for use in filling spray bottles. 2-liter bottle, 6 per case. 2-liter concentrate bottle yields 12 ready-to-use gallons.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ TroubleShooter™ Finish Remover Concentrate 21L

Removes floor finish build-up from baseboards. Low-odor, fast-working, thick solution clings to vertical surfaces. Aggressively penetrates and loosens floor finish build-up.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Floor Stripper LO Concentrate 22H

Low-odor, low-foaming, 5-minute stripper for sealers, floor finish buildup and finishes hardened by frequent burnishing. High flow for use in filling buckets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3m.com/commcare](http://www.3m.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** This product is sold as a concentrate. Products sold in concentrated form and diluted by the end user help reduce packaging and transportation costs when compared to products not sold as concentrates. In addition, the packaging of this product is recyclable and the container has been engineered to ensure proper dilution and help reduce exposure to the concentrated chemicals. All of these features help reduce waste of both product and non-renewable resources. This product has the potential to be used to obtain points toward LEED™ green building certification.



### 3M™ Neutral Quat Disinfectant Cleaner Concentrate 23H

For use in hospitals. EPA-registered, disinfectant cleaner kills HIV-1, MRSA, VRE, herpes simplex I and II, and other pathogens. Rinse-free, low-foaming, neutral pH formula. High flow for use in filling buckets.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ 3-in-1 Floor Cleaner Concentrate 24H

3M™ 3-in-1 Floor Cleaner is a concentrated product to be diluted and dispensed using the 3M™ Twist 'n Fill™ Cleaning Chemical Management System. Ready-to-use 3-in-1 Floor Cleaner is a neutral floor cleaner designed especially for use in auto scrubbers, and can be used with a mop and bucket.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3m.com/commcare](http://www.3m.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ HB Quat Disinfectant Cleaner Concentrate 25H

Rinse-free, EPA-registered, for disinfecting and cleaning non-critical items. Kills hepatitis B virus (HBV), HIV, MRSA, VRE, Herpes Simplex I and II and other pathogens. 2 liter bottle, 6 per case. Complies with OSHA's blood borne pathogen standard for disinfecting surfaces soiled with blood or other potentially infectious body fluids.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Industrial Degreaser Concentrate 26H

Removes petroleum-based grease and oil, animal fats, food soils, and heavy dirt buildup. It can be used in industrial plants, transportation and auto facilities, schools, hospitals and other facilities to clean a variety of surfaces. 2 liter, 6 per case.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### Scotchgard™ Extraction Cleaner Concentrate 27H

Powerful, low-foaming cleaner. Use to clean colorfast carpet with portable extraction machines. Ready-to-use product with neutral pH is safe for cleaning nylon stain-resistant carpets. High flow for use in filling buckets. 2-liter bottle, 6 bottles per case

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### Scotchgard™ Pretreatment Cleaner Concentrate 28H

Excellent cleaner for heavily soiled areas of colorfast carpet. Use as prespray prior to extraction or shampooing to loosen soils and stains. 2-liter bottle, 6 bottles per case

**Toll Free Number:** 1-800-626-8578

**Website:** www.3M.com/commcare

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** To help minimize packaging impacts on the environment, Twist 'n Fill Cleaning Chemical Management System uses concentrated formulas, packaging designed to help reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Neutral Cleaner LO Concentrate 33H

Specially formulated for effective cleaning with minimal residue. Low odor. High flow for use in filling buckets. 2-liter bottle, 6 per case.

**Toll Free Number:** 1-800-626-8578

**Website:** www.3m.com/commcare

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** This product meets the requirements of Green Seal Standard 37 (GS-37). GS-37 is an environmental standard for industrial and institutional cleaner with specific requirements for effects on human health and the environment.



### 3M™ Bathroom Cleaner Concentrate 44L

Removes soap scum and scale from bathroom surfaces. Low flow for use in filling spray bottles.

**Toll Free Number:** 1-800-626-8578

**Website:** www.3M.com/commcare

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** This product meets the requirements of Green Seal Standard 37 (GS-37). GS-37 is an environmental standard for industrial and institutional cleaner with specific requirements for effects on human health and the environment.



### 3M™ Bathroom & Shower Cleaner Concentrate 51L

For daily cleaning of surfaces such as ceramic tile, stainless steel, fixtures, floors and more. Will not damage floor finishes or sealers. Can be used with foaming applicator.

**Toll Free Number:** 1-800-626-8578

**Website:** www.3m.com/commcare

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To minimize packaging impacts on the environment, Twist 'n Fill uses concentrated formulas, packaging designed to reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Tile, Grout and Bowl Cleaner Concentrate 52L

For periodic cleaning. Clinging (thickened) formula reduces runoff for more effective cleaning. Will not remove floor finishes or sealers.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials; and EQ Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy.

**Environmental/Energy Advantage:** To minimize packaging impacts on the environment, Twist 'n Fill uses concentrated formulas, packaging designed to reduce exposure to product, recyclable packaging, pump sprayers rather than aerosols, and products that are shipped in bulk. 3M maintains high standards for product quality, performance, environmental leadership and safety.



### 3M™ Heavy Duty Aircraft Cleaner Concentrate 72L

High-performance, heavy-duty, multi-purpose cleaner approved for cleaning interior and exterior aircraft surfaces. Passes AMS 1550A cleaner tests for cleaning the interior of aircraft. 2 liter bottle, 6 bottles per case.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- MR Credit 4 Sustainable Cleaning Products and Materials.

**Environmental/Energy Advantage:** This product is sold as a concentrate. Products sold in concentrated form and diluted by the end user reduce packaging and transportation costs when compared to products not sold as concentrates. In addition, the packaging of this product is recyclable and the container has been engineered to ensure proper dilution and reduce exposure to the concentrated chemicals. All of these features reduce waste of both product and non-renewable resources. This product has the potential to be used to obtain points toward LEED™ green building certification.



## Air Filtration

### Filtrete™ Commercial Diffuser Filters

Filtrete™ Diffuser Filters are designed for use with existing HVAC systems to supply filtered air to areas requiring enhanced air quality. They are installed at the diffuser to help reduce airborne particulates that have penetrated standard systems.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.



### Filtrete™ Commercial Mid Performance HVAC Filters

Filtrete™ Commercial Mid Performance HVAC Filters (MERV 8) combine effective filtration performance with long filter life. Additional characteristics include integral seals, lightweight rigid frame, 100% synthetic media.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.



## Filtrete™ Commercial Mid Performance HVAC Utility Filter

Filtrete™ Commercial Mid Performance HVAC Utility Filters (MERV 8) provide a cost effective filtration alternative-with the performance you've come to expect from 3M.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2-EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.



## Filtrete™ Commercial High Performance HVAC Filters

Filtrete™ Commercial High Performance HVAC Filters (MERV 12) combine excellent filtration performance with low airflow resistance and long filter life. Additional characteristics include integral seals, lightweight rigid frame, 100% synthetic media.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.



## Filtrete™ Commercial High Performance HVAC Utility Filters

Filtrete™ Commercial High Performance HVAC Utility Filters (MERV 12) combine excellent filtration performance with low airflow resistance and long filter life in a cost effective construction.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.



## Filtrete™ Commercial Ultra High Performance HVAC Filters

Filtrete™ Commercial Ultra High Performance HVAC Filters (MERV 14) provide excellent filtration performance in a robust, long-lasting construction for commercial applications that require very high performance.

**Toll Free Number:** 1-800-648-3550

**Website:** [www.filtrete.com/commercialbuilding](http://www.filtrete.com/commercialbuilding)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance, and LEED® NC v2.2 -EQ Credit 5: Indoor Chemical & Pollutant Source Control.

**Environmental/Energy Advantage:** Low pressure drop may help reduce fan energy consumption. High particle capture efficiency may help to improve indoor environmental quality and system cleanliness. Long filter life (2-4 times that of a standard pleated panel filter) provides less waste on an annual basis. Small package size reduces handling, disposal volume, storage space and shipping cost.





# Filtrete™ Commercial Mid Performance Filter Outperforms Competition in Test at National Home Improvement Center

## Background

3M conducted a field study with a major home improvement center chain to compare the new Filtrete™ Commercial Mid Performance HVAC filter to a competitive 2" MERV 7 product being used at the chain's facilities throughout the U.S.

A representative store in Indianapolis, Indiana, was identified by the client. Two identical rooftop units (RTU) serving very similar interior thermal zones of constant volume operation were selected for this test. The cooling and heating properties of these building zones were chosen to be representative of normal building operations. Other interior RTUs and interior zones were also believed to be quite similar in operation. RTUs serving the exterior zones of the building would be expected to require more air volume and greater cooling loads due to increased energy loss through the building walls.

One of the selected RTUs was equipped with the new Filtrete filters and the other with filters from another supplier. The rooftop units were both Trane™ Model -TCD-241C400BA (20 ton high efficiency) and were both equipped with 20" × 20" × 2" and 20" × 25" × 2" filters (4 of each). The supply air fan volumes were both set at equal levels after the filter installations.

## Performance Data and Test Methods

The filters were installed in May 2005. At that time, baseline measurements were taken of the air flow rate and filter pressure drops. RTU fan and total amperage, and air and zone temperatures were then monitored on an ongoing basis via the Building Management System.

In September 2005, the filters had been in place for over 2,900 hours, or approximately one-third of a year. The monitored information confirmed that the two RTUs were equivalent as anticipated at the beginning of the trial. For the next five months, the amperages and temperatures were carefully documented to allow a quantitative comparison of the energy utilization of each unit.

In February 2006—after over 6,500 hours, or approximately nine months, of normal operation—the competitive filters exhibited high bowing at a pressure drop of 0.88 inches of water. At this same point the Filtrete filters had only reached a pressure drop of 0.40 inches of water. The comparative study was concluded at that time because the competitive filters needed to be replaced due to the noted bowing. The Filtrete Commercial HVAC filters continued in service, because their pressure drop was well below the recommended final pressure.




*This assessment is only intended to provide a general indication as to possible fan energy savings that may be obtainable. 3M does not warrant that this assessment, or its products, will result in any specific energy savings at a facility. One customer's successful use of a product in a particular application is not necessarily representative and is not a guarantee of the results another customer may have in the same or similar application. Every customer is responsible for evaluating the 3M product to determine whether it is fit for a particular use and suitable for the customer's application*

## Conclusions

The Filtrete™ Commercial Mid Performance HVAC filters demonstrated an extremely low pressure drop increase over the course of this study (0.48 inches of water, less than that exhibited by the competitive filters).

Based on the monitored electrical consumption (just over the last 3,500 hours of the test) and on actual average electricity cost of \$0.10 per kilowatt hour, the RTU equipped with a Filtrete filter consumed approximately \$300 less in energy. Note that these resulting savings are only for one RTU (eight filters) over the five month period on which electrical consumption was monitored. This represented less than one-half of a year, operating in the cooler months, and less than one-eighth of the total building area.



## Project Summary

Objective:	Compare Filtrete™ Commercial Mid Performance Filter to Competitive Filter
Total test period:	May 2005 – March 2006
Measured RTU energy consumption:	September 2005 – February 2006
Final filter pressure drop:	Competitive filter = 0.88 inches of water Filtrete filter = 0.40 inches of water
Location:	Indianapolis, Indiana
Building area:	90,000 square feet — Tested zone size: 10,000 square feet
Projected total building cooling tonnage:	180
Tested air handler type:	Matching roof top package units – 20 ton each
Client Estimated Building Energy Savings:	ROI under 0.40 years

## Additional Information

For questions or to place an order in the U.S., contact your local 3M Filtration distributor or 3M Customer Service at 1-800-648-3550 or 651-737-2433

**IMPORTANT NOTICE:** The information in this literature is based on tests 3M believes are reliable. It is not and should not be relied on as a product or technical specification. We do not guarantee the accuracy of this information. If any products described in this literature are defective, 3M will replace them at no charge. THERE ARE NO OTHER EXPRESS OR IMPLIED WARRANTIES FOR THESE PRODUCTS, INCLUDING, BUT NOT LIMITED TO ANY IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. You are responsible for determining whether products described in this literature are fit for a particular purpose and suitable for your application.

Because there are many factors within your knowledge and control that might affect the use and performance of these products, you must evaluate these products to determine whether they are fit for a particular purpose, are suitable for your application, and meet your performance expectations. 3M IS NOT LIABLE FOR ANY LOSS OR DAMAGES, WHETHER DIRECT, INDIRECT, SPECIAL, INCIDENTAL OR CONSEQUENTIAL ARISING OUT OF THE USE OF OR INABILITY TO USE ANY OF THESE PRODUCTS.

**CAUTION:** USED FILTERS MAY CONTAIN CONTAMINANTS FROM OPERATION OF THE HVAC SYSTEM. FOR PROPER HANDLING OF USED FILTERS, CONSULT APPLICABLE HEALTH AND SAFETY STANDARDS OR CONTACT AN INDUSTRIAL HYGIENIST. TO REDUCE RISK OF ILLNESS OR INJURY, ALWAYS USE APPROPRIATE RESPIRATORY PROTECTION AND PROTECTIVE CLOTHING WHEN REMOVING OR HANDLING USED FILTERS. DISPOSE OF USED FILTERS ONLY IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL LAWS AND REGULATIONS.

**IMPORTANT USE RESTRICTIONS:** DO NOT EXPOSE THIS FILTER DIRECTLY TO UV RADIATION FROM A UV PURIFICATION SYSTEM. EXCESSIVE UV EXPOSURE MAY LEAD TO A REDUCTION IN THE MECHANICAL INTEGRITY AND PERFORMANCE OF THE FILTER. THIS FILTER MUST NOT BE USED FOR THE FOLLOWING UNAUTHORIZED USES: A) ASBESTOS REMEDIATION; B) BIOTERRORISM PROTECTION; C) LEAD REMEDIATION; OR D) APPLICATIONS IN BUILDINGS THAT REQUIRE OR ARE UNDERGOING AIR HANDLING SYSTEM REMEDIATION OF HAZARDOUS SUBSTANCES.



## Environmentally Preferable Solutions for Your Building

There's a new awareness sweeping through business today. It's the recognition that many people want more than just products that do as they promise; people are actively looking for products and services that have less impact on the environment and that help conserve energy and resources. This isn't just "buying products"—this is a system approach involving a partnership between supplier and customer.

3M™ Commercial Care is committed to providing you with innovative, cost-effective cleaning solutions that help protect facilities and people, while creating clean, safe and comfortable environments throughout the world. 3M has developed the following tools to help you reach your building management objectives:

### **3M Product Guidance for LEED® Certification**

The Leadership in Energy and Environmental Design (LEED) Green Building Rating System™ is a nationally accepted benchmark for the design, construction, and operation of high performance green buildings. 3M's product guidance for LEED® certification details how 3M products address specific LEED requirements throughout a building.

### **3M's Environmentally Preferable Documentation Tool**

Executive Order 13101 or "Greening the Government through Waste Prevention, Recycling and Federal Acquisition" promotes the integration of environmental considerations into federal procurement. 3M's Environmentally Preferable Documentation Tool assists customers with creating defined and measurable criteria for meeting their environmentally preferable requirements, through alignment with Executive Order 13101

### **3M S.M.A.R.T. Training Program**

A comprehensive training and support program, 3M S.M.A.R.T. covers Service, Maintenance, Analysis, Resources and Training.



Creating clean,  
safe and  
comfortable  
environments

### **3M S.M.A.R.T. QA Program**

Quality Assurance programs can help you improve outcomes and increase efficiencies across your organization. The 3M S.M.A.R.T. QA Program helps you conduct inspections and gather precise data on key performances you need to measure.

### **Green Seal Certified Chemicals**

3M Commercial Care offers a selection of Green Seal Certified chemicals to help you achieve your goals for using environmentally preferable solutions.

For more information on 3M environmentally preferable solutions, call 1-800-626-8578 or visit [www.3M.com/commcare](http://www.3M.com/commcare).

**3M™ Floor Pads - Buffing & Cleaning**

Floor pads are essential to the success of beautiful-looking floors. The nonwoven construction comes in a variety of sizes and shapes that are designed to be used on power floor cleaning equipment. Pads for removing light soil, scuffs and black heel marks while enhancing floor appearance. Equipment type: low to high speed machines (175-1500 RPM).

**Toll Free Number:** 1-800-626-8578  
**Website:** www.3M.com/commcare

**Environmental/Energy Advantage:** 3M™ Floor Pads are engineered for environmental sustainability and performance. 3M floor pads are:  
 -Washable and reusable  
 -Increase soil removal up to 60%  
 -Remove black marks up to 6 times faster  
 -Last up to 25 times longer



**3M™ Floor Pads - Burnishing**

Floor pads are essential to the success of beautiful-looking floors. The nonwoven construction comes in a variety of sizes and shapes that are designed to be used on power floor cleaning equipment. Repair finish and improve gloss and image clarity of floor surface. Equipment type: ultra high speed machines (1500 RPM and above).

**Toll Free Number:** 1-800-626-8578  
**Website:** www.3M.com/commcare

**Environmental/Energy Advantage:** 3M™ Floor Pads are engineered for environmental sustainability and performance. 3M floor pads are:  
 -Washable and reusable  
 -Increase soil removal up to 60%  
 -Remove black marks up to 6 times faster  
 -Last up to 25 times longer



**3M™ Floor Pads - Scrubbing**

For heavy duty scrubbing prior to recoating. Can also be used for heavy duty spray cleaning or foam scrubbing. Removes dirt, spills, and scuffs, leaving a clean surface ready for recoating.

**Toll Free Number:** 1-800-626-8578  
**Website:** www.3m.com/commcare

**Environmental/Energy Advantage:** 3M™ Floor Pads are engineered for environmental sustainability and performance. 3M floor pads are:  
 -Washable and reusable  
 -Increase soil removal up to 60%  
 -Remove black marks up to 6 times faster  
 -Last up to 25 times longer



Floor Cleaning Pads, cont'd

**3M™ Floor Pads - Stripping**

Floor pads are essential to the success of beautiful-looking floors. The nonwoven construction comes in a variety of sizes and shapes that are designed to be used on power floor cleaning equipment.

To remove all finish, sealer and contaminants from the floor surface. Done at the start of a maintenance program and at times when scrubbing will not achieve the desired results.

Equipment type: low to high speed machines (175-600 RPM).

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**Environmental/Energy Advantage:** 3M™ Floor Pads are engineered for environmental sustainability and performance. 3M floor pads are:

- Washable and reusable
- Increase soil removal up to 60%
- Remove black marks up to 6 times faster
- Last up to 25 times longer



Floor Matting

**3M™ Nomad™ Carpet Matting 5000**

Attractively styled, durable matting designed for high performance in light to medium traffic areas from 50,000 to 100,000 people per year. Unique cross rib dual fiber design provides excellent dirt and water removal.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Carpet Matting helps prevent damage to floor finishes requiring less maintenance and burnishing, which can translate to fewer burnishing or buffing chemicals being used in a facility and entering the environment.



**3M™ Nomad™ Medium Traffic Scraper Matting 6050**

Resilient vinyl loop construction traps, holds and hides dirt and sand so the surface stays neat and clean. Foam backing reduces creeping, provides added foot comfort.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Scraper Matting removes up to 72% more dirt and water than other traditional carpet matting helping to improve overall interior appearance, extending life of floor surfaces, reducing interior maintenance cost, and helps reduce costly slip and fall accidents, not only near the entrances, but within a building's interior as well.



### 3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250

The patented design provides scraping action for excellent dirt and water removal. Foam backing reduces creeping, holds moisture and dirt off floor and provides added comfort. Available in granite and mocha.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Scraper Matting removes up to 72% more dirt and water than other traditional carpet matting improving overall interior appearance, extending life of floor surfaces, reducing interior maintenance cost, and helps reduce costly slip and fall accidents, not only near the entrances, but within a building's interior as well.



### 3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracked back into the building. Grease and oil resistant.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Scraper Matting removes up to 72% more dirt and water than other traditional carpet matting improving overall interior appearance, extending life of floor surfaces, reducing interior maintenance cost, and helps reduce costly slip and fall accidents, not only near the entrances, but within a building's interior as well.



### 3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracked back into the building. Grease and oil resistant.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Scraper Matting removes up to 72% more dirt and water than other traditional carpet matting improving overall interior appearance, extending life of floor surfaces, reducing interior maintenance cost, and helps reduce costly slip and fall accidents, not only near the entrances, but within a building's interior as well.



### 3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100

Entrance coiled vinyl scraper matting designed for heavy traffic applications. The construction allows dirt and moisture to flow through the matting and not be retracked back into the building. Grease and oil resistant.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.3M.com/commcare](http://www.3M.com/commcare)

**LEED® Claim:** Use of this product helps contribute to LEED® EB v2.0- EQ Credit 10.1 Green Cleaning: Entryway systems.

**Environmental/Energy Advantage:** 3M™ Nomad™ Scraper Matting removes up to 72% more dirt and water than other traditional carpet matting improving overall interior appearance, extending life of floor surfaces, reducing interior maintenance cost, and helps reduce costly slip and fall accidents, not only near the entrances, but within a building's interior as well.



## CUNO™ Automated Endoscope Reprocessor (AER) Water Filtration System

The CUNO™ Automated Endoscope Reprocessor (AER) Water Filtration system is designed to provide high-quality water to AER's by reducing sediment, particulate, and bacteria that may be found in hospital tap water. Innovative pleating, along with advanced design and construction technologies, effectively combine two distinct filters in a single cartridge to maximize water throughput and filter life. The Sanitary Quick Change design enables filter change-outs in a fraction of the time vs. traditional two-piece filter housings, providing a filter that is economical, easy to use and reduces the total cost of filtration for your department.

**Toll Free Number:** 1-866-646-5196

**Website:** www.cuno.com

**Environmental/Energy Advantage:** The CUNO Automated Endoscope Reprocessor Water Filtration system is a single filter designed to last significantly longer (at least twice as long) as traditional two-stage filter systems resulting in less waste in landfill.



## 3M™ Water Filtration ICE series

3M™ Water Filtration ICE series add a scale inhibitor to the water to help control the precipitation of the carbonates as hard lime scale.

**Toll Free Number:** 1-888-218-CUNO

**Website:** www.cunofoodservice.com

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance

**Environmental/Energy Advantage:** Energy savings through control of lime-scale formation on ice machine evaporator plates. 25,000 gallon capacity for chlorine taste and odor reduction; scale reduction; sediment reduction, cyst reduction (ICE140-S), and bacteria reduction.



## 3M™ Water Filtration BREW series

3M™ Water Filtration BREW series add a scale inhibitor to the water to help control the precipitation of the carbonates as hard lime scale.

**Toll Free Number:** 1-888-218-CUNO

**Website:** www.cunofoodservice.com

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0-EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Energy savings through control of lime-scale formation on coffee-brewer heating coils and boilers. 3,500 gallon capacity for chlorine taste and odor reduction; scale reduction; sediment reduction, cyst reduction (BREW110-MS), and bacteria reduction.



## Filtrete™ Advanced Water Filtration System

The Filtrete™ Advanced Faucet Water Filtration System fits neatly under the kitchen sink. It provides great tasting water and has a convenient shut-off valve for no-mess filter replacement. The Filtrete(TM) Advanced Faucet Water Filter reduces particulates like sediment, sand, silt, soil, and rust\*. The system is tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of chlorine taste and odor.

\*Not tested or certified by NSF International.

**Toll Free Number:** 1-800-388-3458

**Website:** www.filtrete.com

**Environmental/Energy Advantage:** When used instead of bottled water, Filtrete™ water filtration systems have the potential to greatly reduce the number of plastic bottles that go into landfills or are recycled. Considering that the total mass of an empty 16 oz. plastic bottle is approximately 25 grams, each cartridge with this capacity (2000 gallons or 7.571 liters) has the potential to prevent hundreds of pounds of plastic from entering landfills every year.



## Filtrete™ Professional Water Filtration System

The Filtrete™ Professional Faucet Water Filtration System fits neatly under the kitchen sink. It provides great tasting healthier\*\* water and has a convenient shut-off valve for no-mess filter replacement. The Filtrete(TM) Professional Faucet Water Filter is a chemical and mechanical reduction filter that reduces particulates like sediment, sand, silt, soil, and rust\*. It also reduces chlorine taste and odor, and parasitic cysts. The system is tested and certified by NSF International against NSF/ANSI Standard 42 for the reduction of chlorine taste and odor and Class I Particulates, and NSF/ANSI 53 for the reduction of cysts.

\*Not tested or certified by NSF International.

\*\*Based on the reduction of parasitic cysts

**Toll Free Number:** 1-800-388-3458

**Website:** [www.filtrete.com](http://www.filtrete.com)

**Environmental/Energy Advantage:** Filtrete™ water filtration systems have the potential to greatly reduce the number of plastic bottles that go into landfills or are recycled. Considering that the total mass of an empty 16 oz. plastic bottle is approximately 25 grams, each cartridge with this capacity (2000 gallons or 7.571 liters) has the potential to prevent hundreds of pounds of plastic from entering landfills every year.



## Window Films

### 3M™ Sun Control Window Film Amber 35

3M™ Sun Control Window Films make light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

This 3M™ Window Film offers substantial rejection benefits and glare control. It has an amber hue and moderate reflectivity.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Amber Sun Control Window Films reject up to 74% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.



### 3M™ Sun Control Window Film Neutral Series

3M™ Sun Control Window Films make light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

This 3M™ Window Film offers a unique combination of low reflectivity and high performance. It has a neutral/gray color due to the metal coating and will not fade or change color over the product lifetime.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Neutral Sun Control Window Films reject up to 66% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.



### 3M™ Sun Control Window Film Nickel 50

3M™ Sun Control Window Films make light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

This 3M™ Window Film provides a performance rivaling the amber film, but with a light transmission and color that comes close to the lighter neutral film. Aesthetically, the film offers a nickel appearance.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Nickel Sun Control Window Films reject up to 57% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.



### 3M™ Sun Control Window Film Silver Series

3M™ Sun Control Window Films make light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

These 3M™ Window Films offer high performance in terms of heat rejection. They have a silver color due to the metal coating and will not fade or change color over the product lifetime.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Silver Sun Control Window Films reject up to 77% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.



### 3M™ Sun Control Window Film Night Vision Series

3M™ Window Films make light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

This 3M™ Window Film offers a strong combination of attractive tones, low interior reflectivity, desirable light transmission and high performance sun control features. The warm, natural hues invite warmth and beauty to any room. The Night Vision series, one of our most popular films, offers 3M technology that enhances color stability on the films.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Night Vision Window Film rejects up to 75% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.



### 3M™ Sun Control Window Film Amber 35 Low E

3M™ Window Film makes light a welcome addition to your environment. Since 1966, 3M has been improving light with window films. As a leader in both adhesive and film technologies, 3M brings together these disciplines to create the finest products available. The quality of our window films is confirmed by the satisfaction of hundreds of thousands of users worldwide. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading.

These all season, low-e films offer substantial summer and winter benefits and are popular in northern areas where significant climate changes take place.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Our films block up to 99% of the sun's damaging UV rays which are the single largest cause of fading and sun damage. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Amber Low E Sun Control Window Film rejects up to 75% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M™ Window Film products as effective UV protectants.





### 3M™ Safety & Security Window Film Ultra NV 525

This 3M™ Safety and Security Window Film combines the sun control features of our Night Vision Film with the superior strength of 3M™ Ultra Safety and Security Film. The combination offers all the benefits of a security film with that of a sun control film. This film passes the 400 ft. lb. (538 Joule) impact level when tested in accordance with the Safety Glazing Standard CPSC 1201 Category II.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Helps increase personal safety from flying glass and deter smash and grab burglaries. Helps mitigate damage from windstorms, blasts and earthquakes.

3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include reduced glare and improved comfort. 3M Ultra Safety & Security Window Film S25NVAR400 rejects up to 66% of the sun's heat that comes through the window.



### 3M™ Safety & Security Window Film Ultra Silver 520

This 3M™ Safety and Security Window Film combines the sun control features of our P18 Silver Film with the superior strength of 3M™ Ultra Safety and Security Film. The combination offers all the benefits of a security film with that of a sun control film. This film passes the 400 ft. lb. (538 Joule) impact level when tested in accordance with the Safety Glazing Standard CPSC 1201 Category II.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Helps increase personal safety from flying glass and deter smash and grab burglaries. Helps mitigate damage from windstorms, blasts and earthquakes. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings

and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include reduced glare and improved comfort. 3M Ultra Safety & Security Window Film S20SIAR400 rejects up to 77% of the sun's heat that comes through the window.



### 3M™ Safety & Security Window Film Ultra Neutral 535

This 3M™ Safety and Security Window Film combines the sun control features of our RE35NEARL neutral film with the superior strength of 3M™ Ultra Safety and Security Film. The combination offers all the benefits of a security film with that of a sun control film. This film passes the 400 ft. lb. (538 Joule) impact level when tested in accordance with the Safety Glazing Standard CPSC 1201 Category II.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Helps increase personal safety from flying glass and deter smash and grab burglaries. Helps mitigate damage from windstorms, blasts and earthquakes. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will

block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include reduced glare and improved comfort. 3M Ultra Safety & Security Window Film S35NEAR400 rejects up to 56% of the sun's heat that comes through the window.



### 3M™ Safety & Security Window Film Ultra Neutral 550

This 3M™ Safety and Security Window Film combines the sun control features of our RE50NEARL light neutral film with the superior strength of 3M™ Safety and Security Film. The combination offers all the benefits of a security film with that of a sun control film. This film passes the 400 ft. lb. (538 Joule) impact level when tested in accordance with the Safety Glazing Standard CPSC 1201 Category II.



**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Helps increase personal safety from flying glass and deter smash and grab burglaries. Helps mitigate damage from windstorms, blasts and earthquakes. 3M Window Films are designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include reduced glare and improved comfort. 3M Ultra Safety & Security Window Film S50NEAR400 rejects up to 43% of the sun's heat that comes through the window.

### 3M™ Sun Control Window Film Prestige Series

3M™ Sun Control Window Film Prestige Series are designed to help reduce the harmful effects of the sun, providing solutions for problems such as glare, faded furnishings, room comfort, and energy savings. All these benefits are combined into one product, with a warranty backed by one of the world's most respected companies.

**Toll Free Number:** 1-866-499-8857

**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** 3M Sun Control Window Film Prestige Series is designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99.9% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Sun Control Window Film Prestige Series rejects up to 59% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.

### 3M™ Safety and Security Window Film Prestige Series - Ultra PR S50 - S70

3M™ Safety and Security Window Film Prestige Series are designed to help reduce the harmful effects of the sun, providing solutions for problems such as glare, faded furnishings, room comfort, and energy savings. All these benefits are combined into one product, with a warranty backed by one of the world's most respected companies.

**Toll Free Number:** 1-866-499-8857


**Website:** [www.3m.com/windowfilm](http://www.3m.com/windowfilm)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** 3M Safety and Security Window Film Prestige Series-Ultra is designed to reduce the effects of solar heat and visible light on your furnishings and will block up to 99.9% of the sun's harmful ultraviolet rays, which are the single largest cause of fading. Additional benefits include an elegant appearance, reduced glare and improved comfort. 3M Sun Control Window Film Prestige Series-Ultra rejects up to 59% of the sun's heat that comes through the window. By reducing heat, you can help save on your energy costs. The Skin Cancer Foundation recommends many 3M Window Film products as effective UV protectants.

## 3M™ Light Pipe

3M™ Light Pipe Series LPS100, LPS150 and LPS250 are innovative, modular lighting systems that are designed to distribute light evenly along their entire length. The light pipes are a series of cylindrical, interconnected light distribution modules ranging in length from 4 to 20 meters for LPS250 series and from 8 to 64 feet for LPS100 series and LPS150 series. These modules, called light pipes, are lined with a 3M™ Optical Lighting Film 2301 which has unique properties that produce a uniform illumination from a single light source. An extractor strip of 3M™ Light Enhancement Film 3635-100 diffuses light reflection inside the pipe so that it is uniformly distributed along the entire length of the system (See product bulletin).



**Toll Free Number:** 1-800-328-3908

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0- EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2, EB v2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Isolates heat, UV and electrical power, reduced glare, uniform illuminator focused where it is needed. In addition, they improve visual performance and comfort.

## 3M™ High Luminance Light Fiber

3M™ High Luminance Light Fiber is an especially brilliant type of fiber that creates a bright, visually uniform effect (See product bulletin).

Features:

- Compliments neon and LED chip strips
- High durability- resists breakage
- Fiber is flexible
- Design flexibility with clean appearance
- Ideal for indoor and outdoor applications
- Remote light source
- Cool to touch
- No electrical hazard along fiber
- Low voltage alternatives
- Easy to change light source



**Toll Free Number:** 1-800-328-3908

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0- EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2, EB v2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** When paired with energy efficient solid state light sources, 3M™ High Luminance Light Fiber offers opportunity for energy savings over traditional light sources. 3M™ High Luminance Light Fiber is a more environmentally preferable solution than fluorescent or neon lights because it contains no mercury or heavy metals. Furthermore, 3M™ High Luminance Light Fiber is safer for use in public areas that are sensitive to glass breakage from traditional light sources.

## 3M™ Uniform Lighting Panels

The 3M™ Uniform Lighting Panel is a clear rigid panel that has an innovative 3M optical lighting film mounted to it. This film is specifically designed to reflect or transmit light depending upon the angle at which a light ray strikes its surface with very low light absorption. Because of these unique optical properties, these lighting panels can be used in light boxes to transport and distribute the light uniformly with extremely high efficiency, while minimizing the number of lamps needed and the thickness of the box. Refer to 3M Product Bulletin ULP for complete details.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB v2.0- EA Prerequisite 2: Minimum Energy Performance; and helps contribute to LEED® NC v2.2, EB v2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Offers a reduction in energy consumption compared to traditionally backlit boxes. Features brightness suitable for backlit applications.



### 3M™ Daylighting Film DF2000MA

3M™ Daylighting Film DF2000MA is a polymeric film providing specular reflection with greater than 99% luminous reflectivity for wavelengths from 400 nm to 775 nm (visible light). This high rate of reflectivity is especially important in applications where light is transferred or directed through multiple reflections. For example, when directing daylight down a duct or a tube with 20 points of reflection, going from 99 to 98% reflectivity (a 1% decrease) will cause a decrease in light output of up to a 20%. This metal-free, non-corroding and non-conducting film is well-suited for daylighting applications. It has a pressure sensitive adhesive for a secure bond and a polyethylene liner to protect its reflective surface during installation (See product bulletin).



**Toll Free Number:** 1-800-328-3908

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2 - EA Credit 1 Optimizing Energy Performance; LEED® NCv 2.2 -EQ Credit 8.1, 8.2 as related to increasing the level of daylight and dispersion; LEED® EB O&M- EA Prerequisite 2: Minimum Energy Efficiency Performance; LEED® EB O&M-EQ credit 2.4, 2.5 as related to increasing the level of daylight and dispersion. LEED® EB O&M EA Credit 1 Optimize Energy Efficiency

**Environmental/Energy Advantage:** This product is extremely efficient at reflecting visible wavelengths of light and can increase the efficiency of lighting or the use of daylight. Using this product to efficiently transfer daylight to the building interior, can reduce the energy required for lighting as well as improving the quality of the environment.

### 3M™ Daylighting Radial Lens Film DRLP22

3M™ Daylighting Radial Lens Film DRLP22 is a continuous web of 4-inch square UV-stabilized polycarbonate lenses. On one side are optical-quality circular prisms 0.0008 inches in depth. The other side of the 0.022-inch film has a smooth finish. The lenses are designed to capture sunlight from a wide range of angles and uniformly distribute the light from its lens surface to an interior space. The unique lens design reduces glare and eliminates hot spots, and because of the optical grade plastic used, the film does not alter the colors of the transmitted light. A majority of the light is contained in a cone angle of 90 degrees. This feature allows lighting designers to efficiently illuminate floor areas and maintain adequate ambient levels on the walls (See product bulletin).



**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2 - EA Credit 1 Optimizing Energy Performance; LEED® NCv 2.2 -EQ Credit 8.1, 8.2 as related to increasing the level of daylight and dispersion; LEED® EB O&M- EA Prerequisite 2: Minimum Energy Efficiency Performance; LEED® EB O&M-EQ credit 2.4, 2.5 as related to increasing the level of daylight and dispersion. LEED® EB O&M EA Credit 1 Optimize Energy Efficiency Performance.

**Environmental/Energy Advantage:** This product is extremely efficient at reflecting visible wavelengths of light and can increase the efficiency of lighting or the use of daylight. Using this product to efficiently transfer daylight to the building interior, can reduce the energy required for lighting as well as improving the quality of the environment.

## 3M™ Controltac™ Graphic Film Series 180 and 3M™ Scotchcal™ Overlamine 639

The combination of 3M™ Controltac™ Graphic Film Series 180 and 3M™ Scotchcal™ Overlamine 639 can be used instead of or in addition to a paint surface finishing on rail carriages and other vehicles. 3M™ Controltac™ Graphic Film Series 180 includes more than 60 colors with a range of colored films with a pressure activated adhesive for fast and easy application. Custom colors can be matched to your specification. 3M™ Scotchcal™ Overlamine 639 protects against the damaging effects of graffiti. It is easily cleaned without causing ghosting. Available OUS.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of paint can eliminate VOC emissions from the painting process. In addition it can be applied in situ and does not require the transportation of the vehicle to a paint facility. Cleaning graffiti from 3M™ Scotchcal™ 639 also requires less harsh cleaning agents.



## 3M™ Controltac™ Graphic Film with Comply™ Adhesive 3545C and 3M™ Scotchcal™ Overlaminates 8908/8909

3M™ Controltac™ Graphic Film with Comply™ Adhesive Films 3545C and RG3545C are 4-mil films with a slideable and repositionable, pressure-activated adhesive with air release channels for fast and easy application. These films, which are removable, are ideal for medium-term graphics for fleet or commercial vehicles and indoor or outdoor graphic applications. They are designed for screen printing, piezo ink jet printing and electrostatic imaging. Overlaminates provide indoor and outdoor graphics protection against the elements, including defense against damaging UV rays. Overlamine 8908 is a luster finish and overlamine 8909 is a matte finish.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of paint can eliminate VOC emissions from the painting process. Many graphic films meet flammability performance requirements for building and transit applications. These are polyolefin films.



## 3M™ Controltac™ Graphic Film AF1000ES

3M™ Controltac™ Graphic Film AF1000ES is a 2mil film made of a durable and flexible acrylic material. It provides multi-printable graphics (electrostatic and silk screen printing) film for an outdoor sign market. Durability is the same as current cast PVC films. This film has excellent conformability over corrugations and rivets. Sold only in Japan.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of paint can eliminate VOC emissions from the painting process. Many graphic films meet flammability performance requirements for building and transit applications.



## 3M™ Scotchcal™ Film VF8000SCL and VF3000SCL

3M™ Scotchcal™ Film VF8000SCL and VF3000SCL is a 2mil colored urethane film with a self cleaning (SCL) surface. This film provides a colored film alternative to paint for an outdoor signage market. VF8000SCL is opaque marking film and VF3000SCL is transparent marking film for backlit signage. Sold only in Japan.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of paint can eliminate VOC emissions from the painting process. Many graphic films meet flammability performance requirements for building and transit applications. In addition it can reduce cleaning time because of a self cleaning surface.



### 3M™ Scotchcal™ and Controltac™ Graphic Films, opaque

These films, which are available in vinyl, polyester or polyolefin, range in thickness from 2 to 4-mils. Selected films feature Comply™ Adhesive technology to enable fast and easy, bubble-free graphic installation. These opaque films have excellent hiding power and have medium to long term durability, making them perfect for many interior and exterior signs, fleet and vehicle graphics. Two-mil films are flexible enough for application to corrugations and rivets. Always refer to the film's Product Bulletin for complete details.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3Mgraphics.com](http://www.3Mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of paint can eliminate VOC emissions from the painting process. Many graphic films meet flammability performance requirements for building and transit applications.



Courtesy of bluemedi@

### 3M™ Scotchcal™ Translucent Graphic Films

3M™ Scotchcal™ Translucent Graphic Film Series 3630 is the ideal choice for internally-illuminated signs where crisp, clear colors (many with PANTONE® simulations) are required. This long-term, cast vinyl film has a clear, permanent, pressure-sensitive adhesive and a translucent synthetic liner that does not split if wet. The matte surface finish eliminates glare and provides a uniform color in both reflected and transmitted light. This film is thermoformable.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3Mgraphics.com](http://www.3Mgraphics.com)

**Environmental/Energy Advantage:** Use of graphic films instead of distortion screen printing or painting can eliminate VOC emissions and waste associated with these processes.



### 3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive Series 680CR

These are 7-mil, flexible, enclosed lens, retroreflective films have slideable, pressure-activated adhesive. They feature Comply™ Adhesive technology with air release channels for fast and easy, bubble-free graphic installations. Use these medium to long-term durable films for commercial vehicle, railroad and sign graphics and striping on vertical, flat, curved or corrugated surfaces, with or without rivets.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3Mgraphics.com](http://www.3Mgraphics.com)

**Environmental/Energy Advantage:** The product is imaged with a low-solvent process when used with 3M™ Series 9800UV inks. Retroreflectivity increases visibility.



### 3M™ Scotchcal™ ElectroCut™ Graphic Film

These 2 to 4-mil cast vinyl films are available in many colors and finishes such as dusted and frosted crystal, fluorescent and translucent colors. The synthetic liner resists moisture absorption and static buildup for easier electronic cutting and assembly. All are suitable for cut graphics and application to transparent, opaque or reflective films and substrates. Some can also be screen printed. Use for commercial and industrial graphic applications, including emblems, vehicle graphics, labels, striping, general signage and two-way window markings.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3Mgraphics.com](http://www.3Mgraphics.com)

**Environmental/Energy Advantage:** Signs can be produced with minimal solvent exposure to sign shop personnel and without the generation of hazardous waste. 3M™ Scotchcal™ ElectroCut™ Graphic Film eliminates the use of solvent-containing screen printing inks.



### 3M™ Scotchcal™ ElectroCut™ Graphic Film Series 7725SE

3M™ Scotchcal™ Dusted and Frosted Crystal Films can be used for special effects. These special effect films allow the creation of distinctive designs and light effects on glass. These affordable films provide an etched or sand blasted appearance. The films can be applied to glass, acrylic or polycarbonate.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2- EQ Credit 8.1 and 8.2: Daylight & Views.

**Environmental/Energy Advantage:** Used on exterior windows to reduce glare, natural daylight improves indoor aesthetics and may decrease the need for additional artificial lighting and energy consumption.



### 3M™ Scotchcal™ Dusted & Frosted Crystal Film Series 5525SE

3M™ Scotchcal™ Dusted and Frosted Crystal special effect films allow the creation of distinctive designs and light effects on glass. They are affordable and provide an etched or sand blasted image. The films can be applied to glass, acrylic or polycarbonate. Available in Japan.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2- EQ Credit 8.1 and 8.2: as related to increasing the level of daylight and dispersion.

**Environmental/Energy Advantage:** Through their use on exterior windows, they can reduce glare and assist in the increase of daylighting and decrease in lighting- saving energy.



### 3M™ Light Enhancement Film 3635-100

3M™ Light Enhancement Film 3635-100 is a 5.5 mil film with a patented matte white diffuse reflective surface. It provides more than 90% reflectivity for increased light output and greater sign luminance, improving lighting efficiency, which may result in energy savings. Use it to cover all interior opaque surfaces within single-sided, internally illuminated cabinets such as signs and light boxes, channel letters, informational graphic light boxes, vending and dispensing machines and more. It can be electronically cut and thermoformed. Refer to 3M Product Bulletin 3635-100 for complete details.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3mgraphics.com](http://www.3mgraphics.com)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2-Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Use of this film can eliminate painting and VOC emissions from the painting process. In addition, it increases available light to allow sign manufacturers to decrease lighting components, resulting in less energy use.



### 3M™ Screen Printing UV Ink Series 9800 and 3M™ Screen Printing Gloss Clear 9720UV and 9720i

3M™ Screen Printing UV Ink Series 9800 is a high performance, ultraviolet-curable ink system used to print multicolor graphics on a wide variety of 3M graphic films. The ink series includes transparent, opaque and four color process inks for use on indoor or outdoor graphics. When protected with selected 3M clears, this ink produces a tough, flexible, graphic coating that is weather, chemical and abrasion resistant. It also has superior performance on difficult application surfaces, including corrugated and riveted surfaces. Refer to 3M Product Bulletin 9800 for complete details.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3Mgraphics.com](http://www.3Mgraphics.com)

**Environmental/Energy Advantage:** Use of UV inks can eliminate VOC emissions associated with solvent inks.

### 3M™ Primer WP-2000

3M™ Primer WP-2000 is especially designed for use with 3M™ DI-NOC™ Architectural Finishes at areas of extreme bending or porous substrates. It provides long term adhesion for permanent installations without the odor of solvent based primers.

**Toll Free Number:** 1-800-328-3908

**Website:** www.3Mgraphics.com

**LEED® Claim:** Use of this product helps contribute to LEED® CI v2.0- EQ (Indoor Environmental Quality) Credit 4.2- Low emitting materials.

**Environmental/Energy Advantage:** 3M™ Primer WP-2000 is specially designed for areas requiring low VOC's. WP-2000 is a water based primer for application in areas of added stress that require extra bonding strength. WP-2000 has a VOC limit of 62 g/L, below the VOC limit of 350 g/L for specialty primers.

### 3M™ Piezo Inkjet UV Inks

These UV inks are durable, weather resistant and have excellent color retention. They are highly flexible and conformable, even on complex curves and rivets. 3M™ Piezo Inkjet UV Inks are available for several digital printers and are backed by the 3M™ MCS™ warranty. Please see our website for more details.

**Toll Free Number:** 1-800-328-3908

**Website:** www.3mgraphics.com

**Environmental/Energy Advantage:** Use of UV inks can eliminate VOC emissions associated with solvent inks.



### 3M™ DI-NOC™ Architectural Finishes

The 3M™ DI-NOC™ Architectural Finishes include 600 patterns designed to offer unlimited creativity and architectural freedom. Now you can create a multitude of visual experiences with the added assurance of 3M's time-proven experience. 3M™ DI-NOC™ Architectural Finishes are self adhesive flexible laminate films which are ideal for resurfacing and refurbishing hard smooth surfaces, including flat panels, doors, furniture, retail units.

Easy and quick to use, 3M™ DI-NOC™ Architectural Finishes transform existing surfaces for amazing results. Additionally, its ability to mold around complex shapes means it can be used for curved and rounded profiles as well (See product bulletin).

**Toll Free Number:** 1-800-328-3908

**Website:** www.3Mgraphics.com

**LEED® Claim:** Use of this product helps contribute to LEED® CI v2.0- MR credit 1.2, 1.3 (Building Reuse); CI v2.0- MR credit 3.1, 3.2, 3.3 (Resource Reuse); and LEED® NC v2.2-MR 1.3, 3.1, 3.2.

**Environmental/Energy Advantage:** 3M™ DI-NOC™ Architectural Finishes can contribute to LEED™ Sustainability credits by reducing items sent to the landfill through the maintaining and reusing the existing stock of walls, doors and frames, built in case goods, furniture, etc. through its innovative architectural finishes. With its variety of textures and patterns, these substrates and more, can be refreshed to a totally new look and feel.





### 3M™ Reusable Tack Cloth

Microfiber texture effectively captures fine dust particles for a ready-to-finish surface. It is residue-free and economical, simply shake out or wash and reuse hundreds of times.

**Toll Free Number:** 1-800-626-8578

**Website:** [www.scotch-brite.com](http://www.scotch-brite.com)

**Environmental/Energy Advantage:** Cleans most surfaces without chemical cleaners. Washable and reusable.



### 3M™ Paint Prep Wipes

3M™ Paint Prep Wipes are TPS-free and are a convenient and less messy alternative to liquid chemicals. 3M™ Paint Prep Wipes are ideal for preparing surfaces to accept coatings, and the unique textured surface cleans and de-glosses walls in just one step. The wipes smooth uneven surfaces while they help tackle stubborn stains and dirt. The product is available in a convenient pop-up dispenser.

**Website:** [www.3m.com/US/home\\_leisure/](http://www.3m.com/US/home_leisure/)

**Environmental/Energy Advantage:** Contains no tri-sodium phosphate (TPS).



### 3M™ Safest Stripper™ Paint & Varnish Remover

3M™ Safest Stripper™ Paint & Varnish Remover is a non-toxic, non-flammable alternative to traditional paint and varnish removers. With excellent vertical cling, the semi-paste formula effectively strips surfaces without harming wood. The product does not contain methylene chloride, is biodegradable and cleans up with water. Great for indoor use.

**Website:** [www.mmm.com/Product/information/Safest-Stripper-Paint-Varnish-Remover.html](http://www.mmm.com/Product/information/Safest-Stripper-Paint-Varnish-Remover.html)

**Environmental/Energy Advantage:** Biodegradable when cleaned up with water and washed down the sewer.



### 3M™ Window Insulator Kit

An innovative solution for reducing heating costs and saving energy. Window Insulator Kits are available in a variety of sizes for both indoor and outdoor installation and feature clear film that shrinks tight and is wrinkle free. They reduce condensation and air infiltration through closed windows, when applied as directed.

**Website:** [www.3m.com/Product/information/Window-Insulator-Kit.html](http://www.3m.com/Product/information/Window-Insulator-Kit.html)

**Environmental/Energy Advantage:** Saves energy, reduces condensation and air infiltration. Save up to \$20\* per window this heating season. \*Based on averages from the northern half of the U.S. Actual energy savings will vary depending on many factors, including furnace and window type, average indoor/outdoor temperature and length of heating season.



## Duct Tapes

### Scotch® Multi-Use Duct Tape

This durable, all-purpose duct tape is conformable, holds securely and tears easily off the roll. Scotch® Multi-Use Duct Tape is perfect for temporary repairs such as holding, securing and bundling.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process



### Scotch® Pro Strength Duct Tape

Scotch® Pro Strength Duct Tape is designed for critical applications. This professional-grade tape meets UL-723 standards and is recommended for light industrial and HVAC applications.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Uses solvent-free manufacturing process.



### Scotch® Transparent Duct Tape

Scotch® Transparent Duct Tape virtually disappears when applied, making repairs less obvious. Not just for indoor use, this tape lasts longer than heavy-duty grey duct tapes. Suggested applications include home electronics and patio furniture.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



### Scotch® Heavy Duty All-Weather Duct Tape

A heavy-duty duct tape for extreme conditions. Resists drying, cracking and peeling caused by the damaging effects of sunlight, heat, cold and moisture. Lasts three times longer than other gray heavy-duty duct tapes. Recommended for long-lasting repairs and heavy-duty patching.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotchbrand.com](http://www.scotchbrand.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



## 3M™ Masking Tapes – 17 Years of Sustainable Manufacturing

Sustainable manufacturing is high profile news around the world, but for 3M™ Masking Tapes, it's not news at all. For millions of rolls of 3M masking tapes, sustainable manufacturing is a 17-year history of a continually improving process.

3M embraces the principles of sustainable development: stewardship to the environment, contributions to society and the creation of economic value and worth.

In 1991, 3M built a new manufacturing facility to meet growing end user demand for a range of masking tapes. 3M designed the plant specifically to implement a proprietary solventless adhesive coating process that addresses its sustainability goals without sacrificing the value and quality expected by industrial customers.

Today, the seven crepe masking tapes manufactured at the plant are high volume products (200, 202, 203, 232, 234, 2307, and 2308) covering a wide breadth of performance characteristics.

In one year of production, these seven tapes if converted into a one-inch wide continuous length would span the distance from the earth to the moon 10x. That's tons and tons of product manufactured without solvent emissions from adhesive coating and drying.

Craig Shea, 3M Masking Tape Marketing Manager, notes, "At 3M we share the perspective and commitment of our many customer companies, large and small, who are bringing "green" products to market. Together, we are making a positive difference for the environment. And obviously, our commitment has to go beyond emission issues."



Scotch® Performance Masking 232 is a Class I product for sharp paint edge lines, a medium temperature bake cycle, and clean removal.



3M™ Masking Tape 200 is a Class III product for holding, bundling, sealing, non-critical masking, and other indoor jobs.



### Scotch® Masking Tape for Production Painting 2020

Scotch® Masking Tape for Production Painting is a high adhesion tape with a clean removal time of one day. It is ideal for non-damageable surfaces such as vinyl, carpet and wood.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotch-blue.com](http://www.scotch-blue.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



### Scotch® Masking Tape for General Painting 2050

Scotch® Masking Tape for General Painting is a medium-high adhesion tape with a clean removal time of five days. Works well for general purpose applications such as window, door and wall trim, cabinets and carpet & vinyl flooring.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotch-blue.com](http://www.scotch-blue.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



### Scotch® Masking Tape for Hard-to-Stick Surfaces 2060

This tape features very high adhesion designed specifically for use with lacquer coatings. It sticks aggressively, making it ideal for rough surfaces such as stucco, concrete and rough wood. This tape can be cleanly removed for up to three days.

**Toll Free Numbers:** 1-800-494-3552

**Website:** [www.scotch-blue.com](http://www.scotch-blue.com)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process.



### Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090

Scotch-Blue™ Painter's Tapes are the most versatile among the Scotch masking tapes and they are the best choice for most painting projects. Scotch-Blue™ Painter's Tape for Multi-Surfaces is a medium adhesion tape with a clean removal time of 14 days, and removes cleanly in challenging situations, including glass exposed to direct sunlight. Works well for most painting applications such as painted walls and trim, woodwork, glass and metal.

**Toll Free Number:** 1-800-494-3552

**Website:** [www.scotch-blue.com](http://www.scotch-blue.com)

**Environmental/Energy Advantage:** Uses water based-coating process.



### 3M™ Double Coated Paper Tape 410M

3M™ Double Coated Paper Tape 410M is a 5.0 mil double coated paper tape with rubber adhesive 850 on a 3.0 mil 54 lb Densified Kraft green plaid Paper Liner. Excellent balance of high initial adhesion and good holding power to a wide variety of materials. The paper carrier has been specially treated to improve its strength and removability characteristics from high internal strength surfaces.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process



## Masking Tapes

### 3M™ Paper Tape 200

A utility purpose paper tape with rubber adhesive. For holding, bundling, sealing, non-critical masking and a vast number of other jobs where pressure sensitive tape is needed. Should not be subjected to outdoor or UV exposure.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



### 3M™ General Purpose Masking Tape 203

Crepe paper backing with rubber adhesive. 3M™ General Purpose Masking Tape 203 has good adhesion, holding power, and provides good paint lines. Use for general purpose masking projects where surfaces are not easily damaged.

Instant adhesion to a wide variety of surfaces with high holding power that resists lifting and curling.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



### Scotch® Performance Masking Tape 232

A high performance paper backing with rubber adhesive. Used in the medium temperature paint bake operation. A smooth crepe paper tape that is treated with a heat and solvent resistant coating.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## Scotch® General Purpose Masking Tape 234

A medium temperature resistant tape for use in masking and holding applications where temperatures reach 250°F (121° C) up to 30 minutes. A general purpose paper masking tape designed to be used in medium temperature paint bake operation.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## 3M™ Masking Tape 2307

A general purpose paper tape with rubber adhesive. For holding, bundling, sealing, non-critical masking and a vast number of other jobs where a pressure-sensitive tape is needed. Eliminates use of organic solvents during manufacturing to minimize energy and raw material consumption during manufacturing.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## Scotch® Masking Tape 2308

Natural colored crepe paper backing with rubber adhesive. A general purpose masking tape for holding, bundling, sealing, general paint masking and a vast number of other jobs where a pressure-sensitive tape is needed. Features include consistent adhesive coating, adhesive transfer resistance, consistent unwind, and leaves an excellent paint edge. Eliminates use of organic solvents during manufacturing to minimize energy and raw material consumption during manufacturing.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Uses solvent free manufacturing process. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## Scotch® Performance Masking Tape 2364

Clean removal from many surfaces make this an excellent tape for many industrial applications. Clean removal dependent on surface type, processing conditions, type of paint, as well as the temperature of the surface at removal. Easy tearing and sliver resistance.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Greater than 95% of the organic solvents used in manufacturing this product are recovered and used again. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## Masking Tapes, cont'd

### Scotch® Premium High Temperature Masking Tape 2380

Crepe paper backing with rubber adhesive. Designed for industrial paint masking applications where good paint line is desired and drying conditions range from air dry to an oven bake. Provides excellent holding power and paint flake resistance. Can be removed hot, warm or cold from most surfaces without adhesive transfer.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Greater than 95% of the organic solvents used in manufacturing this product are recovered and used again. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



### Scotch® Premium High Temperature Masking Tape 2393

Crepe paper backing with rubber adhesive. A smooth, heavy duty, mini-crepe high temperature masking tape. Offers excellent paint mask performance with high solids paints and clear coats used in the transportation industry. Specifically designed for those applications where easy removal after bake is important.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Greater than 95% of the organic solvents used in manufacturing this product are recovered and used again. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



### Scotch® High Performance Masking Tape 2693

Designed for automotive, truck and bus applications, where very aggressive room temperature and high temperature holding is required. Tan, 8.5 mils (0.21 mm) mini-crepe paper tape with rubber adhesive.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/masking](http://www.3m.com/masking)

**Environmental/Energy Advantage:** Greater than 95% of the organic solvents used in manufacturing this product are recovered and used again. In addition, this product meets the heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste and the laws based on CONEG model legislation.



## Filament

### 3M™ Filament Tapes

High-strength box closing filament tapes are available for L-clip closures of non-typical box styles, such as full-overlap, five panel folders and full telescope boxes, as well as single strip closures of heavy-duty regular slotted containers (RSCs).

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.





## Scotch® High Strength Filament Tape 890

High performance. Transparent polyester backing reinforced with extra continuous glass filament. Typical 600 lb/in width tensile strength for extremely heavy duty bundling. High shear strength and excellent aging.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Contains Natural Rubber, a renewable resource. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Filament Tape 893

Polypropylene backing is easy to handle and dispense. Provides excellent resistance to nicks, abrasion and moisture. Good balance of adhesion and high shear strength. Applications include bundling, reinforcing, palletizing, L-clip closures.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Filament Tape 897

High performance. Polypropylene backing reinforced with glass filaments. Typical 170 lb/inch width tensile strength for light- to medium-duty bundling, reinforcing, and palletizing. Good initial and long-term adhesion with good shear strength.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Filament Tape 898

High performance. Polypropylene backing, reinforced along the length with continuous glass filament. 380 lb/inch width tensile strength with good initial adhesion and high shear strength. Excellent aging.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### Tartan™ Filament Tape 8934

Transparent polypropylene film backing reinforced with glass yarn filaments. Light-duty tensile strength, nick resistance, abrasion resistance and good handling for utility bundling, reinforcing, and pallet unitizing applications.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### Scotch® Bi-Directional Filament Tape 8959

High performance. Polypropylene backing reinforced with bi-directional continuous glass yarn across length and width. Typical tensile strengths of 150 lb/in longitudinal and 50 lb/in width in cross direction.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### Scotch® Filament Tape 8981

High performance. Polypropylene backing reinforced with continuous glass yarn. Typical 380 lb/inch width tensile strength. High shear adhesion for low unit cost, heavy-duty closure of hard-to-adhere or high recycled content fiberboard.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC and the laws based on CONEG model legislation.



### Scotch® Appliance Filament Tape 8916

High performance. Polypropylene backing reinforced with glass filaments to hold appliance components during manufacturing and shipping. Typical 170 lb/inch width tensile strength with clean removal adhesive for use on painted metal.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition it meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Box Sealing Tapes – ISO 14001 and Continuous Improvement for the Environment

3M Packaging Systems manufactures and ships enough Scotch® Box Sealing Tapes in a year that if converted into a 2-inch wide continuous length it would circle the globe 4x. That's millions of rolls and 3M takes responsibility not only for the reliable performance that customers expect, but the environmental impact that comes with such high volume manufacturing.

That's why four years before the 1996 introduction of ISO 14001, 3M Packaging Systems began implementing manufacturing improvements that anticipated the standard.

ISO 14001 is the international guideline or framework for a voluntary environmental management system (EMS) that promotes continuous improvement in such environmental endeavors as sustainable manufacturing.

In 1992, 3M Packaging Systems staked an early claim to sustainability leadership for sealing tape with a voluntary solvent emissions recovery program. 3M was already using solventless adhesive so there were no solvent issues in the adhesive coating and drying process. The recovery program captured solvent emissions for reuse from the release coating process. A release coating is applied to the non-adhesive side of the tape backing so that the tape can be easily unwound from the roll.

Thereafter – in the spirit of continuous improvement – a water-based release coater was voluntarily installed in 2003 for which 3M received the Governor's Award for Pollution Prevention. The coater is used to make 80% of the plant's output of tape. Solvent from the other 20% is recovered with up to 95% efficiency. Between 2000 and 2006 total emissions dropped from 1.3 million pounds to 560,000 pounds.



In addition to reducing emissions, Packaging Systems has also implemented 14001-conscious programs for solid waste and energy conservation. In the past 3 years, solid waste such as scrap tape backing, cores, and packaging materials has been reduced 20%. Adhesive is also being recovered for reuse rather than discarded. By re-engineering and optimizing temperature controls, energy per pound of output has been reduced 28% for the same three-year period.



Aric Getty, 3M Box Sealing Tape Marketer, says, "Higher energy costs and growing consumer demand for 'eco-friendly' products are two factors helping drive the increasingly rapid adoption of sustainable manufacturing. Businesses are becoming increasingly active in exercising their social responsibilities. And many of these businesses are also showing a preference for ISO 14001 suppliers and businesses that share similar 'green' objectives. And that makes sense. With the contribution of sustainable manufacturing to the environment we all win whether in our roles as producers or consumers, or good neighbors."



## Tartan™ Box Sealing Tape 305

General purpose box sealing tape designed specifically for utility type applications on lightweight boxes. The product offers performance over broad temperature ranges; specifically in cold and damp applications such as refrigerated storage.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses water-based adhesive. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Box Sealing Tape 311

Colored polypropylene tapes with pressure-sensitive acrylic adhesive bonds lighter weight recycled corrugated instantly and holds through wide temperature swings. Tensile strength of 25 lb/inch in machine direction; 40 lb/inch cross direction.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses water-based adhesive. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Box Sealing Tape 313

Clear polypropylene tape with pressure-sensitive acrylic adhesive bonds instantly, holds through wide temperature swings, and resists UV light. Tensile strength of 35 lb/inch in machine direction; 56 lb/inch cross direction.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses water-based adhesive. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Tartan™ Box Sealing Tape 369

General purpose tape. For applications where box, weight of contents, etc. does not put severe stress on the tape. Good holding power to fiberboard. 1.0 mil, clear polypropylene film with pressure-sensitive hot melt synthetic rubber resin adhesive.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product complies with environmental considerations of ASTM D1974-92, meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.




### Scotch® Box Sealing Tape 371

Colored polypropylene tapes for single-wall, low burst strength RSCs with high weight contents. More than 3,000 minutes adhesion to fiberboard. Tensile strength of 22 lb/inch in machine direction; 44 lb/inch cross direction.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product complies with environmental considerations of ASTM D1974-92, meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### Scotch® Box Sealing Tape 373

Polypropylene tape for single- and double-wall cartons with high value contents. Rubber resin adhesive instantly seals with more than 8,000 minutes adhesion. Tensile strength of 30 lb/inch in machine direction; 60 lb/inch cross direction.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product complies with environmental considerations of ASTM D1974-92, meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.




### Scotch® Box Sealing Tape 375

Superior performance box sealing tape for single- and double-wall cartons and demanding applications. Synthetic rubber resin adhesive instantly seals with more than 12,000 minutes adhesion. Tensile strength: 35 lb/inch. Backing thickness: 2.0 mil.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product complies with environmental considerations of ASTM D1974-92, meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### Scotch® Stretchable Tape 8884

Low density polyethylene with 710% elongation at break and 20 lb/inch width tensile strength for light to medium containment of A- and B-type pallets. Elastic memory tightly bundles load during shipment.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## Scotch® Labelgard™ Film Tape 821

Write-on surface, acetate film, low-glare, matte finish, acrylic adhesive for easy handling and low static dispensing. Lightly tinted pink tape designed for protecting labels and shipping information.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses water-based adhesive. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## 3M™ ScotchPad™ Label Protection Tape Pad 822

Pre-cut pad of layered, high-performance tape sheets used for convenient repair of broken packages, for label protection, industrial covering applications, protection of surfaces during manufacturing, securely closing tuck-in flap boxes, and more.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## 3M™ Non-Printed Packing List Envelopes

Pressure-sensitive, clear, non-printed packing list envelopes in various sizes and formats for easy opening, uncluttered protection of your important shipping information.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## 3M™ Top Print Packing List Envelopes

Pressure-sensitive, protective polyethylene envelope printed across the top portion with the message PACKING LIST / INVOICE ENCLOSED.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/packaging](http://www.3M.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



### 3M™ ScotchPad™ Carry Handle 8326

Plastic strips with adhesive at each end that sticks to both sides of a box or package, creating a small loop for easy carrying. No need for extra packaging materials such as plastic or paper bags. For use on items that weigh up to 15 lbs.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/packaging](http://www.3m.com/packaging)

**Environmental/Energy Advantage:** Uses solventless adhesive coating process. In addition, this product meets the EU RoHS Directive 2002/95/EC, heavy metals content as stated in Article 11 of European Directive 94/62/EC on packaging and packaging waste, and the laws based on CONEG model legislation.



## VHB

### 3M™ VHB™ Tapes 4611 Family

The 4611 tape family has a general purpose adhesive on both sides of firm foam. This family of tapes is typically used on metal substrates, and has the added feature of high temperature resistance, making it often suitable for bonding prior to high temperature paint processing. Available in dark gray. Dark gray, closed-cell acrylic foam carrier. High temperature resistance. UL746C.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4622 Family

3M™ VHB™ tapes have general purpose adhesive on the face side (the side that typically would be bonded first) and multi-purpose adhesive on the liner side (the side exposed when the release liner is removed) of a conformable foam. Available in white. White, closed-cell acrylic foam carrier. Apply as low as 32° (0° C).

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4910 Family

This family of clear tapes is excellent for applications where clear or colorless is desired. The general purpose adhesive on both sides can be used for high surface energy substrates. Clear, acrylic construction for joining transparent material.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.





### 3M™ VHB™ Tapes 4941 Family

This family of 3M™ VHB™ Tapes utilizes multi-purpose acrylic adhesive on both sides of conformable foam. The adhesive provides excellent adhesion to a broad range of high and medium surface energy substrates including metals, glass, and a wide variety of plastics, as well as plasticized vinyl. The conformable foam provides good contact, even with mismatched substrates. Available in gray and black. Gray, closed-cell acrylic foam carrier. Conformable. Good adhesion to many painted metals. Plasticizer resistant. UL 746C.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4945 Family

3M™ VHB™ tapes reliably bond metals, plastics & glass eliminating drilling and unsightly fasteners to enable creation of new material combinations and high impact visual designs. This family of tape has multi-purpose adhesive on both sides of firm foam. White, closed-cell acrylic foam carrier. Plasticizer resistant. UL 746C.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4950 Family

3M™ VHB™ 4950 tapes are a general purpose adhesive on both sides of firm type foam. This family is typically used on metal, glass and high surface energy plastic substrates. Available in white and black. Closed-cell acrylic foam carrier. All-purpose adhesive UL 746C.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4951 Family

This family of tapes is based around the low temperature applicable acrylic adhesive system, utilized on both firm and conformable foam types. These products can be used for high surface energy substrates. Available in white (firm foam) and gray (conformable foam).

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 4952 Family

3M™ VHB™ tapes reliably bond metals, plastics & glass eliminating drilling and unsightly fasteners to enable creation of new material combinations and high impact visual designs. This family of tapes utilizes the low surface energy adhesive on a firm foam. White, closed-cell acrylic foam carrier. Good adhesion to polypropylene and many powder paints.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tapes 5952 Family

This family matches the modified acrylic adhesive on both sides of very conformable foam, providing adhesion to the broadest range of substrates, including most powder coated paints. Dark gray, closed-cell acrylic foam carrier. Conformable. Good adhesion to many painted surfaces. UL 746C.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps comply with LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tape 4914

At only 10 mils thick, 3M™ VHB™ Tape 4914 is the thinnest double-coated foam tape in the 3M line. You get the high shear strength proven for more than 25 years in applications worldwide but with a low profile matched only by 3M™ VHB™ Transfer Tape F-9473 PC.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



### 3M™ VHB™ Tape 4915F

3M™ VHB™ Tape 4915F, general purpose acrylic adhesive, thickness 0.060 in. (1.5 mm), red PE film liner. It is colorless making it ideal for bonding transparent materials or for applications where a colored bond line is unacceptable. These tapes have somewhat lower peel, tensile and shear performance than most other VHB due to their inherent softness.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



## 3M™ VHB™ Adhesive Transfer Tape

Adhesive transfer tapes are not really "tapes" at all. They are actually thin strips of pressure sensitive adhesive pre-applied on special release liners. This allows for quick application of dry adhesive in precise locations with no mess. The tapes in this selection offer High Temperature Adhesive 100 MP with 58 lb polycoated kraft paper liner. High temperature, moisture and solvent resistance, high HSE, low LSE. Use for industrial joining and metal fabrication, UL listing 746C. Available in printed and nonprinted (F prefix) versions.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/industrialtapes](http://www.3m.com/industrialtapes)

**LEED® Claim:** Use of this product helps contribute to LEED® - NC v2.2; CI v2.0, C&S v2.0 EQ Credit 4.1: Low-Emitting Materials: Adhesives & Sealants.

**Environmental/Energy Advantage:** 100% solids.



## Electrical

### Scotch® Super 33+™ Vinyl Electrical Tape

Scotch® Super 33+™ Vinyl Electrical Tape is highly conformable and super stretchy in all weather applications. This tape provides flexibility and easy handling for all around performance. It combines PVC backing with excellent electrical insulating properties to provide primary electrical insulation and protective jacketing for splices up to 600V. UL Listed and CSA Certified. Excellent resistance to UV rays, abrasion, moisture, copper corrosion, alkalis and acids, and is flame-retardant. Excellent all-weather performance in cold to 0°F (-18°C) and is designed to perform in a continuous temperature environment up to 221°F (105°C).

**Website:** [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



### Scotch® Vinyl Electrical Tape Super 88

This black, 8.5 mil heavy duty, premium grade all-weather vinyl electrical insulating tape maintains conformability for cold weather applications. Inner pack of 1 per box, 10 per carton with 100 rolls per case.

**Website:** [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



### Scotch® Vinyl Electrical Tape 35

Colored 7 mil premium grade electrical vinyl tape stretches to conform to virtually any shape that requires color-coded insulation. Comes in blue, brown, grey, orange, violet, white, yellow, green, and red.

**Website:** [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended)



## Scotch® Vinyl Electrical Tape 700

Scotch® 700 Electrical Tape is stretchy, conformable, vinyl plastic. Insulates and protects against abrasion, water, solvent splashes and chemicals. Flame retardant and weather resistant. U.L Listed.

**Website:** [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended)



## 3M™ Temflex™ General Use Vinyl Electrical Tape 1700

The economical solution for less demanding indoor jobs. On a 1½" core, this black, 7 mil economy-grade vinyl tape serves as a general purpose tape. UL listed. CSA approved.

**Website:** [www.3m.com/electrical](http://www.3m.com/electrical)

**Environmental/Energy Advantage:** Electrical vinyl tapes are lead free, defined as a lead level that does not exceed 0.1% (EU RoHS Directive 2002/95/EC, as amended).



## 3M Adhesives Minimize Solvent Use While Maximizing Performance

3M customer Carolina Cabinet Co. of Wilson, NC, is a store fixture and display builder that is committed to making the highest quality products while reducing environmental impact. E.B. Bradley Co., a California distributor to the woodworking industry, is building a brand around environmentally responsible products in a market with the nation's toughest air quality standards. Each is committed to reduce or eliminate solvent use while meeting stringent quality requirements.

Both companies found the solutions they needed with GREENGUARD® certified industrial adhesives from 3M.

### **3M's GREENGUARD® Certified Adhesives Help Woodworker, Distributor Offer "No-Compromise" Solutions**

**Case #1: A Carolina Cabinet customer needed low-VOC store fixtures to pursue LEED® rated projects. While this aligned well with Carolina Cabinet's environmental initiative, the builder's brand also promises very high standards of quality, and the company needed an adhesive that offered an acceptable environmental profile without compromising performance.**

Demonstrating that environmental acceptability and high strength bonds can co-exist, 3M™ Fastbond™ Contact Adhesive offered Carolina Cabinet a GREENGUARD certified water-based adhesive with the high performance of a solvent-based alternative. "3M's water-based adhesives provide excellent performance as well as higher coverage than their solvent-based counterparts," said Gary Aycock, production manager at Carolina Cabinet.

The 3M product, certified according to GREENGUARD Children & Schools™ standard, helped Carolina Cabinet's customer meet the low-emission targets demanded by the LEED rated project. And, as an added benefit, 3M's water-based adhesive helped Carolina Cabinet to cut \$11,000 from its annual insurance bill by helping to reduce flammability and health risks associated with some solvent-based adhesives.



**Case #2: Distributor E.B. Bradley Co. has a reputation for providing environmentally acceptable products to a market that has set the standard with its South Coast Air Quality Management District. Because E.B. Bradley Co. gets calls every day regarding green products and LEED® rated projects, it needed a portfolio of industrial adhesives that furthered its green initiatives.**

Six 3M industrial adhesives have been certified to the GREENGUARD Children & Schools requirements. This means air emissions from these adhesives meet the most stringent indoor air quality standards set by the GREENGUARD Environmental Institute. The 3M products aligned well with the E.B. Bradley Co. brand. "We have taken a very active stand against the use of harmful chemicals, and we've partnered with 3M because 3M has the innovation, credibility and initiative to produce responsible products," said E.B. Bradley Co. president Robert Bradley.

Also, five of the six certified adhesives have water-based characteristics that match the high performance of their solvent-based counterparts needed in applications such as countertop lamination, foam or insulation bonding, and even carpet installation. "We've learned that by using 3M products, there is no need to compromise performance to meet our green initiatives," said Bradley.

3M pioneered the development of water-based adhesives more than 45 years ago and the company continues to develop industry-leading products with enhanced environmental performance.

3M has the  
Innovation, Credibility,  
& Initiative



### 3M™ Fastbond™ Contact Adhesive 30NF

Water-dispersed high-strength contact adhesive. Has high coverage, a long bonding range, and good heat resistance. Use to bond foamed plastics, plastic laminate, wood, plywood and wood veneer. Non-flammable in the wet state. Available in green and clear (dry).

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0-EQ Credit 4.1 (Option A), Credit 4.3 (Option C), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials; and Credit

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Fastbond™ Contact Adhesive 30H

Water dispersed, sprayable contact adhesive with high immediate bond strength and a long bonding range. Non-flammable in the wet state, post formable and heat resistant. Thickened version of Fastbond 30-NF. Bonds most foamed plastics, plastic laminate, wood plywood veneer, and canvas to themselves and to each other.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.3 (Option C), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials; and Credit

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Fastbond™ Insulation Adhesive 49

A water-based, high solids, fast tacking, pressure sensitive adhesive for bonding lightweight materials, including fiberglass insulation, felt, shoddy, paper and other materials. Clear in color.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials.

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Fastbond™ Foam Adhesive 100NF

A one-part, water-dispersed, fast setting adhesive that adheres to many types of flexible polyurethane foam, latex foam, fabric, polyester fiberfill, wood, plywood, particleboard and many plastic and metal surfaces. Available in lavender and neutral.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials.

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Fastbond™ Contact Adhesive 2000NF

Water-dispersed, high solids activated adhesive provides immediate bonding capabilities and handling strength without forced drying equipment. Post-formable and heat resistant. Available in various colors.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.3 (Option C), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials; and Credit

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Fastbond™ 4213NF Industrial Adhesive

A white, water-dispersed adhesive for bonding many fabrics, supported vinyls, wood, leather and most porous materials. Exhibits outstanding clarity when dry. Neither prone to discolor with age nor stain substrates. Not resistant to moisture.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/adhesives](http://www.3m.com/adhesives)

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®

### 3M™ Fastbond™ Pressure Sensitive Adhesive 4224NF

Water-dispersed, thick liquid, pressure sensitive adhesive for bonding lightweight materials like fabric, foam, and paper to themselves and other surfaces. Initial tack and plasticizer resistance. Available in blue and clear.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials.

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA

A high performance, postformable industrial grade spray adhesive. This bulk adhesive is prepackaged in convenient, portable, no maintenance aerosol cylinders. It features a fast tacking adhesive designed for high pressure laminations, particularly decorative laminate to particle board. It can also be used for veneers, fiberglass, headliners, foams, fabrics, glass, mirrors, cork, tile, rubber and steel. This adhesive is a SCAQMD Rule 1168 Compliant Adhesive. It contains very low VOC's, is post-formable, and features a low telegraphing spray pattern.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.mmm.com/greenadhesives](http://www.mmm.com/greenadhesives)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2, CS v2.0, CI v2.0, R v2.0- EQ Credit 4.1 (Option A), Credit 4.3 (Option C), Credit 4.5 (Option 5), Credit 4.6: Low-Emitting Materials; and Credit

**Environmental/Energy Advantage:** This product is GREENGUARD Indoor Air Quality Certified®



### 3M™ Scotch-Weld™ 4491 Nitrile Industrial Adhesive

A light tan, sprayable, fast drying adhesive with good resistance to plasticizer migration. Formulated to be a HAPS free and SCAQMD Rule 1168 compliant solvent based adhesive. Ideal for bonding many vinyl extrusions and sheeting. Bonds made with it exhibit high strength and resistance to weathering, water, oil and many solvents.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Hazardous air pollutants (HAPs) free and lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive

A premium quality, reddish brown, multi-purpose adhesive. Develops strong flexible bonds very rapidly to a wide variety of substrates, including many plastics and rubbers, gasketing materials and leather. Has exceptional resistance to most fuels and oil. Heat and solvent reactivatable. Curable with heat.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive

It is a light tan, fast drying adhesive with good resistance to plasticizer migration. Air dried bonds have high strength; resist weathering, water, oil and fuel. It is excellent for bonding most vinyl extrusions and sheeting. Meets requirements of MMM-A-189C, Class 2.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 AS

3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 AS is a water-borne, heat-curing primer that has a non-chromated, corrosion-inhibiting package to provide protection against corrosive environments. This sprayable, brushable primer is used for structural metal bonding applications and can be used with 250°F and 350°F cure epoxy film adhesives.

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** This product is a sprayable low Volatile Organic Compound (VOC), heat curing, structural adhesive primer that contains a non-chromated, corrosion inhibiting package to provide protection against corrosive environments. South Coast Air Quality Management Air District Rule 1124 Compliant Primer.



### 3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000

3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 is an aerospace primer used for structural metal bonding applications with epoxy film adhesives. This sprayable, brushable, waterbased, low VOC, heat curing, corrosion inhibiting primer can provide protection against corrosive environments. EW-5000 is designed to provide ambient temperature drying with shop handleability prior to the heat cycle.

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** This product is a sprayable low Volatile Organic Compound (VOC), heat curing, structural adhesive primer that contains a chromated, corrosion inhibiting package to provide protection against corrosive environments. South Coast Air Quality Management Air District Rule 1124 Compliant Primer.



### 3M™ Scotch-Seal™ Polyurethane Sealant 540

3M™ Scotch-Seal™ Polyurethane Sealants are one component, moisture curing products which form permanently elastic bonds. Bonds to a wide variety of materials including plastics, FRP, SMC, aluminum, steel, coated metal, and wood.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560

3M™ Scotch-Seal™ Polyurethane Adhesive Sealants are one component, moisture curing products which form permanently elastic bonds. Bonds to a wide variety of materials including plastics, FRP, SMC, aluminum, steel, coated metal, and wood.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Marine Sealant Fast Cure 4000 UV

A one-part sealant that cures to form a firm, rubbery, waterproof seal. Its flexibility allows for the dissipation of stress caused by shock, vibration, swelling.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



### 3M™ Marine Adhesive Sealant 5200

3M™ Marine Adhesive/Sealant 5200 is a high performance polyurethane adhesive sealant that becomes tack-free in 24-48 hours and completely cures in 5-7 days with no shrinking. The seal is extremely strong, retains its strength above or below the water line. Stays flexible too - allows for structural movement. Has excellent resistance to weathering and salt water. Stress caused by shock, vibration, swelling or shrinking is effectively absorbed. Check the bonding and sealing jobs this product can handle for you: fiberglass deck to fiberglass hull, wood to fiberglass, portholes and deck fittings, motors on fiberglass.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



## 3M™ Marine Adhesive Sealant Fast Cure 5200

A faster curing version of Marine Adhesive Sealant 5200. It becomes tack free in one hour and fully cures in approximately 24 hours. The seal is extremely strong; retains its strength above or below the water line. Stays flexible – allows for structural movement. has excellent resistance to weathering and salt water.

**Toll Free Number:** 1-800-362-3550

**Website:** [www.3M.com/adhesives](http://www.3M.com/adhesives)

**Environmental/Energy Advantage:** Lower Volatile Organic Compounds (VOC) than SCAQMD Rule 1168 limits.



## 3M™ Retroreflective Authentication Products with Covert Black Holographic Technology

3M™ Retroreflective Authentication Products use holography and patented, proprietary retroreflective technology to deliver a secure, visually attractive solution, combining easily authenticated overt and covert security features.

The overt security is a unique, black hologram, which allows the user to see variable images at different viewing angles. The covert security utilizes retroreflective technology to reflect a secure covert image when illuminated with a focused light source.

The covert features are authenticated only by those with the proper training and tools. Typical applications of 3M Retroreflective Authentication Products include securing electronics, pharmaceuticals, and other high value products.

Typical formats include pressure sensitive labels or security strips on various label stocks. 3M Retroreflective Authentication Products can help companies increase their sales and profits by reducing counterfeiting, diversion, and warranty fraud. Most importantly, they can help protect a company's most valuable assets – their customers, reputation, and brands.

**Website:** [www.3M.com/security](http://www.3M.com/security)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company in writing, this information represents 3M Company Security Systems Division's knowledge and belief.



## 3M™ Tamper Indicating Products

3M™ Tamper Indicating Products include a variety of 3M proprietary technologies that provide security and tamper indication. The products discourage tampering by displaying an easily identifiable and irreversible change when removal or alteration occurs.

3M Tamper Indicating Products make alterations visible using hidden printed messages, delaminating layers, color changes, checkerboard destruct patterns, or fragile substrates. These technologies may be used on their own or in combination with other overt and covert security features to deliver multiple layers of security. The clear indication of tampering requires minimal training to recognize.

Typical applications of 3M Tamper Indicating Products include securing electronics, pharmaceuticals, shipping containers, airplane access panels, and other high value products. 3M Tamper Indicating Products are sold as stand alone pressure sensitive labels or as the base stock of a layered security solution.

3M Tamper Indication Products can help companies increase their sales and profits by reducing tampering, theft, and substitution. Most importantly, they can protect a company's most valuable assets – their customers, reputation, and brands.

**Website:** [www.3M.com/security](http://www.3M.com/security)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company in writing, this information represents 3M Company Visual Systems Department's knowledge and belief based on information provided by third party suppliers to 3M Company.



### 3M™ Bookcheck Unit Model 940-Series

The 3M™ Bookcheck Unit Model 940-Series saves time and space, while helping to ensure reliable processing. In addition to verifying the presence of an active Tattle-Tape™ Security Strip, these two units can be easily installed into or mounted onto a counter, allowing staff to efficiently process items while virtually eliminating false alarms. Both the Model 942 and 943 desensitize and resensitize security strips on print materials, CDs and DVDs. They also feature an easy-to-use interface, ergonomic design, intuitive feedback indicators and injection molded plastic for durability. And the security feature can be easily disabled to allow processing of magnetic media. The Model 943 also includes a barcode scanner. With a sleek design that complements virtually any library decor, the 940-Series is designed to work with existing integrated library systems and is USB-enabled to accommodate upgrades.



**Toll Free Number:** 1-800-328-0067

**Website:** [www.3m.com/library](http://www.3m.com/library)

**Environmental/Energy Advantage:** This product meets EU RoHS Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC on maximum concentration values. "RoHS compliant" means that the product or part does not contain any of the following substances in excess of the following maximum concentration values in any homogeneous material, unless the substance is in an application that is exempt under RoHS: (a) 0.1% (by weight) for lead, mercury, hexavalent chromium, polybrominated biphenyls or polybrominated diphenyl ethers; or (b) 0.01% (by weight) for cadmium. Unless otherwise stated by 3M Company in writing, this information represents 3M Company Track & Trace Division's knowledge and belief.

### 3M™ Detection System Select Series with Designer Open Panels

Now your security system can make a statement and blend seamlessly with your library's decor. With best in class detection performance and a choice of over 30 material and color combinations, the new Detection System Select Series will help you reduce collection loss without compromising style. Available in multiple styles including: Eclipse, Courier, Linea, Ting Ting, Fern, and Bulbe.

**Toll Free Number:** 1-800-328-0067

**Website:** [www.3m.com/library](http://www.3m.com/library)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2 MR Credit 4.1 Recycled Content; EB v2.0 MR Credit 2.1 Optimized Use of Alternative Materials; and EB O&M MR Credit 2.2: Sustainable Purchasing - Durable Goods, Furniture.

**Environmental/Energy Advantage:** The panels in this product are made of ecoresin™, a PETG co-polyester resin with 40% post-industrial recycled content that is GREENGUARD Indoor Air Quality Certified®.



### 3M™ Detection System Select Series with Designer Solid Panels

Now your security system can make a statement and blend seamlessly with your library's decor. With best in class detection performance and a choice of over 30 material and color combinations, the new Detection System Select Series will help you reduce collection loss without compromising style. Available in multiple styles including: Eclipse, Courier, Linea, Ting Ting, Fern, and Bulbe.

**Toll Free Number:** 1-800-328-0067

**Website:** [www.3m.com/library](http://www.3m.com/library)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2 MR Credit 4.1 Recycled Content; EB v2.0 MR Credit 2.1 Optimized Use of Alternative Materials; and EB O&M MR Credit 2.2: Sustainable Purchasing - Durable Goods, Furniture.

**Environmental/Energy Advantage:** The panels in this product are made of ecoresin™, a PETG co-polyester resin with 40% post-industrial recycled content that is GREENGUARD Indoor Air Quality Certified®.





# The Energy-Saving and Bulb-Reducing Advantages of Vikuiti™ Dual Brightness Enhancement Film

Designed to increase brightness over an LCD's entire viewing range, Vikuiti™ Dual Brightness Enhancement Film is a thin, multi-layer reflective polarizer. It effectively recycles light, maximizing the brightness of liquid crystal displays (LCDs). This allows designers to manage light in multiple ways. For example, the film can be used to increase brightness overall or it can be used to reduce the number of watts a TV requires for operation. It can even be used to reduce the number of bulbs needed to deliver a given brightness level.

**Less Energy. Equal Brightness**  
 LCD TVs with Vikuiti™ Dual Brightness Enhancement Film (DBEF) run on fewer watts than ones without it. In addition to requiring fewer watts, LCD TVs with Vikuiti film run cooler. At the March 2006 Flat Panel Display (FPD) conference, 3M showed a 32" LCD TV with Vikuiti DBEF and two diffusers running on 108 watts with a brightness of 418 cd/m<sup>2</sup>. That is 25 watts less than the same TV with a similar brightness at 411 cd/m<sup>2</sup> with three diffusers and no Vikuiti film.



By saving an average of 41.06 kilowatts per year for each LCD TV, 3M's film could potentially save 101.7 billion kilowatt hours of energy over the lifetime of the LCD TVs sold from 2006 to 2011. That is equal to the energy produced by 59 million barrels of oil which is equivalent to taking 13.6 million cars off the road for one year.

Vikuiti™ optical films  
 help making  
 LCD TVs brighter

**Fewer Bulbs. Equal Brightness.**  
 Vikuiti™ Dual Brightness Enhancement Film (DBEF) provides such a significant increase in LCD brightness that manufacturers can eliminate some of the bulbs in their backlight designs. As an example, a 37" LCD TV with Vikuiti DBEF film needed 12 bulbs to produce an image as bright as the same TV with 16 bulbs and no Vikuiti film. And less power is required for a Vikuiti DBEF enabled 12-bulb LCD TV backlight system.

## The Vikuiti™ Dual Brightness Enhancement Film Advantage\*

Backlight Efficiency Improvement	Energy Savings **	Bulb Reduction
32 - 52%	23 - 37%	4 or more

\* Based on tests of off-the-shelf TVs with and without Vikuiti DBEF films. TVs tested ranged in size from 27—46"

\*\* Power savings based on total TV power excluding speakers. Results may vary.

## Vikuiti™ Thin Brightness Enhancement Film (T-BEF)

Vikuiti™ Thin Brightness Enhancement Films (TBEF) increase the brightness of handheld LCDs through improved management of the existing light created by the backlight by focusing the light toward the user.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ Brightness Enhancement Film

3M's breakthrough innovations in light management films include the world's first brightness enhancement film and the first reflective polarizer. By refracting or recycling light, these Vikuiti™ films enhance the energy efficiency of LCD TVs, monitors, notebooks and handheld displays.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Many Brightness Enhancement Films (BEF) are being reformulated to meet the proposed IPC halogen standard of 900 ppm bromine, 900 ppm chlorine, and 1500 ppm total bromine and chlorine.



## Vikuiti™ Brightness Enhancement Film – Reflective Polarizer (BEF-RP)

Vikuiti™ Brightness Enhancement Film – Reflective Polarizer (BEF-RP) Films enable handheld displays to be thin and bright. By combining the light angle and polarization management into a single thin film, high brightness can be achieved while reducing the backlight thickness.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ Brightness Enhancement Film II (BEF II)

Vikuiti™ Brightness Enhancement Film II (BEF II) is a second-generation micro-replicated enhancement film. A single sheet provides up to 60% increase in brightness and two sheets crossed at 90° can provide up to 120% brightness increase. This increased brightness can also be translated into power savings.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.





## Vikuiti™ Brightness Enhancement Film III

Vikuiti™ Brightness Enhancement Film III is a micro-replicated prism film, which utilizes a random prism pattern that helps eliminate wet-out and reflective moiré while directing light toward the on-axis viewer of a liquid crystal display. A single sheet provides up to 59% increase in brightness and can be combined with many other Vikuiti optical films for further brightness gain.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ Dual Brightness Enhancement Film - Diffuse 400 (DBEF-D400)

Vikuiti™ Dual Brightness Enhancement Film - Diffuse 400 (DBEF-D400) film, with greater environmental stability for monitor and TV applications, helps to manage light in three ways: angle, reflection, and polarization. Through polarization recycling the Vikuiti™ DBEF-D film reflects the P2 light back into the backlight where it is scrambled into P1 and P2.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti™ Dual Brightness Enhancement Film D400 (DBEF-D400) improves backlight efficiency in LCD TVs by 32 to 52 percent and provides total TV energy savings of 23 to 37 percent.



## Vikuiti™ Dual Brightness Enhancement Film II (DBEF II)

Vikuiti™ Dual Brightness Enhancement Film II (DBEF II) is the thinnest multi-layer reflective polarizer with two diffuse surfaces that provides brightness enhancement for wide viewing angle applications. Vikuiti DBEF II film delivers display uniformity, masks minor cosmetic imperfections in the panel, and reduces wet-out against smooth surfaces.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ NBEF-M

Vikuiti™ NBEF-M enables the efficient light angle management in LCD backlights similar to other Vikuiti BEF II films while providing a defect hiding matte coating.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ DBEF-E

Vikuiti™ DBEF-E is typically used in handheld and notebook LCD displays where an embossed surface is desired. The slightly raised embossed structure acts as spacers to prevent the film from lying totally flat against other surfaces, helping to avoid wet-out.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ DBEF-M

Vikuiti™ DBEF-M includes a matte finish to the front side of the film, acting as an integral diffuser, which reduces the need for a separate diffuser sheet. The matte finish also improves display uniformity, hides minor cosmetic imperfections, eliminates wet-out and reduces reflective moiré.

**Website:** [www.3m.com/Vikuiti](http://www.3m.com/Vikuiti)

**Environmental/Energy Advantage:** Vikuiti films increase brightness and can conserve battery power because they capture and recycle light generated by the source.



## Vikuiti™ Rear Projection Films

Vikuiti™ Rear Projection screens are a flexible, self-adhesive film that can be applied to window or transparent partitions. The film easily cuts to different shapes and sizes and is fast to remove—leaving no adhesive residue. It can be integrated with other window graphics or can be applied to rigid clear acrylic panels to create portable displays.

**Toll Free Number:** 1-800-328-3908

**Website:** [www.3m.com/lightingproducts](http://www.3m.com/lightingproducts)

**Environmental/Energy Advantage:** Compared to other rear projection screens, you can use a less powerful projector to get the same impact, as this product offers improved contrast.



### 3M™ Round Conductor Flat Cable, 2010 Series

In applications where sensitive electronic equipment is located in enclosed spaces, smoke from an electrical fire can cause problems if the cable insulation is made with compounds that contain halogen. The insulation in 3M™ 2010 Series Round Conductor Polyolefin Flat Ribbon Cable is halogen free (no more than that which would be found as an acknowledged trace contaminate or background level). In the event of a fire, the halogen free insulation helps to prevent the spread of fire thereby helping to protect people and equipment.

**Website:** <http://www.3M.com/interconnects>

**Environmental/Energy Advantage:** This product is made with halogen free insulation which produce low smoke (BSS 7238) and low toxicity of combustion gases (NES 713) reducing the risk to firefighters and low corrosivity of combustion gases (pH approximately 6.0) reducing damage to nearby equipment. The combustion gases of the 3M halogen free insulation rated below .9 on the British Naval Engineering Standard 713, Issue 3, well under the generally accepted benchmark of 5.0 for low toxicity. In comparison, PVC is rated 16.8, TPE rated 3.5 and FEP rated 8.7. In addition, this product is compliant with the European Union's Directive 2002/95/EC, Restriction on the use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS).




### 3M™ Round Conductor Flat Cable, 2049 Series

In applications where sensitive electronic equipment is located in enclosed spaces, smoke from an electrical fire can cause problems if the cable insulation is made with compounds that contain halogen. The insulation in 3M™ 2049 Series Round Conductor Flat Cable is halogen free (no more than that which would be found as an acknowledged trace contaminate or background level). In the event of a fire, the halogen free insulation helps to prevent the spread of fire thereby helping to protect people and equipment.

**Website:** <http://www.3M.com/interconnects>

**Environmental/Energy Advantage:** This product is made with halogen free insulation which produces low smoke (BSS 7238) and low toxicity of combustion gases (NES 713) reducing the risk to firefighters and low corrosivity of combustion gases (pH approximately 6.0) reducing damage to nearby equipment. The combustion gases of the 3M halogen free insulation rated below .9 on the British Naval Engineering Standard 713, Issue 3, well under the generally accepted benchmark of 5.0 for low toxicity. In comparison, PVC is rated 16.8, TPE rated 3.5 and FEP rated 8.7. In addition, this product is compliant with the European Union's Directive 2002/95/EC, Restriction on the use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS).



### 3M™ Twisted Pair Flat Cable, 2100 Series

In applications where sensitive electronic equipment is located in enclosed spaces, smoke from an electrical fire can cause problems if the cable insulation is made with compounds that contain halogen. The insulation in 3M™ 2100 Series Twisted Pair Polyolefin Flat Ribbon Cable is halogen free (no more than that which would be found as an acknowledged trace contaminate or background level). In the event of a fire, the halogen free insulation helps to prevent the spread of fire thereby helping to protect people and equipment.

**Website:** <http://www.3M.com/interconnects>

**Environmental/Energy Advantage:** This product is made with halogen free insulation which produces low smoke (BSS 7238) and low toxicity of combustion gases (NES 713) reducing the risk to firefighters and low corrosivity of combustion gases (pH approximately 6.0) reducing damage to nearby equipment. The combustion gases of the 3M halogen free insulation rated below .9 on the British Naval Engineering Standard 713, Issue 3, well under the generally accepted benchmark of 5.0 for low toxicity. In comparison, PVC is rated 16.8, TPE rated 3.5 and FEP rated 8.7. In addition, this product is compliant with the European Union's Directive 2002/95/EC, Restriction on the use of certain Hazardous Substances in Electrical and Electronic Equipment (RoHS).



### 3M™ Non-Conductive Polycarbonate Carrier Tape 2703

The 3M™ Non-Conductive Polycarbonate Carrier Tape 2703 is a clear embossed carrier tape that is selected for packaging passive components and other non-sensitive devices such as connectors and switches.

3M™ Embossed Carrier Tape serves as a reliable and convenient means of protecting and transporting electronic devices and precisely delivering them to the assembly point. These carriers are available in a broad selection of pocket designs with dimensions to accommodate a variety of common electrical and electronic parts. Customized Clear Polycarbonate Carrier Tape 2703 with dimensions specific to your requirements is also available upon request.

**Website:** [www.3M.com/electronics](http://www.3M.com/electronics)

**Environmental/Energy Advantage:** The 3M™ Non-Conductive Polycarbonate Carrier Tape 2703 is a thermoplastic polymer film which can be recycled after use in a industrial recycling process.




### 3M™ Conductive Polycarbonate Carrier Tape 3000

3M™ Conductive Black Polycarbonate Carrier Tape 3000 is used in conjunction with a suitable cover tape such as 3M™ Static-Dissipative Heat Activated Cover Tape 2675, or 3M™ Conductive Pressure-Sensitive Cover Tape 2666. It serves as a reliable and convenient means of helping protect and transport electrical and electronic devices, and precisely delivering them to the assembly point. Black Polycarbonate Carrier Tape 3000 is a continuous, splice-free, conductive carrier tape with precisely formed pockets to ensure component fit to ANSI/EIA guidelines for standard or high precision carrier tape. These carriers are available in a broad selection of pocket designs with dimensions to accommodate a variety of common electrical and electronic parts. Customized Black Polycarbonate Carrier Tape 3000 with dimensions specific to your requirements is also available upon request.

**Website:** [www.3M.com/electronics](http://www.3M.com/electronics)

**Environmental/Energy Advantage:** The 3M™ Polycarbonate Carrier 3000 is a carbon-filled thermoplastic polymer film which can be recycled after use in a industrial recycling process.



### 3M™ Polystyrene Carrier Tape 4000

3M™ Polystyrene Carrier 4000, used in conjunction with a suitable 3M cover tape, serves as a reliable and convenient means of helping protect and transport electrostatically-sensitive electronic devices, and precisely delivers them to the assembly point.

3M Polystyrene Carrier 4000 is a continuous, splice-free, static dissipative carrier with precisely formed pockets to ensure component fit to ANSI/EIA standards. Polystyrene Carriers 4000 are available in a broad selection of pocket designs for typical high-volume semiconductor applications. Customized Polystyrene Carrier 4000, with dimensions specific to your requirements, is also available upon request.

**Website:** [www.3M.com/electronics](http://www.3M.com/electronics)

**Environmental/Energy Advantage:** The 3M™ Polystyrene Carrier 4000 is a carbon-filled thermoplastic polymer film that can be recycled after use in a industrial recycling process.



### 3M™ Glass Bubbles

3M™ Glass Bubbles are microscopic hollow glass spheres used to enhance the performance and processibility of a wide variety of products. Because of their unique properties, 3M glass bubbles are finding increasing use in a number of oil and gas industry applications.

**Website:** [www.3m.com/oilandgas](http://www.3m.com/oilandgas)

**Environmental/Energy Advantage:** As the search for oil and gas moves farther offshore, there is an increasing need for materials that can survive and perform in extreme subsea environments. 3M(TM) Glass Bubbles have proven their reliability in adverse conditions, for applications such as reducing weight and increasing uplift of buoyancy modules and for enhancing thermal insulation properties in risers and pipelines. In low density cementing applications, improved production, less remediation, reduced formation damage and better zonal isolation are just some of the advantages 3M glass bubbles offer over conventional density-reducing materials such as nitrogen foam and cenospheres.



### 3M™ Nextel™ Ceramic Textiles and Composites

3M™ Nextel™ Ceramic Textiles and Composites provide innovative solutions in industries from aerospace to petroleum refining to metal processing. The outstanding thermal protection provided by Nextel™ Fabrics, Tapes and Sleeveings allows engineers and manufacturers to handle high temperature applications up to 2500°F (1371°C).

**Website:** [www.3m.com/ceramics](http://www.3m.com/ceramics)

**LEED® Claim:** Use of this product helps comply with LEED® NC v2.2, EB V2.0- EA Prerequisite 2: Minimum Energy Performance; and LEED® NC v2.2, EB V2.0- EA Credit 1: Optimize Energy Performance.

**Environmental/Energy Advantage:** Among multiple uses, 3M™ Nextel™ Textiles are employed to seal tubes in refinery applications retaining their strength and flexibility even after prolonged exposure to temperatures in excess of 2000°F. They prevent the ingress of tramp air and save money by decreasing fuel consumption, reducing heat losses and controlling excess oxygen.



### 3M™ Aluminum Conductor Composite Reinforced

3M™ Aluminum Conductor Composite Reinforced (ACCR) is a high voltage, overhead transmission conductor consisting of high-temperature, hardened aluminum-zirconium outer wires stranded around a core of fiber-reinforced aluminum composite wires.

**Website:** [www.3M.com/accr](http://www.3M.com/accr)

**Environmental/Energy Advantage:** Growing demand for power often times will place the needs of the environment opposite the needs of the consumer. Taller, more unsightly towers, the need to cut larger right-of-ways, more power generation to compensate for resistive losses and the need to use more renewable energy sources which may be located in remote areas, are just a few of the issues surrounding the environment and the transmission grid today. By using 3M™ Aluminum Conductor Composite Reinforced for line upgrades or new construction in visually sensitive areas, a utility may be able to minimize the environmental impact of a particular transmission line using the existing right-of-way and towers. Because of the increased strength and reduced sag of 3M's ACCR cable, the need to raise or rebuild towers is significantly reduced; likewise, the same properties allow for fewer towers on new construction projects.




### 3M™ Ceramic Microspheres Gray

3M™ Ceramic Microspheres are unique, semi-transparent, gray colored, fine particle size, high-strength microspheres. These products are typically used to reduce VOC levels; increase filler loadings; improve hardness; and add burnish, scrub and abrasion resistance to a variety of coating formulations. Due to the ceramic chemistry of these products, they are also UV transparent down to 25 nm and have found utility in radiation curable and thin-film powder coatings.

**Website:** [www.3m.com/paintsandcoatings](http://www.3m.com/paintsandcoatings)

**Environmental/Energy Advantage:** Compared to other fillers such as calcium carbonate and mica, 3M™ Ceramic Microspheres' lower viscosity improves material handlings and could result in lower energy usage when mixing. In solvent-based formulations, the increased filler loadings means less solvent is needed, resulting in reduced VOCs.





# 3M Window Films Saves Energy and Landfill at a Victoria, BC

## PROBLEM

The Province of British Columbia needed a state of the art building to facilitate the growth of Victoria's thriving technology sector. The former Glendale Lodge Facility was a prime location, but had been largely vacant in years and in need of a major renovation. There were obvious economic and environmental benefits for developing the former Glendale Lodge facility. The existing windows in the centre wing as well as the bays of the north and south wings were all single pane glass. The expansive glass area allowed excessive solar heat gain in the summer and heat loss in the winter. Total glass area was approximately 10,000 square feet. Architect Christopher Rowe (now with Cannon Design) needed to address the issues of heat gain and heat loss while maintaining the magnificent views and permitting natural lighting.

## SOLUTION

After extensive product research, the architects called the experts at Titan Window Films of Victoria - an authorized 3M window film dealer for 3M Canada with over 25 years of experience. Doug Ritch of Titan recommended 3M™ All Season Window Films. "This Low E film reduces solar heat transmission by up to 69% while diffusing direct beam sunlight for day lighting applications. The film will also reduce heat loss in the winter months by up to 30%" commented Doug Ritch of Titan. "By using 3M™ All Season films, we were able to achieve our building envelope energy targets and reuse many of the existing windows, which saved on new building materials. We were able to incorporate 3M film into our whole building design strategy, helping us achieve our LEED™ GOLD certification" commented Rowe. Not only have the windows generated a significant reduction in materials and cost, they have also provided benefits to individuals working within the facility. "The all season window films have drastically reduced the glare on monitor screens, which has in return allowed our industry to work efficiently within their office space," commented Greg Sikora, Senior Manager, Real Estate of VITP.

## RESULTS

The addition of 3M™ All Season Window Films upgraded the performance of the existing single pane windows to a level that no longer necessitated replacement windows. The result not only saved costs on virgin materials, but reused existing building materials that would have otherwise been sent to landfills.

The Vancouver Island Technology Park achieved a prestigious GOLD certification under the U.S. Green Building Council's Leadership in Energy & Environmental Design (LEED™) Rating System, the first GOLD certified building outside of the United States. 3M films were part of the overall building envelope strategy which contributed towards Energy and Atmosphere and Materials & Resources credits under the LEED™ Building Rating System.



## PROJECT SUMMARY

**3M Dealer:** Titan Window Films, Victoria, British Columbia

**Architect:** idealink architecture ltd (now part of Cannon Design)

**Installation Date:** August 2001

**Type of Film:** 3M™ Scotchtint™ Plus All Season window film

### Building Statistics:

**Owner:** BC Building Corporation

**Size:** 171,750 gross square feet

**Glass Covered:** Approximately 10,000 square ft

**Occupancy:** 981 Staff

**LEED Project #:** 0113

**Remedies Considered Prior to Window Film:**

Low-E replacement windows

## THE 3M DIFFERENCE

While the performance attributes of the 3M film were the main selling points, Rowe says he was also impressed with the support that came from 3M's dealer: "3M provided excellent technical assistance. This project was a milestone of sustainable development in Canada, and they wanted to be sure we had all of the information we needed," commented Rowe.

### 3M™ Ceramic Microspheres White

3M™ Ceramic Microspheres are unique, semi-transparent, white colored, fine particle size, high-strength microspheres. These products are typically used to reduce VOC levels; increase filler loadings; improve hardness; and add burnish, scrub and abrasion resistance to a variety of coating formulations. Due to the ceramic chemistry of these products, they are also UV transparent down to 25 nm and have found utility in radiation curable and thin-film powder coatings.

**Website:** [www.3m.com/paintsandcoatings](http://www.3m.com/paintsandcoatings)

**Environmental/Energy Advantage:** Compared to other fillers such as calcium carbonate and mica, 3M™ Ceramic Microspheres' lower viscosity improves material handlings and could result in lower energy usage when mixing. In solvent-based formulations, the increased filler loadings means less solvent is needed, resulting in reduced VOCs.



### Empore™ Extraction Disks

Extracts organic compounds from water sources and pollutants from ground water for environmental analysis. Also used in tests to separate ionic compounds from drinking water and waste water.

**Website:** [www.dyneon.com/empore](http://www.dyneon.com/empore)

**Environmental/Energy Advantage:** The versatile Empore™ C18 and C8 products are effective for extracting semi-volatile and nonvolatile organic compounds. Approved for use with numerous EPA Methods. Empore solid phase extraction disks may reduce solvent usage for labs performing environmental testing.




### Dyneon™ Scotchshield™ Film 17

Dyneon™ Scotchshield™ Film 17 is a backside barrier film for photovoltaic solar modules. Similar to other commercially available backside films, it utilizes a fluoropolymer layer as a key component. Fluoropolymers are well known to have excellent resistance to degradation from sources such as UV, heat and moisture. Their weatherability exceeds that of non-fluorinated materials. Scotchshield film 17 is designed for easy use by module manufacturers. It can be used as received with most existing production equipment and cycles, with no pre-treating required. During lamination, strong, stable, bonds are formed to standard peroxide curable EVA encapsulants.

**Website:** [www.3m.com/solar](http://www.3m.com/solar)

**Environmental/Energy Advantage:** This product has an excellent UV stability, very low moisture vapor transmission rate; it is manufactured with a solvent-free process, and is a resilient, low flammability fluoropolymer.



### 3M™ Solar Concentrator Lens Panels

3M™ Solar Concentrator Lens Panels with radial Fresnel patterns are used primarily in high-concentration solar photovoltaic applications. Panels having linear patterns may be used in either flat or curved configurations, for both concentrating photovoltaic and thermal applications. 3M's proprietary micro replication technology provides the benefits of continuous manufacturing and the fidelity required for high efficiency Fresnel optics.

**Website:** [www.3M.com/solar](http://www.3M.com/solar)

**Environmental/Energy Advantage:** Tests conducted by Sandia National Laboratories have demonstrated that weatherable acrylic lenses maintain high optical transmission over 17 years of outdoor exposure.





## 3M™ Colorquartz™ Crystals

3M™ Colorquartz™ Crystals are a melding of nature and technology. Their rich color and lasting beauty enliven swimming pool surfaces, counters, floors, and other finishes. You can count on Colorquartz products to maintain their color in the most demanding environments.

**Toll Free Number:** 1-800-447-2914

**Website:** [www.3m.com/pools](http://www.3m.com/pools)

**Environmental/Energy Advantage:** 3M Colorquartz Crystals are long-lasting and low maintenance products. The color resists bleeding or fading, even when exposed to harsh sunlight, strong pool chemicals, and acid washings.



## 3M™ Cool Roofing Granules

3M is the world's leading supplier of colored and specialty granules for use in the asphalt shingle industry. 3M™ Cool Roofing Granules are an energy efficient break through roofing granule technology. Based on 3M reflectivity test methods, they are up to three times more reflective than comparable typical colored granules, which can help keep your home cool with less energy consumption and lower energy cost.

**Website:** [www.scotchgard.com/roofinggranules](http://www.scotchgard.com/roofinggranules)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2- SS Credit 7.2: Heat Island Effect: Roof; and LEED® EB v2.0- SS Credit 6.2 Heat Island Reduction: Roof.

**Environmental/Energy Advantage:** Can help keep your home cool with less energy consumption and lower energy cost. 3M™ Cool Roofing Granules in the appropriate blend combination meet or exceed the 25% initial reflectance in order to qualify for the United States Environmental Protection Agency Energy Star® program.



## Thinsulate™ Insulation with recycled fibers

Thinsulate™ Insulation with recycled fibers is composed of unique microfibers that help keep you comfortably warm without the bulk of down. Thinsulate insulation with recycled fibers is designed for use in general outerwear, apparel, sportswear and accessories. Thinsulate insulation with recycled fibers is a positive step toward a more sustainable environment that uses fewer resources and discards less waste.

**Website:** [www.thinsulate.com](http://www.thinsulate.com)

**Environmental/Energy Advantage:** Thinsulate™ Insulation contains 50% recycled polyester fibers made from postconsumer waste.



## Protective Tapes

### 3M™ Wind Tape 8608 Transparent

Outdoor grade polyurethane protective tape with acrylic adhesive. Very tough thermoplastic polyurethane elastomer designed for wind turbine surface protection applications. Total thickness 0.014 inch (0.36 mm).

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** Helps protect the leading edge of blades against erosion, rain, and other particles in the air that can cause deterioration of the blade and thus a decrease in turbine output.



## Protective Tapes, cont'd

### 3M™ Wind Tape 8609 Transparent

High grade UV stable polyurethane protective tape with acrylic adhesive. Total thickness 0.014 inch (0.36 mm). Applications include demanding Wind Turbine protection installations that require minimal UV degradation after years of use.

**Website:** [www.3m.com/aerospace](http://www.3m.com/aerospace)

**Environmental/Energy Advantage:** Helps protect the leading edge of blades against erosion, rain, and other particles in the air that can cause deterioration of the blade and thus a decrease in turbine output.



## Sorbents

### 3M™ Chemical Sorbent Mini-Booms

Chemical Sorbent Mini-Booms can be placed around hazardous spills, reducing the possibility of spread to adjacent areas. Chemical Sorbents can sorb acids, bases and other hazardous fluids. Mini-Booms can be ordered in three different sizes, P-200 (3" x 4'), P-208 (3" x 8') and P-212 (3" x 12').

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



### 3M™ Chemical Sorbent Pads - P-110

Designed with quick and easy response in mind. Packaged in convenient dispenser boxes, for storage in confined spaces or mounting on a wall near where spills may occur.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



### 3M™ Chemical Sorbent Pads - C-PD914DD, High Capacity

Highly absorbent and non-granular, pads feature a low-profile design, so they can be easily placed in tight areas. These pads are ideal for cleaning up small spills and wiping down contaminated areas. Twenty-five pads per dispenser box.


**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See sorbent product  WARNING on page 95.

### 3M™ Chemical Sorbent Particulate - P-500

Designed with quick and easy response in mind. An alternative solution to granules, this material can be sprinkled over a spill or broadcast over a large area.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.




### 3M™ Chemical Sorbent Pillows - P-300

Pillows are designed with a scrim that encases particulate sorbent material. Pillows are used in areas where more capacity is desired than can easily be achieved using a sorbent pad.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



### 3M™ Chemical Sorbent Rolls

Sorbent rolls are used to cover large areas and spills. Also used as a preventive measure in areas where leaks or spills may occur. An economical way to purchase. Sorbent rolls can be cut to desired length/size: P-130 (13" x 100'), P-190 (19" x 100'), P-380 (38" x 100').

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



### 3M™ Chemical Spill Response Pack - SPR-CHEM

3M Chemical Spill Kits each contain a carefully selected variety of 3M Chemical Sorbents. Available in five configurations, these convenient kits assist with providing fast and effective containment and clean-up of hazardous spills.


**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See sorbent product  WARNING on page 95.

### 3M™ Chemical Sorbents Multi-Format - C-FL550DD

All the versatility of Multi-Format plus chemical resistance. Folded Sorbent is dispensed in the form of a 5 inch wide continuous roll, perforated every 16 inches. Tearing at the perforations can customize the length needed and can be unfolded into pads or pillows

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Chemical sorbents help to efficiently pick up hazardous chemical spills.



### 3M™ Petroleum Sorbent Roll HP-100, High Capacity

Designed to cover large areas, petroleum sorbent rolls are perfect for lining drawers, covering workbenches, or masking areas from oversprays. HP-100 rolls can be cut to cover small areas or can be laid on open waters, shorelines, or discharge streams. One bale of HP-100 petroleum sorbent material will absorb up to 73 gallons of petroleum-based liquid. With a scrim on one side, HP-100 can be wrung out and reused many times over to reduce waste and reclaim fluids.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbents - High Capacity Pads

These highly sorbent pads feature a low-profile design, so that they can be easily placed in tight areas. Ideal for cleaning up small spills and wiping down contaminated areas.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Drum Cover P-DC22DD, High Capacity

Will "sorb" hydrocarbon based liquids and repel aqueous based liquids. Has a scrim on one side to increase strength and eliminate linting. Use on a 55 gallon drum to catch drips and spills. Cut-outs for dispensing bungs. Skirt which fits neatly around the base of the drum to catch drips.


**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See sorbent product  WARNING on page 95.

### 3M™ Petroleum Sorbent Mini-Boom T-4

Mini-Booms are a selective sorbent which will sorb hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). Mini-booms are typically used because of their tube-like shape to encircle spills and contain leaks.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Mini-Pillow T-30

Pillows are designed with a scrim that encases particulate sorbent material. Pillows are small, lightweight, and tear-resistant, and can be used in areas where more capacity is desired than can easily be achieved using a sorbent pad. The 3M™ Petroleum Sorbent Mini-Pillow is a selective sorbent which will "sorb" hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic).

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Sweep - T-126

Sweeps are excellent for removing thin oil slicks on water surfaces where mechanical skimmers have not been 100% effective. Constructed with a durable rope on one edge to allow for easy deployment, anchoring in place and recovery.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Pillow T-240

The 3M™ Petroleum Sorbent Pillow T-240 is a selective sorbent which will "sorb" hydrocarbon-based liquids (oleophilic) and repel aqueous-based liquids (hydrophobic). These open mesh bags of particulate sorbent are excellent for handling large quantities of light oil in confined spaces such as sumps, catch basins, bilges, or settlement ponds. Designed for long term use, they are UV resistant and will not deteriorate or sink.


**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See sorbent product  WARNING on page 95.

### 3M™ Petroleum Sorbent Boom T-270

This boom is 8 inches by 10 feet scrim encased tube of particulate sorbent material secured by a UV resistant netting. Built-in attachment clips are provided at each end of the boom allowing the booms to be linked together, overlapping and preventing seepage between segments.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Pads

Designed to be used in and around the work area or spill site to clean up or catch leaks and drips, highly absorbent and simple to use. Pads: HP-151 (17" x 19"), HP-156 (17" x 19"), HP-157 (34" x 38")

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Rolls

These rolls can be used on all sizes of spills and discharges. They can be cut to cover small areas or laid directly on open waters, shorelines, or discharge streams. In addition, they can be placed on docks, in boats, and under leaking machines.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



### 3M™ Petroleum Sorbent Spill Response

The right product when quick response is needed. Can be used with most hydrocarbon based liquids and repel aqueous based liquids. Available in 5- and 31-gallon spill kits and a 4-gallon response pack with mini-booms and pads. P-SKFL31 (31 gal. Spill Kit), P-DKFL5 (5 gal. Spill Kit), SPR-PETRO (4 gal. Spill Response Pack).


**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Petroleum sorbents control oil spills on water.



All 3M™ products shown in this catalog must be used in accordance with the user instructions, warnings and limitations accompanying each product.

Note: See sorbent product  WARNING on page 95.

### 3M™ Maintenance Sorbent Mini-Booms

For leaks and drips of non aggressive fluids. 3M™ Maintenance Sorbents are ideal for absorbing oil and other industrial fluids cleanly, safely and efficiently. They are lightweight and very quick to deploy. They are highly absorbent (up to 25 x its own weight) absorbing most fluids very quickly and are long lasting. Minibooms are ideal for placing around the base of leaking machinery/equipment to contain and absorb oils and cutting fluids. Mini-Booms: M-MB304 (3" x 4'), M-MB308 (3" x 8'), M-MB312 (3" x 12'). Pillows: M-PL715 (7" x 15').

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Maintenance Sorbents are ideal for absorbing oil and other industrial fluids cleanly, safely and efficiently.



### 3M™ Maintenance Sorbent Pillow M-PL715, High Capacity

Small and lightweight, pillows are tear-resistant and feature a high capacity for holding liquid. They can be placed quickly at the source of a leak, helping to save hours of cleanup time. Sorbent pillows are ideal for use in a drip pan, under equipment, or at the source of a large leak.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Maintenance Sorbents are ideal for absorbing oil and other industrial fluids cleanly, safely and efficiently.



### 3M™ Maintenance Sorbents Folded - M-FL550DD

This high capacity sorbent has a scrim on one side to increase strength and help eliminate linting. It is dispensed from a carrying/dispenser box in the form of a continuous roll with perforations every 16 inches.

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Maintenance Sorbents are ideal for absorbing oil and other industrial fluids cleanly, safely and efficiently.



### 3M™ Maintenance Sorbent Pads, Rolls, and Drum Covers

Designed to be used in and around the work area to catch leaks and drips, these pads are highly absorbent and simple to use.

Pads: M-PD1520DD (15 1/2" x 20 1/2"), M-PD720GG (7 1/2" x 20 1/2")

Rolls: M-RL15150DD (15 1/2" x 150'), M-RL33150DD (33" x 150'), M-RL38150DD (38" x 150').

Drum covers: M-DC22DD (55 gal/ drum cover).

**Toll Free Number:** 1-800-328-1667

**Website:** [www.3m.com/OccSafety](http://www.3m.com/OccSafety)

**Environmental/Energy Advantage:** Maintenance Sorbents are ideal for absorbing oil and other industrial fluids cleanly, safely and efficiently.



**⚠ WARNING!** Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor or call 3M at 1-800-243-4630. Always use personal protective equipment appropriate for handling the material to be absorbed. Transportation and disposal of spent sorbents must comply with all applicable federal, state and local laws and regulations.

**Caution:** Sorbents may become slippery when used on flooring. Do not walk on sorbent or place in high traffic area.

### 3M™ Novec™ 649 Engineered Fluid

3M™ Novec™ 649 Engineered Fluid is an advanced heat transfer fluid, balancing customer needs for physical, thermal and electrical properties, with desirable environmental properties.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** 3M™ Novec™ 649 Engineered Fluid is a low Global Warming Potential (GWP) heat transfer fluid engineered to meet the demands of increasingly restrictive global environmental regulations. Its dielectric properties make Novec 649 fluid useful for many heat transfer applications where perfluorocarbons have previously been used, such as indirect and direct contact single and two-phase cooling of electronic components. Its inherent thermal stability and very low GWP makes it ideally suited for use as a working fluid in Organic Rankine Cycle (ORC) applications.



### 3M™ Novec™ 71DA Engineered Fluid

Novec 71DA fluid is a true azeotrope, with constant vapor and liquid composition at its boiling point. Novec 71DA fluid is a hydrofluoroether in an azeotropic formulation with trans-1,2-dichloroethylene and ethanol. Its increased solvency and low surface tension, as well as nonflammability and constant composition during boiling, make it ideal for immersion defluxing and degreasing applications. In addition, the ethanol component of Novec 71DA fluid provides enhanced removal of ionic contaminants.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Novec 71DA fluid is non-ozone-depleting, has a low global warming potential and a short atmospheric lifetime. It is low in toxicity and is listed as "acceptable without restrictions" under the U.S. EPA's Significant New Alternatives Policy (SNAP) program.



### 3M™ Novec™ 71DE Engineered Fluid

A true azeotrope, Novec 71DE fluid has constant liquid and vapor composition at its boiling point. Novec 71DE fluid is an excellent cleaning, rinsing and drying agent. Its increased solvency, low surface tension, nonflammability and constant composition during boiling make it ideal for immersion and vapor degreasing, and for medium-duty cleaning of soils such as oils, greases and waxes.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Novec 71DE fluid is low in toxicity, non-ozone-depleting, has a low global warming potential, and is listed as "acceptable without restrictions" under the U.S. EPA's Significant New Alternatives Policy (SNAP) program.



### 3M™ Novec™ 72DA Engineered Fluid

3M™ Novec™ 72DA Engineered Fluid is a blend of azeotropes designed for medium to heavy-duty cleaning of solder flux residue, oils, greases and waxes, among others.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** The high solvency and low toxicity make this product an ideal replacement for ozone-depleting compounds, hydrofluorocarbons, chlorinated solvents, and n-propyl bromide in many applications.





### 3M™ Novec™ 72DE Engineered Fluid

Novec 72DE fluid is an excellent cleaning agent. Its increased solvency, low surface tension, nonflammability and stability make it ideal for vapor degreasing applications. It is intended for medium to heavy-duty cleaning of soils such as oils, greases and waxes.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Novec 72DE fluid is low in toxicity, non-ozone-depleting, has a low global warming potential, and is listed as "acceptable without restrictions" under the U.S. EPA's Significant New Alternatives Policy (SNAP) program.



### 3M™ Novec™ 7100 Engineered Fluid

Its boiling point (61°C) and increased solvency make Novec 7100 fluid an ideal cleaning solvent in applications like vapor degreasing, wet cleaning and FOUP cleaning. Low surface tension helps it to penetrate into tight spaces found in delicate electronic equipment - providing a thorough and complete clean.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** As a cleaning fluid, Novec 7100 fluid is non-ozone depleting, is not a volatile organic compound (VOC) and is approved without restrictions under the US EPA's Significant New Alternatives Program (SNAP). Additional characteristics of Novec 7100 fluid include low toxicity, low global warming potential and the solvent is nonflammable.



### 3M™ Novec™ 7100DL Engineered Fluid

Its boiling point (61°C) and increased solvency make Novec 7100DL fluid an ideal cleaning solvent in applications like vapor degreasing, wet cleaning and FOUP cleaning. Low surface tension helps it penetrate into tight spaces found to provide a thorough and complete clean, and its high purity helps to meet the increasing demands of the electronics industry.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** It is a good solvent replacement for CFCs, HCFCs, HFCs and chlorinated solvents. Novec 7100DL fluid is non-ozone depleting, is not a volatile organic compound (VOC) and is approved without restrictions under the US EPA's Significant New Alternatives Program (SNAP).



### 3M™ Novec™ 7200 Engineered Fluid

Its 76 deg C boiling point and excellent environmental, health and safety profile make Novec 7200 fluid useful in applications like heat transfer, cleaning, lubricant deposition and more, in a diverse range of industries.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Novec-7200 fluid is non-ozone depleting, is not a volatile organic compound (VOC) and is approved without restrictions under the US EPA's Significant New Alternatives Program (SNAP). Novec 7200 fluid has a very low global warming potential (GWP) and offers reduced greenhouse gas emissions when compared to PFCs - without sacrificing performance.



### 3M™ Novec™ 7200DL Engineered Fluid

A high-purity version of Novec 7200 fluid, Novec 7200DL fluid is tightly-controlled for ions, metals and non-volatile residue. It is used when an application calls for high-purity materials.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Novec 7200DL fluid is non-ozone depleting, is not a volatile organic compound (VOC) and is approved without restrictions under the US EPA's Significant New Alternatives Program (SNAP).



### 3M™ Novec™ 7300 Engineered Fluid

Novec 7300 fluid is a clear, colorless, odorless fluid that has utility in a wide variety of applications, including heat transfer, lubricant deposition, electronic testing and cleaning applications.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** A nonflammable, segregated hydrofluoroether, Novec 7300 fluid is low in toxicity, non-ozone depleting and has low global warming potential.



### 3M™ Novec™ 7300DL Engineered Fluid

Novec 7300DL fluid is a clear, colorless, odorless fluid. A high-purity version of Novec 7300 fluid, Novec 7300DL fluid is designed for demanding applications such as hard disk lubricant deposition and semiconductor cleaning and solvent applications.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** A nonflammable, segregated hydrofluoroether, Novec 7300DL fluid is low in toxicity, non-ozone depleting and has low global warming potential.



### 3M™ Novec™ 7500 Engineered Fluid

High performance Novec 7500 fluid shares many of the inertness and dielectric properties of perfluorinated fluids, and offers an excellent environmental profile. It is finding use in heat transfer and cleaning applications.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** Because of its extremely low global warming potential (GWP) and wide liquid range (-100°C to 130°C), Novec 7500 fluid can help wafer fabs meet voluntary emission reduction goals.



### 3M™ Novec™ 8200 Engineered Fluid

3M™ Novec™ 8200 Engineered Fluid is a clear, colorless, low-odor fluid intended to replace 1,1,1-trichloroethane and perchloroethylene in film cleaning applications.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/novec](http://www.3M.com/novec)

**Environmental/Energy Advantage:** This fluid has zero ozone depletion potential and low global warming potential (GWP); and is listed as a Clean Air Solvent by California's South Coast Air Quality Management District.



### 3M™ Novec™ 1230 Fire Protection Fluid

3M™ Novec™ 1230 Fire Protection Fluid is a next-generation halon alternative designed to balance industry concerns for performance, human safety and the environment, which makes Novec 1230 fluid the first option to non-sustainable technologies offering zero ozone depletion potential, 5-day atmospheric lifetime, and a global warming potential of one. It can be used in occupied areas. 3M™ Novec™ 1230 Fire Protection Fluid can effectively be applied in flooding, inerting and explosion suppression applications in: Data processing centers; Telecommunications; Commercial aviation; Military aviation; Military systems; Marine Oil & Gas Exploration; Transportation and Recreational vehicles.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3m.com/novec1230fluid](http://www.3m.com/novec1230fluid)

**LEED® Claim:** Use of this product helps contribute to LEED® NC v2.2- EA Credit 4: Enhanced Refrigerant Management; and LEED® EB v2.0- EA Credit 4 Additional Ozone Protection.

**Environmental/Energy Advantage:** With zero ozone depletion potential, extremely low global warming potential and short atmospheric lifetime, 3M™ Novec™ 1230 Fire Protection Fluid is the first halon replacement to offer a viable, long-term, sustainable technology for special hazards fire protection.



### 3M™ Novec™ Flux Remover

An industrial-strength cleaner, effective on a wide variety of solder fluxes including rosin-based and many no-clean and lead-free fluxes.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPS. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



### 3M™ Novec™ Contact Cleaner

Ideal for use on energized components, Novec Contact Cleaner is plastic compatible and can be used for removal of fluorinated oils and greases, light oils and silicones, dust and particulates from sensitive electrical and electronic equipment.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPS. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



### 3M™ Novec™ Contact Cleaner Plus

3M™ Novec™ Contact Cleaner Plus is formulated with extra cleaning power to remove stubborn oils, greases and silicones, as well as fluorinated oils and greases, dust and particulates, from sensitive electrical and electronic equipment.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPs. These high-performing products have a wide margin of safety for use in intended applications and are an environmentally responsible alternative to HCFC-141b. Novec Contact Cleaner Plus is formulated with 3M™ Novec™ 7200 Engineered Fluid, which is VOC-exempt under California Air Resources Board (CARB) regulations.



### 3M™ Novec™ Electronic Degreaser

An industrial-strength cleaner, ideal for cleaning heavy oils, greases and handling soils from electronic equipment.

**Toll Free Number:** 1-800 810 8513

**Website:** [www.3M.com/Novec](http://www.3M.com/Novec)

**Environmental/Energy Advantage:** Non-flammable, plastic-compatible and low in toxicity. Novec Aerosol Cleaners are non-ozone depleting and contain no nPB, HFCs or HAPs. These high-performing products have a wide margin of safety for use in intended application and are an environmentally responsible alternative to HCFC-141b.



### 3M™ Laser Receptive Validation Stickers

Laser receptive validation stickers for use on license plates. 3M customized hardware and software make this a complete system for issuing validation stickers on registration forms.

**Toll Free Number:** 1-800-553-1380

**Website:** [www.3M.com/tss](http://www.3M.com/tss)

**Environmental/Energy Advantage:** No oven required for drying inks. No hazardous (solvent containing) waste. Custom imaging without exposure to solvents. Eliminating the use of overcoat clear saves time, reduces VOC emissions and reduces energy use necessary for oven-drying the overcoat clear.



### 3M™ Digital License Plate System

Thermal transfer imaging system for license plate production. 3M customized hardware and software make this a complete system for issuing license plates.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** No oven required for drying inks. No hazardous (solvent containing) waste. Custom imaging without exposure to solvents. Eliminating the use of overcoat clear saves time, reduces VOC emissions and reduces energy use necessary for oven-drying the overcoat clear.



### 3M™ Thermal Imaging System VP5000

3M™ Thermal Imaging System VP5000 is a computer-driven system to economically print bar codes, vehicle plate numbers and VIN numbers in consecutive or non-consecutive numerical order. 3M's thermal imaging table top systems print, laminate and cut roll goods into sheets or individual stickers – all with built in flexibility that allows for convenient printing of window or die-cut stickers. Use the 3M™ Thermal Imaging System VP5000 to produce stickers for validation, tax revenue and insurance, third-plate (license plate anti-theft), emission control, internal property (factory bar codes), water craft, parking, safety inspection, e-FAVs (window stickers with forms), validation stickers pre-tipped onto forms

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Our Thermal Imaging System offers solvent-free thermal transfer printing which means no hazardous waste, and consequentially less environmental impact.



### 3M™ Starmark™ High Performance Wet Reflective Tape Series 380WR ES

3M™ Starmark™ High Performance Wet Reflective Tape Series 380WR ES provides the positive guidance drivers need to safely navigate today's roadway environment day or night, in dry conditions or in rain. May be used for lane and edge lines, channelizing lines, gore markings, transverse markings, and symbols and legends.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Low volatile organic compound emissions when applied without the use of additional liquid adhesives.

Product is applied rapidly with no significant VOC emissions on new asphalt road surfaces. Consult Traffic Safety Systems Division for appropriate application instructions/conditions. High initial and retained retroreflectivity. Produced without the use of lead chromate or arsenic.



### 3M™ Stamark™ Removable Black Line Mask Series 145

Removable, preformed, patterned, black pavement tape used to mask existing long lines and gore markings. Wide enough to cover existing markings with a single taped line. Performs for duration of construction season and is quickly, easily removed.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Low volatile organic compound emissions. Offers energy savings in the work zone as there is no need to remove the existing marking by grinding and no need to repaint or retape the marking when the lane change returns to the original design.

Consult Traffic Safety Systems Division for appropriate application instructions/conditions.

Produced without the use of lead chromate or arsenic.



### 3M™ Stamark™ High Performance Tape Series 380I ES

Durable, highly reflective, patterned pavement-marking tape containing ceramic beads and skid particles. Designed for use as lane lines, edge lines, symbols and legends.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Low volatile organic compound emissions when applied without the use of additional liquid adhesives. Product is applied rapidly with no significant VOC emissions on new asphalt road surfaces. Consult Traffic Safety Systems Division for appropriate application instructions/conditions. High initial and retained retroreflectivity. Produced without the use of lead chromate or arsenic.



### 3M™ Stamark™ Wet Reflective Removable Tape 780

Highly reflective conformable pavement marking material intended for longitudinal line applications in highway construction work zones where removability is required. Remains visible in rain conditions. The tape is designed to perform for the duration of the normal construction season.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** Low volatile organic compound emissions when applied without the use of additional liquid adhesives. Product is applied rapidly with no significant VOC emissions on new asphalt road surfaces. Consult Traffic Safety Systems Division for appropriate application instructions/conditions. High initial and retained retroreflectivity. Produced without the use of lead chromate or arsenic.



### 3M™ All Weather Thermoplastic

3M™ All Weather Thermoplastic is a traffic marking system consisting of a high performance thermoplastic and 3M bonded core elements. An accompanying second drop of glass beads completes the system. Designed for use as long line markings, all weather thermoplastic delivers exceptional retroreflectivity in wet and dry road conditions.

**Toll Free Number:** 1-800-553-1380

**Website:** [www.3M.com/tss](http://www.3M.com/tss)

**Environmental/Energy Advantage:** 3M™ All Weather Thermoplastic is produced without the use of lead chromate or arsenic. Use of this product results in minimal packaging waste as the container bags are actually incorporated into the pavement marking.

### 3M™ All Weather Paint

3M™ All Weather Paint provides increased durability and enhanced visibility. It uses a high-build resin and all weather optics that perform in wet/dry conditions. As weather conditions change, the wet or dry reflective components automatically take over the task of providing retroreflectivity. This enables 3M™ All Weather Paint to provide guidance to motorists in all weather conditions.

**Toll Free Number:** 1-800-553-1380

**Website:** [www.3M.com/tss](http://www.3M.com/tss)

**Environmental/Energy Advantage:** Volatile Organic Compound (VOC) level of less than 100 grams VOC/liter is considerably lower than the limit in the National Architectural Coating Regulation (150 grams VOC/liter). High durability reduces the need for frequent reapplications required by traditional paints. A new optics approach that enables motorists to navigate the road in dry and wet conditions.



### 3M™ Diamond Grade™ Conspicuity Markings Series 983

Highly reflective prismatic lens sheeting with pressure sensitive adhesive for application to sides and rear of large trucks, trailers and other vehicles to increase their visibility, especially when the vehicle is turning or crossing roadways. Meets or exceeds all FMVSS 108 requirements and includes the DOT-C2 certification mark. Available in solid white, red/white, solid yellow and solid red.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is constructed by laminating layers of material with minimal use of solvents or emissions. The long service life minimizes sign replacement and disposal costs.




### 3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting

3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting provides higher luminance values than all other sheeting types at the distance most critical to drivers at 500 feet and closer. 3M™ Diamond Grade™ DG<sup>3</sup> Reflective Sheeting performs at the optimal level to counteract changes in today's driving environment. It is more visible to aging drivers, more effectively reflects low-emitting VOA headlamps, more efficient to accommodate wide observation and entrance angles, outstanding target value performance, greatly increased retroreflectivity efficiency, performs at all sight distances and overcomes the challenge of disadvantaged signs. High initial and retained retroreflectivity at multiple viewing angles. Fluorescent colors for improved visibility in daytime, twilight, and inclement weather as well as at night.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is constructed by laminating layers of material with minimal use of solvents or emissions. The long service life minimizes sign replacement and disposal costs. May eliminate the need for external sign illumination (for example, on overhead guide signs). The product is designed to minimize environmental impacts from manufacturing to disposal. The manufacturing process for 3M's Prismatic Sheeting reduces VOC emissions by 97 percent, energy consumption by 77 percent and solid waste by 46 percent compared to encapsulated lens sheeting manufacturing processes.



### 3M™ Diamond Grade™ Fluorescent Roll-up Sign Sheeting

Microprismatic fluorescent reflective sheeting for the production of roll-up work zone traffic control signs. Contact TSS Customer Service for ordering information, 1-800-553-1380.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is constructed by laminating layers of material with minimal use of solvents or emissions. The long service life minimizes sign replacement and disposal costs.



### 3M™ Diamond Grade™ Unmounted Letters, Numbers, Borders and Radius Corners

Cut out letters, numbers, borders, arrows, and other pre-cut components for the production of high quality signs made with reflective sheeting.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** This product is made with a low-solvent or solvent-free process. Signs can be produced in the sign shop with low-solvent or solvent-free process. Long service life minimizes sign replacement. High initial and retained retroreflectivity at multiple viewing angles.




### 3M™ High Intensity Prismatic Reflective Sheeting

Non-metalized microprismatic lens reflective sheeting designed for production of reflective durable traffic control signs, work zone devices and delineators that are exposed vertically in service. Provides long-term reflectivity and durability with an improved optical package to increase nighttime safety. Its unique prismatic construction provides a high level of retroreflectivity for multiple traffic control situations.

**Toll Free Number:** 1-800-553-1380

**Website:** <http://www.3M.com/tss>

**Environmental/Energy Advantage:** The product is a construction of lamination layers with minimal solvent use or emissions. The long service life minimizes sign replacement and disposal costs. The product is designed to minimize environmental impacts from manufacturing to disposal. The manufacturing process for 3M's Prismatic Sheeting reduces VOC emissions by 97 percent, energy consumption by 77 percent and solid waste by 46 percent compared to encapsulated lens sheeting manufacturing processes.





## Ortholux™ LED Curing Light

The Ortholux™ LED Curing Light from 3M Unitek is designed for fast orthodontic curing times and the convenience of portability. The Ortholux LED Curing Light uses a blue LED (Light Emitting Diode) that emits light in the 430-480 nm range at an intensity of 1000 mW/cm<sup>2</sup>. The light is optimized specifically for the polymerization of materials using CPQ in orthodontic bonding. Microprocessor-based circuitry assures consistent light output and effective performance throughout the power range of the internal rechargeable battery.

**Website:** [www.3MUnitek.com](http://www.3MUnitek.com)

**Environmental/Energy Advantage:** With LED technology, there is no bulb to lose intensity or wear out. Heat build-up is minimal, so there is no need for a fan, which uses battery power and adds weight.



## Elipar™ FreeLight 2 LED Curing Light

Elipar™ FreeLight 2 LED Curing Light from 3M ESPE is the latest advancement in LED curing technology. Ideal for composites, compomers, adhesives and light-cured glass ionomer materials, this next-generation, high-intensity universal light polymerization device is now built for speed.

**Website:** [www.3MESPE.com](http://www.3MESPE.com)

**Environmental/Energy Advantage:** Compared to conventional halogen curing lights, there's no bulb and no fan—resulting in minimal heat and silent operation. The curing light's unique heat-sink technology cools the LED. A built-in microprocessor ensures constant LED light output and reliable polymerization results with considerably less power.



## 3M™ TempaDOT™ Thermometers

Single-use thermometer reduces risk of cross-transmission of microorganisms.

- Provides consistently accurate temperature readings for reliable patient assessment.
- Easy to read and simple to understand.
- Adhesive strip allows for easier use with newborns and other very young children, as well as with patients who are uncooperative with oral temperature taking.
- Versatile thermometer has adhesive strip that is comfortable to apply and remove, and stays in place for easy axillary temperature taking, and allows you to check other patient vital signs simultaneously.
- Economical thermometers are disposable to eliminate time and labor spent on disinfection, recalibration, recharging and repair of electronic and tympanic units.

**Website:** [www.3M.com/healthcare](http://www.3M.com/healthcare)

**Environmental/Energy Advantage:** No risk of toxic mercury exposure makes this thermometer a nontoxic and safe choice for patients of all ages. Eliminate expense and risk associated with toxic mercury cleanup and disposal.



## 3M™ EO Abator

The Abator takes ethylene oxide (EO) gas exhausted from 3M™ Steri-Vac™ Sterilizers and Aerators, converting it to CO<sub>2</sub> and water vapor. At normal operating temperatures and concentrations, removal efficiency is 99.9+%. A highly effective device for removing ethylene oxide (EO) from an airstream exhausted from 3M™ Steri-Vac™ EO Gas Sterilizer/Aerators. The EO Abator converts EO into carbon dioxide and water vapor through a heated catalytic process. The system includes an enclosed catalyst bed, air heater, fan and all controls necessary for complete operation.

**Website:** [www.3M.com/healthcare](http://www.3M.com/healthcare)

**Environmental/Energy Advantage:** The EO Abator converts ethylene oxide (EO) into carbon dioxide and water vapor through a heated catalytic process. Use of a 3M™ EO Abator meets the requirements for the EPA National Emission Standards for Hospital Ethylene Oxide Sterilizers.





# Product Index

Product .....	Page
3M 3-in-1 Floor Cleaner Concentrate.....	40
3M Adjustable Keyboard Trays.....	10
3M All Weather Paint.....	103
3M All Weather Thermoplastic.....	102
3M Aluminum Conductor Composite Rei .....	87
3M Automotive Masking Tape.....	5
3M Automotive Performance Masking T.....	6
3M Bathroom & Shower Cleaner Concen .....	41
3M Bathroom Cleaner Concentrate 44L.....	41
3M Bathroom Disinfectant Cleaner Co.....	35
3M Bookcheck Unit Model 940-Series .....	81
3M Ceramic Microspheres Gray.....	87
3M Ceramic Microspheres White .....	88
3M Chemical Sorbent Mini-Booms .....	90
3M Chemical Sorbent Pads - C-PD914D .....	90
3M Chemical Sorbent Pads - P-110 .....	90
3M Chemical Sorbent Particulate - P .....	91
3M Chemical Sorbent Pillows - P-300.....	91
3M Chemical Sorbent Rolls .....	91
3M Chemical Sorbents Multi-Format .....	92
3M Chemical Spill Response Pack - S .....	91
3M Colorquartz Crystals .....	89
3M Color-Stable Automotive Window F.....	7
3M Complete Fuel System Cleaner .....	3
3M Conductive Polycarbonate Carrier .....	86
3M Controltac Graphic Film AF1000ES .....	55
3M Controltac Graphic Film Series 1.....	55
3M Controltac Graphic Film with Com.....	55
3M Cool Roofing Granules .....	89
3M Crystalline Automotive Window Fi .....	6
3M Daylighting Film DF2000MA.....	54
3M Daylighting Radial Lens Film DRL.....	54
3M Deodorizer Concentrate .....	37
3M Desk Drawer Organizer C71.....	11
3M Desk Drawer Organizer C91.....	11
3M Detection System Select Series w .....	81
3M Detection System Select Series w .....	81
3M Diamond Grade Conspicuity Markin.....	103
3M Diamond Grade DG <sup>3</sup> Reflective She .....	103
3M Diamond Grade Fluorescent Roll-u.....	104
3M Diamond Grade Unmounted Letters, .....	104
3M Digital License Plate System .....	101
3M Digital Projector DX70 .....	15
3M Digital Projector WX20 .....	13
3M Digital Projector X20.....	12
3M Digital Projector X64.....	13
3M Digital Projector X64w .....	14
3M Digital Projector X66.....	14
3M Digital Projector X76.....	15
3M Digital Projector X90.....	16
3M Digital Projector X90w .....	16
3M Digital Projector X95.....	17
3M DI-NOC Architectural Finishes .....	58
3M Do-It-Yourself Fuel System Tune- .....	4
3M Double Coated Paper Tape 410M .....	62
3M EO Abator .....	105
3M Extraction Cleaner Concentrate 9 .....	37
3M Fastbond 4213NF Industrial Adhes .....	76
3M Fastbond Contact Adhesive 2000NF.....	76
3M Fastbond Contact Adhesive 30H.....	75
3M Fastbond Contact Adhesive 30NF .....	75
3M Fastbond Foam Adhesive 100NF.....	75
3M Fastbond Insulation Adhesive 49 .....	75
3M Fastbond Pressure Sensitive Adhe .....	76
3M Filament Tapes .....	64
3M Floor Pads - Buffing & Cleaning .....	44

Product .....	Page
3M Floor Pads - Burnishing.....	44
3M Floor Pads - Scrubbing.....	44
3M Floor Pads - Stripping.....	45
3M Floor Stripper LO Concentrate 22 .....	39
3M Food Service Degreaser Concentra.....	36
3M FX-HP Window Films / High-Perfor .....	7
3M FX-ST Window Films / Standard .....	6
3M Gel Wrist Rest for Keyboard and .....	10
3M General Purpose Cleaner Concentr .....	36
3M General Purpose Masking Tape 203 .....	62
3M Glare Reducing Task Light, TL100 .....	9
3M Glare Reducing Task Light, TL100 .....	9
3M Glass Bubbles .....	87
3M Glass Cleaner 1L.....	35
3M HB Quat Disinfectant Cleaner Con.....	40
3M Heavy Duty Aircraft Cleaner Conc.....	42
3M Heavy Duty Glass Cleaner Concent.....	39
3M Heavy Duty Multi-Surface Mark Re .....	35
3M High Intensity Prismatic Reflec.....	104
3M High Luminance Light Fiber .....	53
3M Industrial Degreaser Concentrate .....	40
3M Injector Cleaner .....	4
3M Intake System Aerosol Adaptor Ki .....	3
3M Intake System Cleaner Kit.....	3
3M Keyboard Drawers .....	11
3M Laser Receptive Validation Stick .....	101
3M Lens Cleaning Cloth .....	27
3M Light Enhancement Film 3635-100 .....	57
3M Light Pipe .....	53
3M Maintenance Sorbent Mini-Booms .....	95
3M Maintenance Sorbent Pads, Rolls, .....	95
3M Maintenance Sorbent Pillow M-PL7 .....	95
3M Maintenance Sorbents Folded - M- .....	95
3M Marine Adhesive Sealant 5200.....	78
3M Marine Adhesive Sealant Fast Cur.....	79
3M Marine Sealant Fast Cure 4000 UV .....	78
3M Masking Tape 2307 .....	63
3M Max Strength Fuel System Cleaner.....	3
3M Neutral Cleaner Concentrate 3H .....	35
3M Neutral Cleaner LO Concentrate 3 .....	41
3M Neutral Quat Disinfectant Cleane.....	39
3M Nextel Ceramic Textiles and Comp .....	87
3M Nomad Carpet Matting 5000 .....	45
3M Nomad Heavy Traffic Scraper Matt .....	46
3M Nomad Heavy Traffic Scraper Matt .....	46
3M Nomad Medium Traffic Scraper Mat.....	45
3M Nomad Z-Web Extreme Traffic Scra.....	46
3M Nomad Z-Web Medium Traffic Scrap .....	46
3M Non-Acid Bathroom Cleaner Concen .....	38
3M Non-Acid Disinfectant Bathroom C.....	38
3M Non-Conductive Polycarbonate Car .....	86
3M Non-Printed Packing List Envelop.....	69
3M Notebook Computer Cleaning Cloth.....	9
3M Novec 1230 Fire Protection Fluid .....	99
3M Novec 649 Engineered Fluid .....	96
3M Novec 7100 Engineered Fluid .....	97
3M Novec 7100DL Engineered Fluid.....	97
3M Novec 71DA Engineered Fluid .....	96
3M Novec 71DE Engineered Fluid .....	96
3M Novec 7200 Engineered Fluid.....	97
3M Novec 7200DL Engineered Fluid.....	98
3M Novec 72DA Engineered Fluid .....	96
3M Novec 72DE Engineered Fluid .....	97
3M Novec 7300 Engineered Fluid.....	98
3M Novec 7300DL Engineered Fluid.....	98
3M Novec 7500 Engineered Fluid.....	98

Product .....	Page
3M Novec 8200 Engineered Fluid .....	99
3M Novec Contact Cleaner Plus .....	100
3M Novec Contact Cleaner .....	99
3M Novec Electronic Degreaser.....	100
3M Novec Flux Remover .....	99
3M Office Air Cleaner OAC150.....	10
3M Office Air Cleaner OAC250.....	10
3M Office Air Cleaner OAC50.....	9
3M Paint Prep Wipes.....	59
3M Paper Tape 200 .....	62
3M Petroleum Sorbent Boom T-270 .....	94
3M Petroleum Sorbent Drum Cover P-D .....	92
3M Petroleum Sorbent Mini-Boom T-4 .....	93
3M Petroleum Sorbent Mini-Pillow T- .....	93
3M Petroleum Sorbent Pads .....	94
3M Petroleum Sorbent Pillow T-240 .....	93
3M Petroleum Sorbent Roll HP-100, H .....	92
3M Petroleum Sorbent Rolls .....	94
3M Petroleum Sorbent Spill Response.....	94
3M Petroleum Sorbent Sweep - T-126 .....	93
3M Petroleum Sorbents - High Capaci .....	92
3M Phenolic Disinfectant Cleaner Co.....	38
3M Photoluminescent Film Series 690 .....	34
3M Piezo Inkjet UV Inks .....	58
3M Polystyrene Carrier Tape 4000.....	86
3M Post-it® Note Easel Pad 559RP.....	19
3M PPS Paint Preparation System .....	5
3M Precise Optical Mousing Surface.....	11
3M Pretreatment Cleaner Concentrate .....	37
3M Primer WP-2000 .....	58
3M Purple Clean Sanding Discs with .....	8
3M Quat Disinfectant Cleaner Concen .....	36
3M Retroreflective Authentication P .....	80
3M Reusable Tack Cloth.....	59
3M Round Conductor Flat Cable, 2010.....	85
3M Round Conductor Flat Cable, 2049 .....	85
3M Safest Stripper Paint & Varnish .....	59
3M Safety & Security Window Film UI .....	51
3M Safety & Security Window Film UI .....	52
3M Safety & Security Window Film UI .....	51
3M Safety & Security Window Film UI .....	51
3M Safety and Security Window Film .....	52
3M Sanitizer Concentrate 16L.....	38
3M Scotchcal and Controltac Graphic.....	56
3M Scotchcal Dusted & Frosted Cryst .....	57
3M Scotchcal ElectroCut Graphic Fil.....	57
3M Scotchcal ElectroCut Graphic Fil.....	56
3M Scotchcal Film VF8000SCL and VF3 .....	55
3M Scotchcal Translucent Graphic Fi .....	56
3M Scotchlite Removable Reflective .....	56
3M ScotchPad Carry Handle 8326.....	70
3M ScotchPad Label Protection Tape .....	69
3M Scotch-Seal Polyurethane Adhesive .....	78
3M Scotch-Seal Polyurethane Sealant.....	78
3M Scotch-Weld 1099 Nitrile High Pe .....	77
3M Scotch-Weld 4491 Nitrile Industr .....	76
3M Scotch-Weld 847 Nitrile High Per .....	77
3M Scotch-Weld Hi-Strength Postform.....	76
3M Scotch-Weld Structural Adhesive .....	77
3M Scotch-Weld Structural Adhesive .....	77
3M Scotch-Weld Structural Void Fill .....	1
3M Scotch-Weld Structural Void Fill .....	1
3M Screen Printing UV Ink Series 98 .....	57
3M Series 07 & 07HS HVLP Spray Guns.....	4
3M Solar Concentrator Lens Panels .....	88
3M Speed Stripper Concentrate 6H.....	36

## Product Index

Product .....	Page	Product .....	Page	Product .....	Page
3M Stamark High Performance Tape Se ...	102	O-Cel-O Expressions Bowtie Sponges.....	28	Scotch® Super 33+ Vinyl Electrical .....	73
3M Stamark High Performance Wet Ref ...	101	O-Cel-O Handy Sponge 6-Pack .....	29	Scotch® Tear-By-Hand Tape 3841 .....	23
3M Stamark Removable Black Line Mas...	102	O-Cel-O Heavy Duty Scrub Sponge .....	28	Scotch® Tear-By-Hand Tape 3842 .....	22
3M Stamark Wet Reflective Removable.....	102	O-Cel-O Home, Car & Boat Sponge.....	28	Scotch® Transparent Duct Tape.....	60
3M Sun Control Window Film Amber 35 .....	50	O-Cel-O No Scratch Light Duty Scrub.....	28	Scotch® Vinyl Electrical Tape 35.....	73
3M Sun Control Window Film Amber 35 .....	48	O-Cel-O Oval Sponge 6-Pack .....	29	Scotch® Vinyl Electrical Tape 700.....	74
3M Sun Control Window Film Neutral .....	48	Ortholux LED Curing Light .....	105	Scotch® Vinyl Electrical Tape Super .....	73
3M Sun Control Window Film Nickel 5 .....	49	Post-it® 100% Recycled Notes - Asso .....	18	Scotch-Blue Painter's Tape for Mult .....	61
3M Sun Control Window Film Night Vi .....	50	Post-it® 100% Recycled Notes - Cana .....	17	Scotch-Brite® Delicate Duty Scrub S .....	29
3M Sun Control Window Film Prestige.....	52	Post-it® Recycled Notes in Cabinet .....	17	Scotch-Brite® Extra Heavy Duty Scru .....	29
3M Sun Control Window Film Silver S .....	49	Post-it® Super Sticky Notes 4621-SS .....	18	Scotch-Brite® Heavy Duty Scrub Spon .....	30
3M Tamper Indicating Products .....	80	Post-it® Super Sticky Recycled Note .....	18	Scotch-Brite® Multi-Purpose Scrub S .....	30
3M Temflex General Use Vinyl Electr .....	74	Post-it® Super Sticky Recycled Note .....	18	Scotch-Brite Extra Heavy Duty Pot a .....	33
3M TempaDOT Thermometers .....	105	Scotch® 3850-18CP.....	20	Scotch-Brite General Purpose Scouri .....	33
3M Thermal Imaging System VP5000.....	101	Scotch® Appliance Filament Tape 891.....	66	Scotch-Brite Griddle Polishing Pad .....	32
3M Tile, Grout and Bowl Cleaner Con.....	42	Scotch® Automotive Heavy Duty All W .....	5	Scotch-Brite Heavy Duty Commercial .....	33
3M Top Print Packing List Envelopes .....	69	Scotch® Bi-Directional Filament Tap .....	66	Scotch-Brite High Performance Clean .....	27
3M TroubleShooter Finish Remover Co .....	39	Scotch® Box Sealing Tape 311 .....	67	Scotch-Brite Kitchen Cloth .....	26
3M Twist 'n Fill Cleaning Chemical .....	34	Scotch® Box Sealing Tape 313 .....	67	Scotch-Brite Microfiber Dusting Clo .....	27
3M Twist 'n Fill Cleaning Chemical .....	34	Scotch® Box Sealing Tape 371 .....	68	Scotch-Brite Microfiber Hardwood FI.....	25
3M Twisted Pair Flat Cable, 2100 Se .....	85	Scotch® Box Sealing Tape 373.....	68	Scotch-Brite Microfiber Super Duste .....	26
3M Uniform Lighting Panels .....	53	Scotch® Box Sealing Tape 375.....	68	Scotch-Brite Never Rust® Heavy Duty.....	26
3M Universal Fuel Injection Cleaner .....	2	Scotch® Craft Sticks - Acid Free 00 .....	24	Scotch-Brite Power Pad 2000 .....	32
3M Universal Fuel Injector Cleaner .....	2	Scotch® Filament Tape 893 .....	65	Scotch-Brite Power Pad Sponge No. 3 .....	33
3M Universal Fuel System Cleaner 3-.....	2	Scotch® Filament Tape 897 .....	65	Scotch-Brite Premium Glass Cleaning .....	26
3M VHB Adhesive Transfer Tape.....	73	Scotch® Filament Tape 898 .....	65	Scotch-Brite Quick Clean Griddle Cl .....	32
3M VHB Tape 4914 .....	72	Scotch® Filament Tape 8981 .....	66	Scotch-Brite Quick Clean Griddle Li .....	32
3M VHB Tape 4915F .....	72	Scotch® General Purpose Masking Tap .....	63	Scotch-Brite Sponge Cloth .....	27
3M VHB Tapes 4611 Family .....	70	Scotch® Heavy Duty All-Weather Duct .....	60	Scotchgard Bonnet Cleaner Concentra.....	37
3M VHB Tapes 4622 Family .....	70	Scotch® High Performance Masking Ta.....	64	Scotchgard Extraction Cleaner Conce .....	40
3M VHB Tapes 4910 Family .....	70	Scotch® High Strength Filament Tape .....	65	Scotchgard Pretreatment Cleaner Con .....	41
3M VHB Tapes 4941 Family .....	71	Scotch® Labelgard Film Tape 821 .....	69	Scotch Lint Brush .....	25
3M VHB Tapes 4945 Family .....	71	Scotch® Magic Tape 810 .....	25	Structured Abrasives Cloth Belts fr .....	8
3M VHB Tapes 4950 Family .....	71	Scotch® Magic Tape 810K18CP .....	20	Tartan Box Sealing Tape 305.....	67
3M VHB Tapes 4951 Family .....	71	Scotch® Mailing Tape w/Dispenser 14 .....	21	Tartan Box Sealing Tape 369.....	67
3M VHB Tapes 4952 Family .....	72	Scotch® Mailing Tape w/Dispenser 14 .....	21	Tartan Filament Tape 8934 .....	66
3M VHB Tapes 5952 Family .....	72	Scotch® Masking Tape 2308.....	63	Thinsulate Insulation with recycled.....	89
3M Vikuiti Super Close Projector SC.....	12	Scotch® Masking Tape for General Pa .....	61	Vikuiti Brightness Enhancement Film .....	82
3M Vikuiti Super Close Projector SC.....	12	Scotch® Masking Tape for Hard-to-St .....	61	Vikuiti Brightness Enhancement Film .....	82
3M Water Filtration BREW series.....	47	Scotch® Masking Tape for Production .....	61	Vikuiti Brightness Enhancement Film .....	83
3M Water Filtration ICE series.....	47	Scotch® MultiTask Tape .....	23	Vikuiti Brightness Enhancement Film .....	82
3M Wheel Weight Starter Kit TN-315 .....	1	Scotch® Multi-Use Duct Tape .....	60	Vikuiti DBEF-E.....	84
3M Wheel Weight Starter Kit TN-323 .....	1	Scotch® Packaging Tape 142 .....	21	Vikuiti DBEF-M .....	84
3M Wheel Weight Surface Prep 1000 .....	2	Scotch® Packaging Tape 143, Tan.....	21	Vikuiti Dual Brightness Enhancement .....	83
3M Wheel Weight System TN-2015 and .....	1	Scotch® Packaging Tape 3750 Tan and.....	22	Vikuiti Dual Brightness Enhancement .....	83
3M Wind Tape 8608 Transparent .....	89	Scotch® Packaging Tape 3750-P.....	22	Vikuiti NBEF-M .....	83
3M Wind Tape 8609 Transparent .....	90	Scotch® Packaging Tape 3850.....	22	Vikuiti Rear Projection Films.....	84
3M Window Insulator Kit.....	59	Scotch® Padded Mailer 6913.....	19	Vikuiti Thin Brightness Enhancement.....	82
CUNO Automated Endoscope Reprocesso	47	Scotch® Padded Mailer 6914.....	19		
Dyneon Scotchshield Film 17 .....	88	Scotch® Padded Mailer 6915.....	19		
Elipar FreeLight 2 LED Curing Light.....	105	Scotch® Performance Masking Tape 23 .....	62		
Empore Extraction Disks .....	88	Scotch® Performance Masking Tape 23 .....	6		
Filtrete® Dust & Pollen Reduction F.....	31	Scotch® Performance Masking Tape 23 .....	63		
Filtrete® Maximum Allergen Filter .....	30	Scotch® Permanent Adhesive Glue Sti .....	24		
Filtrete® Ultimate Allergen Filter.....	31	Scotch® Premium High Temperature M.....	64		
Filtrete® Ultra Allergen Filter .....	31	Scotch® Premium High Temperature Ma .....	64		
Filtrete® Ultra Pure Filter.....	31	Scotch® Premium Transparent Film Ta .....	23		
Filtrete Advanced Water Filtration .....	47	Scotch® Pro Strength Duct Tape.....	60		
Filtrete Commercial Diffuser Filter.....	42	Scotch® Purple Glue Sticks 6108 .....	24		
Filtrete Commercial High Performanc .....	43	Scotch® Recyclable Paper Wrap 69110 .....	20		
Filtrete Commercial High Performanc .....	43	Scotch® Recyclable Paper Wrap 6955 .....	20		
Filtrete Commercial Mid Performance .....	42	Scotch® Removable Tape 811 .....	25		
Filtrete Commercial Mid Performance .....	43	Scotch® Restickable Adhesive Glue S.....	24		
Filtrete Commercial Ultra High Perf.....	43	Scotch® Scrapbooking Tape 001 .....	23		
Filtrete Professional Water Filtrat .....	48	Scotch® Sealing Tape 3901 .....	20		
Filtrete Ultra Quiet Room Air Purif .....	30	Scotch® Stretchable Tape 8884 .....	68		



## Quick Reference: Matching 3M Products with the U.S. Green Building Council's LEED® Rating Systems<sup>1</sup>

Use of the following 3M products contribute towards satisfying the LEED credit that precedes it.

### LEED New Construction Version 2.2 Rating System

#### Sustainable Sites, Credit 7.2 Heat Island Effect, Roof

- 3M™ Cool Roofing Granules

#### Energy & Atmosphere, Prerequisite Minimum Energy Performance Required

- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Night Vision Window Films
- 3M™ Scotchtint™ Plus All Season Films
- 3M™ Sun Control Window Film Prestige Series
- 3M™ Ultra Safety & Security Window Films
- 3M™ Uniform Lighting Panels
- Filtrete™ Commercial Diffuser Filters
- Filtrete™ Commercial High Performance HVAC Filters
- Nextel™ Ceramic Textiles and Composites
- Sun Control Window Films

#### Energy & Atmosphere, Credit 1 Optimize Energy Performance

- 3M™ Daylighting Film DF2000MA
- 3M™ Daylighting Radial Lens Film DRLP22
- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Night Vision Window Films
- 3M™ Scotchtint™ Plus All Season Films
- 3M™ Sun Control Window Film Prestige Series
- 3M™ Ultra Safety & Security Window Films
- 3M™ Uniform Lighting Panels
- Filtrete™ Commercial Diffuser Filters
- Filtrete™ Commercial High Performance HVAC Filters
- Nextel™ Ceramic Textiles and Composites
- Sun Control Window Films

#### Energy & Atmosphere, Credit 4 Enhanced Refrigerant Management

- 3M™ Novec™ 1230 Fire Protection Fluid

#### Materials & Resources, Credit 1.3 Building Reuse, Maintain 50% of Interior Non-Structural Elements

- 3M™ DI-NOC™ Architectural Finishes

#### Materials & Resources, Credit 3.1 Materials Reuse, 5%

- 3M™ DI-NOC™ Architectural Finishes

#### Materials & Resources, Credit 3.2 Materials Reuse, 10%

- 3M™ DI-NOC™ Architectural Finishes

<sup>1</sup>LEED® is a registered service mark owned by the U.S. Green Building Council(USGBC). The USGBC is not affiliated with 3M Company. Products are not reviewed or certified under the LEED Rating System. LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information on LEED, visit [www.usgbc.org/leed](http://www.usgbc.org/leed)

# LEED New Construction Version 2.2 Rating System, cont'd

Materials & Resources, Credit 4.1 Recycled Content, 10% (post-consumer + 1/2 pre-consumer)

- 3M™ Detection System Select Series with Designer Open Panels
- 3M™ Detection System Select Series with Designer Solid Panels

Indoor Environmental Quality, Credit 4.1 Low-Emitting Materials, Adhesives & Sealants

- 3M™ Fastbond™ Contact Adhesive 2000NF
- 3M™ Fastbond™ Contact Adhesive 30H
- 3M™ Fastbond™ Contact Adhesive 30NF
- 3M™ Fastbond™ Foam Adhesive 100NF
- 3M™ Fastbond™ Insulation Adhesive 49
- 3M™ Fastbond™ Pressure Sensitive Adhesive 4224NF
- 3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA
- 3M™ VHB™ Tapes

Indoor Environmental Quality, Credit 4.3 Low-Emitting Materials, Carpet Systems

- 3M™ Fastbond™ Contact Adhesive 2000NF
- 3M™ Fastbond™ Contact Adhesive 30H
- 3M™ Fastbond™ Contact Adhesive 30NF
- 3M™ Fastbond™ Pressure Sensitive Adhesive 4224NF
- 3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA

Indoor Environmental Quality, Credit 4.4 Low-Emitting Materials, Composite **Wood & Agrifiber Products**

- 3M™ Fastbond™ Contact Adhesive 2000NF
- 3M™ Fastbond™ Contact Adhesive 30H
- 3M™ Fastbond™ Contact Adhesive 30NF
- 3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA

Indoor Environmental Quality, Credit 5 Indoor Chemical & Pollutant Source Control

- Filtrete™ Commercial Diffuser Filters
- Filtrete™ Commercial High Performance HVAC Filters

Indoor Environmental Quality, Credit 8.1 Daylight & Views, Daylight 75% of Spaces

- 3M™ Daylighting Film DF2000MA
- 3M™ Daylighting Radial Lens Film DRLP22
- 3M™ Scotchcal™ Dusted & Frosted Crystal Film Series 5525SE
- 3M™ Scotchcal™ Dusted & Frosted Crystal Film Series 7725SE

Indoor Environmental Quality, Credit 8.2 Daylight & Views, Views for 90% of Spaces

- 3M™ Daylighting Film DF2000MA
- 3M™ Daylighting Radial Lens Film DRLP22
- 3M™ Scotchcal™ Dusted & Frosted Crystal Film Series 5525SE
- 3M™ Scotchcal™ Dusted & Frosted Crystal Film Series 7725SE



# LEED Existing Buildings Version 2.0 Rating System

## Sustainable Sites, Credit 6.2 Heat Island Reduction: Roof

- 3M™ Cool Roofing Granules

## Energy & Atmosphere, Prerequisite 2 Minimum Energy Performance

- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Night Vision Window Films
- 3M™ Scotchtint™ Plus All Season Films
- 3M™ Sun Control Window Film Prestige Series
- 3M™ Ultra Safety & Security Window Films
- 3M™ Uniform Lighting Panels
- Filtrete™ Commercial Diffuser Filters
- Filtrete™ Commercial High Performance HVAC Filters
- Nextel™ Ceramic Textiles and Composites
- Sun Control Window Films

## Energy & Atmosphere, Credit 1 Optimize Energy Performance

- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Night Vision Window Films
- 3M™ Scotchtint™ Plus All Season Films
- 3M™ Sun Control Window Film Prestige Series
- 3M™ Ultra Safety & Security Window Films
- 3M™ Uniform Lighting Panels
- Filtrete™ Commercial Diffuser Filters
- Filtrete™ Commercial High Performance HVAC Filters
- Nextel™ Ceramic Textiles and Composites
- Sun Control Window Films

## Energy & Atmosphere, Credit 4 Additional Ozone Protection

- 3M™ Novec™ 1230 Fire Protection Fluid

## Materials & Resources, Credit 2 Optimize Use of Alternative Materials

- 3M™ Detection System Select Series with Designer Open Panels
- 3M™ Detection System Select Series with Designer Solid Panels

## Materials & Resources, Credit 4 Sustainable Cleaning Products and Materials

- 3M™ Pretreatment Cleaner Concentrate 10H
- Scotchgard™ Bonnet Cleaner Concentrate 11L
- 3M™ Deodorizer Concentrate, Country Day Scent 12L
- 3M™ Deodorizer Concentrate, Fresh Scent 13L
- 3M™ Deodorizer Concentrate, Mountain Spice 14L
- 3M™ Non-Acid Bathroom Cleaner w/Disinfectant 15L
- 3M™ Sanitizer Cleaner Concentrate 16L
- 3M™ Phenolic Disinfectant Cleaner Concentrate 18H
- 3M™ Non-Acid Bathroom Cleaner Concentrate 19L
- 3M™ Glass Cleaner 1L
- 3M™ Heavy Duty Glass Cleaner Concentrate 20L
- 3M™ Trouble Shooter™ Finish Remover Concentrate 21L
- 3M™ Floor Stripper LO Concentrate 22H
- 3M™ Neutral Quat Disinfectant Cleaner Concentrate 23H
- 3M™ 3-in-1 Floor Cleaner Concentrate 24H
- 3M™ Quat Disinfectant Cleaner Concentrate 25H
- 3M™ Industrial Degreaser Concentrate 26H
- Scotchgard™ Extraction Cleaner Concentrate 27H
- Scotchgard™ Pretreatment Cleaner Concentrate 28H



# LEED Existing Buildings Version 2.0 Rating System, cont'd

## Materials & Resources, Credit 4 Sustainable Cleaning Products and Materials

- 3M™ Neutral Cleaner LO Concentrate 33H
- 3M™ Neutral Cleaner Concentrate 3H
- 3M™ Heavy Duty Multi-Surface Mark Remover 2L
- 3M™ Bathroom Cleaner Concentrate 44L
- 3M™ Bathroom Disinfectant Cleaner Concentrate 4L
- 3M™ Bathroom & Shower Cleaner Concentrate 51L
- 3M™ Tile, Grout and Bowl Cleaner Concentrate 52L
- 3M™ Quat Disinfectant Cleaner 5H
- 3M™ Speed Stripper Concentrate 6H
- 3M™ Heavy Duty Aircraft Cleaner 72L
- 3M™ Food Service Degreaser Concentrate 7H
- 3M™ General Purpose Cleaner Concentrate 8H
- 3M™ Extraction Cleaner Concentrate 9H

## Indoor Environmental Quality, Credit 10.1 Green Cleaning: Entryway Systems


- 3M™ Nomad™ Carpet Matting
- 3M™ Nomad™ Medium Traffic Scraper Matting

## Indoor Environmental Quality, Credit 10.3 Green Cleaning: Low Environmental Impact Cleaning Policy

- 3M™ Twist 'n Fill™ Cleaning Chemical Dispenser Gray Cap
- 3M™ Twist 'n Fill™ Environmentally Preferable Solutions Starter Kit (Gray Cap)
- 3M™ Twist 'n Fill™ System
- 3M™ Non-Acid Bathroom Cleaner w/Disinfectant 15L
- 3M™ Sanitizer Concentrate 16L
- 3M™ Non-Acid Bathroom Cleaner Concentrate 19L
- 3M™ Glass Cleaner 1L
- 3M™ Heavy Duty Glass Cleaner Concentrate 20L
- 3M™ Floor Stripper LO Concentrate 22H
- 3M™ Industrial Degreaser Concentrate 26H
- 3M™ Neutral Cleaner Concentrate 3H
- 3M™ Bathroom Disinfectant Cleaner Concentrate 4L
- 3M™ Bathroom & Shower Cleaner Concentrate 51L
- 3M™ Tile, Grout and Bowl Cleaner Concentrate 52L
- 3M™ Food Service Degreaser Concentrate 7H
- 3M™ General Purpose Cleaner Concentrate 8H

## Innovation in Operation, Upgrades and Maintenance: Credit 1.1 – 1.4 Innovation in Operation & Upgrades

- Scotch-Brite™ Extra Heavy Duty Pot and Pan Handler 88
- Scotch-Brite™ General Purpose Scour Pad 96
- Scotch-Brite™ Griddle Polishing Pad 46
- Scotch-Brite™ Hand Pads
- Scotch-Brite™ Heavy Duty Commercial Scouring Pad 86
- Scotch-Brite™ High Performance Cleaning Cloth 2011
- Scotch-Brite™ Microfiber Dusting Cloth, 9026-WC
- Scotch-Brite™ Power Pad 2000
- Scotch-Brite™ Power Sponge 3000
- Scotch-Brite™ Quick Clean Griddle Cleaning System 710
- Scotch-Brite™ Quick Clean Griddle Liquid 701





# LEED Existing Buildings: Operations & Maintenance Rating System

## **Energy & Atmosphere, Prerequisite 2: Minimum Energy Efficiency**

### Performance

- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Daylighting Radial Lens Film DRLP22
- 3M™ Uniform Lighting Panels
- 3M™ Daylighting Film DF2000MA

## **Energy & Atmosphere, Credit 1 Optimize Energy Efficiency Performance**

- 3M™ High Luminance Light Fiber
- 3M™ Light Enhancement Film 3635-100
- 3M™ Light Pipe
- 3M™ Daylighting Radial Lens Film DRLP22
- 3M™ Uniform Lighting Panels
- 3M™ Daylighting Film DF2000MA

## Materials & Resources, Credit 1.1 – 1.3 Sustainable Purchasing – Ongoing Consumables

- Post-it® Recycled Notes in Cabinet Packs
- Post-it® Super Sticky Recycled Notes
- Post-it® 100% Recycled Notes - Canary Yellow
- Post-it® 100% Recycled Notes - Tropical Colors
- Post-it® 100% Recycled Notes - Assorted Pastel Colors

## Materials & Resources, Credit 2.2 Sustainable Purchasing – Durable Goods, Furniture

- 3M™ Detection System Select Series with Designer Solid Panels
- 3M™ Detection System Select Series with Designer Open Panels

## Indoor Environmental Quality, Credit 2.4 & 2.5 Occupant Comfort – Daylight and Views

- 3M™ Daylighting Film DF2000MA
- 3M™ Daylighting Radial Lens Film DRLP22





Product Name	Product Number	QTY	UOM	Size	Color
3M™ 3-in-1 Floor Cleaner Concentrate 24H	50048011235535	6	Case	2 ltr	
3M™ Adjustable Keyboard Tray AKT100LE	00021200507052	1			
3M™ Adjustable Keyboard Tray AKT150LE	00021200507069	1			
3M™ Adjustable Keyboard Tray AKT200LE	00021200506987	1			
3M™ Adjustable Keyboard Tray AKT60LE	00021200507038	1			
3M™ Adjustable Keyboard Tray AKT65LE	00021200983108	1			
3M™ Adjustable Keyboard Tray AKT70LE	00021200507090	1			
3M™ Adjustable Keyboard Tray AKT80LE	00021200507106	1			
3M™ All Weather Paint	00051135955666				
3M™ Aqua Burnish Pads 3100, 13 in	50048011087509	5	Case	13 in	Aqua
3M™ Aqua Burnish Pads 3100, 17 in	50048011087516	5	Case	17 in	Aqua
3M™ Aqua Burnish Pads 3100, 19 in	50048011087523	5	Case	19 in	Aqua
3M™ Aqua Burnish Pads 3100, 20 in	50048011087530	5	Case	20 in	Aqua
3M™ Aqua Burnish Pads 3100, 21 in	50048011087547	5	Case	21 in	Aqua
3M™ Aqua Burnish Pads 3100, 22 in	50048011148040	5	Case	22 in	Aqua
3M™ Aqua Burnish Pads 3100, 24 in	50048011174384	5	Case	24 in	Aqua
3M™ Aqua Burnish Pads 3100, 27 in	50048011202643	5	Case	27 in	Aqua
3M™ Aqua Burnish Pads 3100, 27 in	50048011203794	5	Case	27¼ in	Aqua
3M™ Aqua Burnish Pads 3100, 28 in	50048011202650	5	Case	28 in	Aqua
3M™ Automotive Masking Tape, 03430	00051131034303	24	Roll	18 mm x 32 m	Natural
3M™ Automotive Masking Tape, 03432	00051131034327	24	Roll	36 mm x 32 m	Natural
3M™ Automotive Masking Tape, 06545	00051131065451	24	Roll	18 mm x 55 m	Natural
3M™ Automotive Masking Tape, 06546	00051131065468	36	Roll	24 mm x 55 m	Natural
3M™ Automotive Masking Tape, 06547	00051131065475	24	Roll	24 mm x 55 m	Natural
3M™ Automotive Masking Tape, 06548	00051131065482	24	Roll	48 mm x 55 m	Natural
3M™ Automotive Masking Tape, 06549	00051131065499	12	Roll	72 mm x 55 m	Natural
3M™ Automotive Performance Masking Tape, 03431	00051131034310	24	Roll	18 mm x 32 m	Green
3M™ Automotive Performance Masking Tape, 03433	00051131034334	24	Roll	36 mm x 32 m	Green
3M™ Automotive Performance Masking Tape, 03435	10051131034358	24	Roll	48 mm x 32 m	Green
3M™ Bathroom & Shower Cleaner Concentrate 51L	50048011263217	6	Case	2 Liters	
3M™ Bathroom Cleaner Concentrate 44L	50048011591648	6	Case	2 Liters	
3M™ Bathroom Disinfectant Cleaner Concentrate 4L, 2 liter bottle	50048011192043	6	Box	2 ltr	
3M™ Beige Buffer Pads 4200, 13 in	50048011086878	5	Case	13 in	Beige
3M™ Beige Buffer Pads 4200, 17 in	50048011082634	5	Case	17 in	Beige
3M™ Beige Buffer Pads 4200, 18 in	50048011082641	5	Case	18 in	Beige
3M™ Beige Buffer Pads 4200, 19 in	50048011082658	5	Case	19 in	Beige
3M™ Beige Buffer Pads 4200, 20 in	50048011082580	5	Case	20 in	Beige
3M™ Beige Buffer Pads 4200, 21 in	50048011082672	5	Case	21 in	Beige
3M™ Beige Buffer Pads 4200, 22 in	50048011082689	5	Case	22 in	Beige
3M™ Beige Buffer Pads 4200, 24 in	50048011161001	5	Case	24 in	Beige
3M™ Beige Buffer Pads 4200, 27 in	50048011202568	5	Case	27 in	Beige
3M™ Black Stripper Pads 7200, 10 in	50048011083723	5	Case	10 in	Black
3M™ Black Stripper Pads 7200, 11 in	50048011083730	5	Case	11 in	Black
3M™ Black Stripper Pads 7200, 12 in	50048011083747	5	Case	12 in	Black
3M™ Black Stripper Pads 7200, 13 in	50048011083754	5	Case	13 in	Black
3M™ Black Stripper Pads 7200, 14 in	50048011083761	5	Case	14 in	Black
3M™ Black Stripper Pads 7200, 15 in	50048011083778	5	Case	15 in	Black
3M™ Black Stripper Pads 7200, 16 in	50048011083785	5	Case	16 in	Black
3M™ Black Stripper Pads 7200, 17in	50048011083792	5	Case	17 in	Black
3M™ Black Stripper Pads 7200, 18 in	50048011083808	5	Case	18 in	Black

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Black Stripper Pads 7200, 19 in	50048011083815	5	Case	19 in	Black
3M™ Black Stripper Pads 7200, 20 in	50048011083822	5	Case	20 in	Black
3M™ Black Stripper Pads 7200, 21 in	50048011083839	5	Case	21 in	Black
3M™ Black Stripper Pads 7200, 22 in	50048011083846	5	Case	22 in	Black
3M™ Black Stripper Pads 7200, 23 in	50048011083853	5	Case	23 in	Black
3M™ Black Stripper Pads 7200, 24 in	50048011083860	5	Case	24 in	Black
3M™ Black Stripper Pads 7200, 6.5 in	50048011148651	20	Case	6½ in	Black
3M™ Black Stripper Pads 7200, 7.75 in	50048011083709	10	Case	7¾ in	Black
3M™ Black Stripper Pads 7200, 8 in	50048011083693	10	Case	8 in	Black
3M™ Black Stripper Pads 7200, 9 in	50048011080920	10	Case	9 in	Black
3M™ Blue Cleaner Pads 5300, 10 in	50048011080821	5	Case	10 in	Blue
3M™ Blue Cleaner Pads 5300, 11 in	50048011084218	5	Case	11 in	Blue
3M™ Blue Cleaner Pads 5300, 12 in	50048011084058	5	Case	12 in	Blue
3M™ Blue Cleaner Pads 5300, 13 in	50048011084065	5	Case	13 in	Blue
3M™ Blue Cleaner Pads 5300, 14 in	50048011084072	5	Case	14 in	Blue
3M™ Blue Cleaner Pads 5300, 15 in	50048011084089	5	Case	15 in	Blue
3M™ Blue Cleaner Pads 5300, 16 in	50048011084096	5	Case	16 in	Blue
3M™ Blue Cleaner Pads 5300, 17 in	50048011084102	5	Case	17 in	Blue
3M™ Blue Cleaner Pads 5300, 18 in	50048011084119	5	Case	18 in	Blue
3M™ Blue Cleaner Pads 5300, 19 in	50048011084126	5	Case	19 in	Blue
3M™ Blue Cleaner Pads 5300, 20 in	50048011084133	5	Case	20 in	Blue
3M™ Blue Cleaner Pads 5300, 21 in	50048011084140	5	Case	21 in	Blue
3M™ Blue Cleaner Pads 5300, 22 in	50048011084157	5	Case	22 in	Blue
3M™ Blue Cleaner Pads 5300, 23 in	50048011084164	5	Case	23 in	Blue
3M™ Blue Cleaner Pads 5300, 24 in	50048011084171	5	Case	24 in	Blue
3M™ Blue Cleaner Pads 5300, 7.75 in	50048011084188	10	Case	7¾ in	Blue
3M™ Brown Stripper Pads 7100, 12 in	50048011084409	5	Case	12 in	Brown
3M™ Brown Stripper Pads 7100, 13 in	50048011084416	5	Case	13 in	Brown
3M™ Brown Stripper Pads 7100, 14 in	50048011084423	5	Case	14 in	Brown
3M™ Brown Stripper Pads 7100, 15 in	50048011084430	5	Case	15 in	Brown
3M™ Brown Stripper Pads 7100, 16 in	50048011084447	5	Case	16 in	Brown
3M™ Brown Stripper Pads 7100, 17 in	50048011084454	5	Case	17 in	Brown
3M™ Brown Stripper Pads 7100, 18 in	50048011084461	5	Case	18 in	Brown
3M™ Brown Stripper Pads 7100, 19 in	50048011084478	5	Case	19 in	Brown
3M™ Brown Stripper Pads 7100, 20 in	50048011084485	5	Case	20 in	Brown
3M™ Brown Stripper Pads 7100, 21 in	50048011084492	5	Case	21 in	Brown
3M™ Brown Stripper Pads 7100, 22 in	50048011084508	5	Case	22 in	Brown
3M™ Ceramic Microspheres G-200	00021200708367				
3M™ Ceramic Microspheres G-200PC	00051135451403				
3M™ Ceramic Microspheres G-400	00021200709050				
3M™ Ceramic Microspheres G-400-PC	00051135630655				
3M™ Ceramic Microspheres G-600	00021200709128				
3M™ Ceramic Microspheres G-800	00021200709197				
3M™ Ceramic Microspheres G-850	00021200709265				
3M™ Ceramic Microspheres W-210	00021200239045				
3M™ Ceramic Microspheres W-410	00021200239014				
3M™ Ceramic Microspheres W-610	00021200239106				
3M™ Chemical Sorbent Folded Spill Response Pack C-SKFL31	00051138462871	1	Case	16 in x 13 in x 13.6 in	
3M™ Chemical Sorbent Mini-Boom P-200	50051138175967	12	Case	3 in x 4ft	
3M™ Chemical Sorbent Mini-Boom P-208	50051138213430	6	Case	3 in x 8ft	

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Chemical Sorbent Mini-Boom P-212	50051138213447	4	Case	3 in x 12ft	
3M™ Chemical Sorbent Pad C-PD914DD, High Capacity	50051138290967	150	Case	9¼ in x 14½ in	
3M™ Chemical Sorbent Pad P-110	50051138175936		Case	11 in x 13 in	
3M™ Chemical Sorbent Particulate - P-500	00051138175986	1	Case		
3M™ Chemical Sorbent Pillow - P-300	50051138175974	16	Case	7 in x 15 in	
3M™ Chemical Sorbent Roll P-130	50051138175943	2	Case	13 in x 100ft	
3M™ Chemical Sorbent Roll P-190	50051138090956	2	Case	19 in x 100ft	
3M™ Chemical Sorbent Roll P-380	00051138213459	1	Case	38 in x 100ft	
3M™ Chemical Sorbents Multi-Format C-FL550DD	50051138292961	3	Case	5 inches X 50 feet (10.5 gallons/50 foot section)	
3M™ Chemical Spill Response Pack C-SKFL5	50051131071754	3	Case	16 in x 13 in x 13.6 in	
3M™ Chemical Spill Response Pack SRP-CHEM	50051138289107	3	Case	21.5 in x 17.26 in x 13.58 in	
3M™ Color-Stable Automotive Window Films CS-20	70006343241			20in X 100ft	
3M™ Color-Stable Automotive Window Films CS-20	70006343266			25in X 100ft	
3M™ Color-Stable Automotive Window Films CS-20	70006343282			40in X 100ft	
3M™ Color-Stable Automotive Window Films CS-20	70006343290			60in X 100ft	
3M™ Color-Stable Automotive Window Films CS-35	70006340379			20in X 100ft	
3M™ Color-Stable Automotive Window Films CS-35	70006340395			25in X 100ft	
3M™ Color-Stable Automotive Window Films CS-35	70006340403			40in X 100ft	
3M™ Color-Stable Automotive Window Films CS-35	70006340411			60in X 100ft	
3M™ Color-Stable Automotive Window Films CS-5	70006340288			20in X 100ft	
3M™ Color-Stable Automotive Window Films CS-5	70006340296			25in X 100ft	
3M™ Color-Stable Automotive Window Films CS-5	70006340304			40in X 100ft	
3M™ Color-Stable Automotive Window Films CS-5	70006340312			60in X 100ft	
3M™ Color-Stable Automotive Window Films CS-50	70006340429			20in X 100ft	
3M™ Color-Stable Automotive Window Films CS-50	70006340437			25in X 100ft	
3M™ Color-Stable Automotive Window Films CS-50	70006340445			40in X 100ft	
3M™ Color-Stable Automotive Window Films CS-50	70006340452			60in X 100ft	
3M™ Complete Fuel System Cleaner, 08813, 16 fl oz Bottle	00051131163133	6	Bottle	16 fl oz	
3M™ Cool Black Roofing Granules	98021342609				Black
3M™ Cool Blue Grey Roofing Granules	98021342625				Blue Grey
3M™ Cool Chestnut Roofing Granules	98021342674				Chestnut
3M™ Cool Dark Grey Roofing Granules	98021342591				Dark Grey
3M™ Cool Grey Roofing Granules	98021342617				Grey
3M™ Cool Roofing Granules	98021342237				
3M™ Cool Sienna Roofing Granules	98021342666				Sienna
3M™ Cool Tan Roofing Granules	98021342229				Tan
3M™ Cool White Roofing Granules	98021342690				White
3M™ Crystalline Automotive Window Film CR 40	00051131906723				
3M™ Crystalline Automotive Window Film CR 40	00051131906754				
3M™ Crystalline Automotive Window Film CR 40	00051131906778				
3M™ Crystalline Automotive Window Film CR 50	00051131906518				
3M™ Crystalline Automotive Window Film CR 50	00051131906808				
3M™ Crystalline Automotive Window Film CR 50	00051131906815				
3M™ Crystalline Automotive Window Film CR 60	00051131906846				
3M™ Crystalline Automotive Window Film CR 60	00051131906860				
3M™ Crystalline Automotive Window Film CR 70	00051131906709				
3M™ Crystalline Automotive Window Film CR 70	00051131906716				
3M™ Daylighting Film DF2000MA	70400003466				
3M™ Deodorizer Concentrate 12L	50048011201196	6	Case	2 Liters	

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Deodorizer Concentrate 13L	50048011201219	6	Case	2 Liters	
3M™ Deodorizer Concentrate 14L	50048011201202	6	Case	2 Liters	
3M™ Desk Drawer Organizer C-71	00021200698644			12 in x 10.7 in x 2 in	Black
3M™ Diamond Grade™ Conspicuity Marking	00051138678272			3 in x 150 ft	White
3M™ Diamond Grade™ DG3 Reflective Sheeting	00051135341865				
3M™ Diamond Grade™ Fluorescent Roll Up Sign Sheeting	00051135230138			48 in x 48 in	Fluorescent Orange
3M™ Diamond Grade™ Unmounted Letters, Numbers, Borders and Radius Corners	00051135952573				
3M™ Digital License Plate System	75030101838				
3M™ Digital Projector DX70	00051125631570	1	Case		
3M™ Digital Projector WX20	00051125632232	1	Case		
3M™ Digital Projector X20	00051125631310	1	Case		
3M™ Digital Projector X64	00051125631709	1	Case		
3M™ Digital Projector X64w	00051125631716	1	Case		
3M™ Digital Projector X66	00051125631563	1	Case		
3M™ Digital Projector X76	00051125632249	1	Case		
3M™ Digital Projector X90	00051125631433	1	Case		
3M™ Digital Projector X90w	00051125631877	1	Case		
3M™ Digital Projector X95	00048011614038	1	Case		
3M™ Do-It-Yourself Fuel System Tune-Up Kit	00051135089637	1	Kit		
3M™ Double Coated Paper Tape 410M	00051115316500				
3M™ Double Coated Paper Tape 410M	00051115316470				
3M™ Double Coated Paper Tape 410M, 1 in x 36 yd 5.0 mil	00051115316494	36	Case	1 in x 36 yd 5.0 mil	
3M™ Double Coated Paper Tape 410M, 2 in x 36 yd 5.0 mil	00051115316517	24	Case	2 in x 36 yd 5.0 mil	
3M™ Double Coated Paper Tape 410M, 3/4 in x 36 yd 5.0 mil	00051115316487	48	Case	3/4 in x 36 yd 5.0 mil	
3M™ EO Abator	70200738030				
3M™ EO Abator	70200738048				
3M™ EO Abator	70200738055				
3M™ Eraser Burnish Pads 3600, 27¼ in	50048011258664	5	Case	27¼ in	Pink
3M™ Eraser Burnish Pads 3600, 28 in	50048011258640	5	Case	28 in	Pink
3M™ Eraser Burnish Pads 3600, 31 in	50048011258657	5	Case	31 in	Pink
3M™ Eraser Burnish Pads 3600, 13 in	50048011258527	5	Case	13 in	Pink
3M™ Eraser Burnish Pads 3600, 17 in	50048011258558	5	Case	17 in	Pink
3M™ Eraser Burnish Pads 3600, 19 in	50048011258572	5	Case	19 in	Pink
3M™ Eraser Burnish Pads 3600, 20 in	50048011258589	5	Case	20 in	Pink
3M™ Eraser Burnish Pads 3600, 21 in	50048011258596	5	Case	21 in	Pink
3M™ Eraser Burnish Pads 3600, 22 in	50048011258602	5	Case	22 in	Pink
3M™ Eraser Burnish Pads 3600, 24 in	50048011258619	5	Case	24 in	Pink
3M™ Eraser Burnish Pads 3600, 27 in	50048011258633	5	Case	27 in	Pink
3M™ Extraction Cleaner Concentrate 9H	50048011207792	6	Case	2 Liters	
3M™ Fastbond™ 4213NF Industrial Adhesive	00021200211553	1	Case	5 gallon pail	White
3M™ Fastbond™ Contact Adhesive 2000NF Blue, 270 gal Tote	00021200879692	1	Gallon	270 gal	Blue
3M™ Fastbond™ Contact Adhesive 2000NF Blue, 5 gal pail	00021200879654	1	Gallon	5 gal	Blue
3M™ Fastbond™ Contact Adhesive 2000NF Blue, 50 gal	00021200879661	1	Gallon	50 gal	Blue
3M™ Fastbond™ Contact Adhesive 2000NF Light Orange, 270 gallon	00021200879593	1	Gallon	270 gal	Orange
3M™ Fastbond™ Contact Adhesive 2000NF Light Orange, 5 gal pail	00021200879531	1	Gallon	5 gal	Orange
3M™ Fastbond™ Contact Adhesive 2000NF Light Orange, 50 gal	00021200879555	1	Gallon	50 gal	Orange
3M™ Fastbond™ Contact Adhesive 2000NF Neutral, 270 gal Tote Tank	00021200893414	1	Gallon	270 gal	Neutral
3M™ Fastbond™ Contact Adhesive 2000NF Neutral, 5 gal box	00021200313370	1	Gallon	5 gal	Neutral
3M™ Fastbond™ Contact Adhesive 2000NF Neutral, 5 gal pail	00021200893377	1	Gallon	5 gal	Neutral

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Fastbond™ Contact Adhesive 2000NF Neutral, 50 gal	00021200893384	1	Gallon	50 gal	Neutral
3M™ Fastbond™ Contact Adhesive 30H Green, 55 gal	00021200300783	1	Gallon	55 gal	Green
3M™ Fastbond™ Contact Adhesive 30NF Green, 1 gal	00021200211867	4	Gallon	1 gal	Green
3M™ Fastbond™ Contact Adhesive 30NF Green, 1 qt	00021200211850	12	Quart	1 qt	Green
3M™ Fastbond™ Contact Adhesive 30NF Green, 5 gal	00021200211874	1	Gallon	5 gal	Green
3M™ Fastbond™ Contact Adhesive 30NF Green, 55 gal	00021200211881	1	Gallon	55 gal	Green
3M™ Fastbond™ Contact Adhesive 30NF Neutral, 1 gal	00021200211812	4	Gallon	1 gal	Neutral
3M™ Fastbond™ Contact Adhesive 30NF Neutral, 1 qt	00021200211805	12	Quart	1 qt	Neutral
3M™ Fastbond™ Contact Adhesive 30NF Neutral, 5 gal Pail	00021200211829	1	Gallon	5 gal	Neutral
3M™ Fastbond™ Contact Adhesive 30NF Neutral, 55 gal Drum	00021200211836	1	Gallon	55 gal	Neutral
3M™ Fastbond™ Foam Adhesive 100 Lavender, 270 gal	00021200415449	1	Gallon	270 gal	Lavender
3M™ Fastbond™ Foam Adhesive 100 Lavender, 5 gal Pail	00021200415425	1	Gallon	5 gal	Lavender
3M™ Fastbond™ Foam Adhesive 100 Lavender, 55 gal	00021200415432	1	Gallon	55 gal	Lavender
3M™ Fastbond™ Foam Adhesive 100 Neutral, 270 gal Tote Tank Recycl Schutz Tote	00021200392054	1	Gallon	270 gal	Neutral
3M™ Fastbond™ Foam Adhesive 100 Neutral, 5 gal pail	00021200392030	1	Gallon	5 gal	Neutral
3M™ Fastbond™ Foam Adhesive 100 Neutral, 55 gal	00021200392047	1	Gallon	55 gal	Neutral
3M™ Fastbond™ Insulation Adhesive 49, 5 gal pail	00021200451638	1	Gallon	5 gal	
3M™ Fastbond™ Insulation Adhesive 49, 55 gal Open Head Poly Drum	00021200451645	1	Gallon	55 gal	
3M™ Fastbond™ Insulation Adhesive 49, Poly Tote 255 gal Schut	00021200451935	1	Gallon	255 gal	
3M™ Fastbond™ Pressure Sensitive Adhesive 4224NF Clear, 5 gal	00021200857805	5	Gallon	5 gal	Clear
3M™ Floor Stripper LO Concentrate 22H	50048011235559	6	Case	2 ltr	
3M™ Food Service Degreaser Concentrate 7H	50048011233463	6	Case	2 Liters	
3M™ Food Service Degreaser Concentrate 7H	50048011233470	6	Case	2 Liters	
3M™ FX-HP Window Films / High-Performance	70006344199			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344207			40in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344215			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344553			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006349404			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006349412			40in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006349420			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344223			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344231			40in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344249			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344561			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344256			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344272			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344579			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344280			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344298			40in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344306			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344587			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344314			20in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344322			40in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344330			60in X 100ft	
3M™ FX-HP Window Films / High-Performance	70006344595			60in X 100ft	
3M™ FX-ST Window Films / Standard	70006344041			20in x 100ft	
3M™ FX-ST Window Films / Standard	70006344058			40in x 100ft	
3M™ FX-ST Window Films / Standard	70006344066			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344074			20in x 100ft	
3M™ FX-ST Window Films / Standard	70006344504			60in x 100ft	

Product Name	Product Number	QTY	UOM	Size	Color
3M™ FX-ST Window Films / Standard	70006344082			40in x 100ft	
3M™ FX-ST Window Films / Standard	70006344090			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344512			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344108			20in x 100ft	
3M™ FX-ST Window Films / Standard	70006344116			40in x 100ft	
3M™ FX-ST Window Films / Standard	70006344124			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344520			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344132			20in x 100ft	
3M™ FX-ST Window Films / Standard	70006344140			40in x 100ft	
3M™ FX-ST Window Films / Standard	70006344157			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344538			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344165			20in x 100ft	
3M™ FX-ST Window Films / Standard	70006344173			40in x 100ft	
3M™ FX-ST Window Films / Standard	70006344181			60in x 100ft	
3M™ FX-ST Window Films / Standard	70006344546			60in x 100ft	
3M™ Gel Wrist Rest for Keyboard	00021200506994				
3M™ Gel Wrist Rest for Keyboard and Mouse	00021200507014				
3M™ Gel Wrist Rest for Mouse	00021200507007				
3M™ General Purpose Cleaner Concentrate 8H, 2 L	50048011192128	6	Case	2 ltr	
3M™ General Purpose Masking Tape 203, 24mm x 55m	00048011584522	36	Roll	24mm x 55m	Beige
3M™ General Purpose Masking Tape 203, 24mm x 55m	00048011580364	36	Roll	24mm x 55m	Beige
3M™ General Purpose Masking Tape 203, 36mm x 55m	00048011580371	24	Roll	36mm x 55m	Beige
3M™ General Purpose Masking Tape 203, 48mm x 55m	00048011584546	24	Roll	48mm x 55m	Beige
3M™ General Purpose Masking Tape 203, 48mm x 55m	00048011580388	24	Roll	48mm x 55m	Beige
3M™ General Purpose Masking Tape 203, 72mm x 55m	00048011580395	12	Roll	72mm x 55m	Beige
3M™ Glare Reducing Task Light, TL1000C	00021200505232			7.5 in x 16.5 in x 10 in	
3M™ Glare Reducing Task Light, TL1000S	00021200505249			8-3/16 in x 8 in x 21 in	
3M™ Glass Bubbles	00051135717257				
3M™ Glass Bubbles	00051135716366				
3M™ Glass Bubbles	00051135630990				
3M™ Glass Bubbles K46	00021200878183			1 gal container (2 lb, .9 kg)	
3M™ Glass Bubbles S32	00021200878213			1 gal container (1 lb, .4 kg)	
3M™ Glass Bubbles S38	00021200864339			1 gallon container (1.5 lb, .68 kg)	
3M™ Glass Cleaner 1L	50048011233579	6	Case	2 Liters	
3M™ HB Quat Disinfectant Cleaner Concentrate 25H	50048011235504	6	Case		
3M™ Heavy Duty Aircraft Cleaner Concentrate 72L	50048011192135	6	Case	2 Liters	
3M™ Heavy Duty Glass Cleaner Concentrate 20L	50048011233609	6	Case	2 Liters	
3M™ Heavy Duty Multi-Surface Mark Remover 2L	50048011192029	6	Case	2 ltr	
3M™ High Luminance Light Fiber	00051131904439				
3M™ High Productivity Pads 7300, 10 in	50048011090745	5	Case	10"	Black
3M™ High Productivity Pads 7300, 12 in	50048011082702	5	Case	12"	Black
3M™ High Productivity Pads 7300, 13 in	50048011082719	5	Case	13"	Black
3M™ High Productivity Pads 7300, 14 in	50048011082726	5	Case	14"	Black
3M™ High Productivity Pads 7300, 15 in	50048011082733	5	Case	15"	Black
3M™ High Productivity Pads 7300, 16 in	50048011082740	5	Case	16"	Black
3M™ High Productivity Pads 7300, 17 in	50048011082757	5	Case	17"	Black
3M™ High Productivity Pads 7300, 18 in	50048011082764	5	Case	18"	Black
3M™ High Productivity Pads 7300, 19 in	50048011082771	5	Case	19"	Black



Product Name	Product Number	QTY	UOM	Size	Color
3M™ High Productivity Pads 7300, 20 in	50048011082788	5	Case	20"	Black
3M™ High Productivity Pads 7300, 21 in	50048011082795	5	Case	21"	Black
3M™ High Productivity Pads 7300, 22 in	50048011082801	5	Case	22"	Black
3M™ High Productivity Pads 7300, 23 in	50048011082818	5	Case	23"	Black
3M™ High Productivity Pads 7300, 24 in	50048011082825	5	Case	24"	Black
3M™ Industrial Degreaser Concentrate 26H	50048011296642	6	Case	2 Liters	
3M™ Injector Cleaner, 08812, 16 fl oz Bottle	00051135088128	6	Bottle	16 fl oz	
3M™ Intake System Aerosol Adaptor Kit, 08960	00051135089606	1	Kit		
3M™ Intake System Cleaner Kit, 08962	00051131089624	6	Kit		
3M™ Keyboard Drawers KD45	00021200530302				
3M™ Keyboard Drawers KD85CG	00021200531989				
3M™ Keyboard Drawers KD90	00021200530166				
3M™ Keyboard Drawers KD95CG	00021200531972				
3M™ Laser Receptive Reflective Validation Stickers	75000116592				
3M™ Lens Cleaning Cloth	00051111539071				
3M™ Light Enhancement Film 3635-100	00051128522738				
3M™ Maintenance Sorbent Drum Cover M-DC22DD, High Capacity 25/Case	50051138289985		Case		
3M™ Maintenance Sorbent Folded M-FL550DD, High Capacity	50051131071723	3	EACH	5 in x 50ft	
3M™ Maintenance Sorbent Mini-Booms M-MB304 12/Case	50051138215267	12	Case	3 in x 4ft	
3M™ Maintenance Sorbent Mini-Booms M-MB308 6 Mini-Booms/Case	50051138215274	6	Case	3 in x 8ft	
3M™ Maintenance Sorbent Mini-Booms M-MB312 4 Mini-Booms/Case	50051138215281	4	Case	3 in x 12ft	
3M™ Maintenance Sorbent Pillow M-PL715, High Capacity 16 Pillows/Case	50051138215311	4	Case	7 in x 15 in	
3M™ Maintenance Sorbent Roll M-RL15150DD, High Capacity 1 Roll/Bale = 1 Case	00051138289966		Case	15.5 in x 150 ft	
3M™ Maintenance Sorbent Roll M-RL33150DD, High Capacity 1 Roll/Bale = 1 Case	00051138290702		Case	33 in x 150 ft	
3M™ Maintenance Sorbent Roll M-RL38150DD, High Capacity 1 Roll/Case	00051138289973		Case	38 in x 150 ft	
3M™ Marine Adhesive Sealant 5200 05203, 3 oz, White, 6 tubes per case	00051135052037	6	Tube	3 oz	White
3M™ Marine Adhesive Sealant 5200 05205, 3 oz, Black, 6 tubes per case	00051135052051	6	Tube	3 oz	Black
3M™ Marine Adhesive Sealant 5200 05206, White, 1 oz, 12 tubes per case	00051135052068	12	Tube	1 oz	White
3M™ Marine Adhesive Sealant 5200 06500, 1/10 Gallon, White, 12 cartridges per case	00051135065006	12	Each	1/10 gal	White
3M™ Marine Adhesive Sealant 5200 06501, 1/10 Gallon, Tan, 12 cartridges per case	00051135065013	12	CQ	1/10 gal	Tan
3M™ Marine Adhesive Sealant 5200 06504, 1/10 Gallon, Black, 12 cartridges per case	00051135065044	12	CQ	1/10 gal	Black
3M™ Marine Adhesive Sealant 5200, 3 oz, White, 6 tubes per case	00051135052204	6	Tube	3 oz	White
3M™ Marine Adhesive Sealant Fast Cure 5200	00051135065204	12		1/10 gallon	White
3M™ Marine Adhesive Sealant Fast Cure 5200	00051135052204	6		3 oz	White
3M™ Marine Adhesive Sealant Fast Cure 5200	00051135065358	12		1 oz tube	White
3M™ Marine Sealant Fast Cure 4000 UV	00051135052808	6		3 oz	White
3M™ Marine Sealant Fast Cure 4000 UV	00051135065808	12		1/10 Gallon	White
3M™ Marine Sealant Fast Cure 4000 UV	00051135065860	12		400 ml	White
3M™ Marine Sealant Fast Cure 4000 UV	00051115256547				
3M™ Masking Tape 2307, 12 mm x 55 m	00021200711169	72	Roll	12mm x 55m	
3M™ Masking Tape 2307, 18 mm x 55 m	00021200711176	48	Roll	18mm x 55m	
3M™ Masking Tape 2307, 24 mm x 55 m	00021200711183	36	Roll	24mm x 55m	
3M™ Masking Tape 2307, 36 mm x 55 m	00021200711190	24	Roll	36mm x 55m	

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Masking Tape 2307, 48 mm x 55 m	00021200711206	24	Roll	48mm x 55m	
3M™ Masking Tape 2307, 72 mm x 55 m	00021200711213	12	Roll	72mm x 55m	
3M™ Masking Tape 2307, 96 mm x 55 m	00021200738005	8	Roll	96mm x 55m	
3M™ Max Strength Fuel System Cleaner, 08814	00051135088142	6	Bottle		
3M™ Natural Blend Tan Pads 3500, 13 in	50048011190018	5	Case	13 in	Tan
3M™ Natural Blend Tan Pads 3500, 14 in	50048011190025	5	Case	14 in	Tan
3M™ Natural Blend Tan Pads 3500, 17 in	50048011190056	5	Case	17 in	Tan
3M™ Natural Blend Tan Pads 3500, 18 in	50048011190063	5	Case	18 in	Tan
3M™ Natural Blend Tan Pads 3500, 19 in	50048011190070	5	Case	19 in	Tan
3M™ Natural Blend Tan Pads 3500, 20 in	50048011190087	5	Case	20 in	Tan
3M™ Natural Blend Tan Pads 3500, 21 in	50048011190094	5	Case	21 in	Tan
3M™ Natural Blend Tan Pads 3500, 22 in	50048011190100	5	Case	22 in	Tan
3M™ Natural Blend Tan Pads 3500, 24 in	50048011190124	5	Case	24 in	Tan
3M™ Natural Blend Tan Pads 3500, 27 in	50048011203176	5	Case	27 in	Tan
3M™ Natural Blend Tan Pads 3500, 27 in	50048011203824	5	Case	27¼ in	Tan
3M™ Natural Blend White Pad 3300, 13 in	50048011182051	5	Case	13 in	White
3M™ Natural Blend White Pad 3300, 16 in	50048011182068	5	Case	16 in	White
3M™ Natural Blend White Pad 3300, 17 in	50048011182075	5	Case	17 in	White
3M™ Natural Blend White Pad 3300, 18 in	50048011182082	5	Case	18 in	White
3M™ Natural Blend White Pad 3300, 19 in	50048011182099	5	Case	19 in	White
3M™ Natural Blend White Pad 3300, 22 in	50048011182129	5	Case	22 in	White
3M™ Natural Blend White Pad 3300, 24 in	50048011182136	5	Case	24 in	White
3M™ Neutral Cleaner Concentrate 3H, 2 Liter, 6 per case	50048011202001	6	Case	2 liter	
3M™ Neutral Cleaner LO Concentrate 33H	50048011591693	6	Case	2 Liters	
3M™ Neutral Quat Disinfectant Cleaner Concentrate 23H	50048011235528	6	Case	2 Liters	
3M™ Nomad™ Carpet Matting 5000	00048011592299	1	Case	3 ft x 5 ft	Black-Gray
3M™ Nomad™ Carpet Matting 5000	00048011592305	1	Case	3 ft x 5 ft	Brown
3M™ Nomad™ Carpet Matting 5000	00048011592206	1	Case	3 ft x 5 ft	Gray
3M™ Nomad™ Carpet Matting 5000	00048011592329	1	Case	3 ft x 10 ft	Black-Gray
3M™ Nomad™ Carpet Matting 5000	00048011592312	1	Case	3 ft x 10 ft	Brown
3M™ Nomad™ Carpet Matting 5000	00048011592336	1	Case	3 ft x 10 ft	Gray
3M™ Nomad™ Carpet Matting 5000	00048011592220	1	Case	4 ft x 6 ft	Black-Gray
3M™ Nomad™ Carpet Matting 5000	00048011592275	1	Case	4 ft x 6 ft	Brown
3M™ Nomad™ Carpet Matting 5000	00048011592213	1	Case	4 ft x 6 ft	Gray
3M™ Nomad™ Carpet Matting 5000	00048011592343	1	Case	4 ft x 10 ft	Black
3M™ Nomad™ Carpet Matting 5000	00048011592350	1	Case	4 ft x 10 ft	Brown
3M™ Nomad™ Carpet Matting 5000	00048011592367	1	Case	4 ft x 10 ft	Gray
3M™ Nomad™ Carpet Matting 5000	00048011592381	1	Case	6 ft x 10 ft	Black
3M™ Nomad™ Carpet Matting 5000	00048011592398	1	Case	6 ft x 10 ft	Brown
3M™ Nomad™ Carpet Matting 5000	00048011592374	1	Case	6 ft x 10 ft	Gray
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Blue, 3 ft x 20 ft, 1 per case	00048011345666	1	Case	3ft x 20ft	Blue
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Blue, 3 ft x 5 ft	50048011264689	1	Case	3ft x5ft	Blue
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Chestnut, 3 ft x 5 ft	50048011264672	1	Case	3ft x5ft	Chestnut
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Ebony, 3 ft x 20 ft, 1 per case	00048011345697	1	Case	3ft x 20ft	Ebony
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Ebony, 4 ft x 30 ft, 1 per case	00048011345505	1	Case	4ft x 20ft	Ebony
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Forest 3 ft x 20 ft	00048011345659	1	Case	3ft x 20ft	Forest

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Nomad™ Heavy Traffic Scraper Matting Backed 8150, Red, 3 ft x 20 ft, 1 per case	00048011345673	1	Case	3ft x 20ft	Red
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Blue, 3 ft x 5 ft, 1 per case	50048011265075	1	Case	3ft x 5ft	Blue
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Chestnut, 3 ft x 20 ft, 1 per case	00048011262994	1	Case	3ft x 20ft	Chestnut
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Chestnut, 3 ft x 5 ft, 1 per case	50048011265068	1	Case	3ft x 5ft	Chestnut
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Chestnut, 4 ft x 20 ft, 1 per case	00048011263007	1	Case	4ft x 20ft	Chestnut
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Lt. Brown, 3 ft x 5 ft, 1 per case	00048011294629	1	Case	3ft x 5ft	Light Brown
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Red, 3 ft x 20 ft	00048011262970	1	Case	3ft x 20ft	Red
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Red, 4 ft x 20 ft, 1 per case	00048011263021	1	Case	4ft x 20ft	Red
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Slate, 3 ft x 20 ft, 1 per case	00048011262918	1	Case	3ft x 20ft	Gray
3M™ Nomad™ Heavy Traffic Scraper Matting Unbacked 8100, Slate, 4 ft x 20 ft, 1 per case	00048011346359	1	Case	4ft x 20ft	Slate
3M™ Nomad™ Medium Traffic Backed Scraper Matting 6050, Blue 22 in x 34 in, 6 per case	50048011264429	6	Case	22 in x 34 in	Blue
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Blue, 3 ft x 20 ft, 1 per case	00048011262437	1	Case	3ft x 20ft	Blue
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Blue, 3 ft x 5 ft, 1 per case	50048011264498	1	Case	3ft x 5ft	Blue
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Blue, 4 ft x 20 ft, 1 per case	00048011262727	1	Case	4ft x 20ft	Blue
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Blue, 4 ft x 6 ft, 1 per case	50048011264566	1	Case	4ft x 6ft	Blue
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Chestnut (DkBrn) 4 ft x 6 ft	50048011264559	1	Case	4ft x 6ft	Chestnut
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Chestnut 3 ft x 20 ft, 1 per case	00048011262475	1	Case	3ft x 20ft	Chestnut
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Chestnut, 22 in x 34 in, 6 per case	50048011264412	6	Case	22 in x 34 in	Chestnut
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Chestnut, 3 ft x 5 ft, 1 per case	50048011264481	1	Case	3ft x 5ft	Chestnut
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Chestnut, 4 ft x 20 ft, 1 per case	00048011262680	1	Case	4ft x 20ft	Chestnut
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Dove, 3 ft x 20 ft, 1 per case	00048011262406	1	Case	3ft x 20ft	Dove
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Dove, 4 ft x 20 ft, 1 per case	00048011262758	1	Case	4ft x 20ft	Dove
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Ebony 4 ft x 6 ft	50048011177903	1	Case	4ft x 6ft	Ebony
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Ebony, 22 in x 34 in, 6 per case	50048011264368	6	Case	22 in x 34 in	Ebony
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Ebony, 3 ft x 20 ft, 1 per case	00048011262468	1	Case	3ft x 20ft	Ebony
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Ebony, 3 ft x 5 ft, 1 per case	50048011177804	1	Case	3ft x 5ft	Ebony
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Ebony, 4 ft x 20 ft, 1 per case	00048011262697	1	Case	4ft x 20ft	Ebony
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Forest 3 ft x 20 ft, 1 per case	00048011262420	1	Case	3ft x 20ft	Forest
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Forest, 22 in x 34 in, 6 per case	50048011264443	6	Case	22 in x 34 in	Forest
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Forest, 3 ft x 5 ft, 1 per case	50048011264511	1	Case	3ft x 5ft	Forest

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Forest, 4 ft x 20 ft	00048011262734	1	Case	4ft x 20ft	Forest
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Forest, 4 ft x 6 ft, 1 per case	50048011264580	1	Case	4ft x 6ft	Forest
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Light Brown, 4 ft x 6 ft	00048011261898	1	Case	4ft x 6ft	Light Brown
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Red, 3 ft x 5 ft, 1 per case	50048011175800	1	Case	3ft x 5ft	Red
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Red, 4 ft x 20 ft, 1 per case	00048011262710	1	Case	4ft x 20ft	Red
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Red, 4 ft x 6 ft, 1 per case	50048011177880	1	Case	4ft x 6ft	Red
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Slate (Gray) 4 ft x 6 ft	50048011264528	1	Case	4ft x 6ft	Slate
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Slate, 22 in x 34 in, 6/Cs	50048011264399	6	Case	22 in x 34 in	Slate
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Slate, 3 ft x 20 ft, 1 per case	00048011262390	1	Case	3ft x 20ft	Slate
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Slate, 3 ft x 5 ft, 1 per case	50048011264450	1	Case	3ft x 5ft	Slate
3M™ Nomad™ Medium Traffic Scraper Matting 6050, Slate, 4 ft x 20 ft, 1 per case	00048011262765	1	Case	4ft x 20ft	Slate
3M™ Nomad™ Medium Traffic Scraper Matting 6050, w/Nosing Slate 3 ft x 10 ft	00048011295664	1	Case	3ft x 10ft	Slate
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Ebony 3 ft x 10 ft	50048011153884	1	Case	3ft x 10ft	Ebony
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Ebony 3 ft x 20 ft	50048011153891	1	Case	3ft x 20ft	Ebony
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Ebony 3 ft x 5 ft	50048011161063	1	Case	3ft x 5ft	Ebony
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Granite 2 ft x 20 ft	50048011095634	1	Case	2ft x 20ft	Granite
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Granite 3 ft x 10 ft	50048011202414	1	Case	3ft x 10ft	Granite
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Granite 3 ft x 20 ft	50048011202421	1	Case	3ft x 20ft	Granite
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Granite 3 ft x 5 ft	50048011202407	1	Case	3ft x 5ft	Granite
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Gypsy Red 3 ft x 20 ft	50048011095665	1	Case	3ft x 20ft	Gypsy Red
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Mocha 2 ft x 20 ft	50048011204661	1	Case	2ft x 20ft	Mocha
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Mocha 3 ft x 10 ft	50048011202445	1	Case	3ft x 10ft	Mocha
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Mocha 3 ft x 20 ft	50048011202452	1	Case	3ft x 20ft	Mocha
3M™ Nomad™ Z-Web Extreme Traffic Scraper Matting 9100, Mocha 3 ft x 5 ft	50048011202438	1	Case	3ft x 5ft	Mocha
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Granite 3 ft x 10 ft	50048011202353	1	Case	3ft x 20ft	Granite
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Granite 3 ft x 20 ft	50048011202360	1	Case	3ft x 20ft	Granite
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Granite 3 ft x 5 ft	50048011202346	1	Case	3ft x 5ft	Granite
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Granite 4 ft x 20 ft	50048011202391	1	Case	4ft x 20ft	Granite
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Granite 4 ft x 6 ft	50048011202377	1	Case	4ft x 6ft	Granite
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Mocha 3 ft x 20 ft	50048011202254	1	Case	3ft x 20ft	Mocha

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Mocha 3 ft x 5 ft	50048011202230	1	Case	3ft x 5ft	Mocha
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Mocha 4 ft x 20 ft	50048011202285	1	Case	4ft x 20ft	Mocha
3M™ Nomad™ Z-Web Medium Traffic Scraper Matting 6250, Mocha 4 ft x 6 ft	50048011202261	1	Case	4ft x 6ft	Mocha
3M™ Non-Acid Bathroom Cleaner Concentrate 19L	50048011232077	4	Case	1 gal	
3M™ Non-Acid Disinfectant Bathroom Cleaner Concentrate 15L	50048011207877	6	Case	2 Liters	
3M™ Non-Printed Packing List Envelopes	00021200737794		Case		
3M™ Non-Printed Packing List Envelopes	00021200737060		Case		
3M™ Non-Printed Packing List Envelopes	00021200737084		Case		
3M™ Non-Printed Packing List Envelopes	00021200737787		Case		
3M™ Non-Printed Packing List Envelopes	00021200737091		Case		
3M™ Non-Printed Packing List Envelopes NP9, 7 in x 6 in, 1000 per case	00021200375897		Case	7 in x 6 in	
3M™ Notebook Computer Cleaning Cloth	50051111550538				
3M™ Novec™ 1230 Fire Protection Fluid	00051135716335			220 gal	
3M™ Novec™ 649 Engineered Fluid	98021233527			11 lbs, 5 kg	
3M™ Novec™ 7100 Engineered Fluid	00051135450352			3.25 gallon container (33 lb, 15 kg)	
3M™ Novec™ 7100DL Engineered Fluid	00051135703182			3.5 gallon container (40 lb, 18.4 kg)	
3M™ Novec™ 71DA Engineered Fluid	00051135111758			5 gallon metal container (55 lb, 25 kg)	
3M™ Novec™ 71DE Engineered Fluid	00051135110522			5 gallon metal container (55 lb, 25 kg)	
3M™ Novec™ 7200 Engineered Fluid	00051135111970			3.25 gallon container (33 lb, 15 kg)	
3M™ Novec™ 7200DL Engineered Fluid	00051135703199			3.5 gallon container (40 lb, 18.1 kg)	
3M™ Novec™ 72DA Engineered Fluid	00051135716021			5 gallon container (50 lb, 22.7 kg)	
3M™ Novec™ 72DE Engineered Fluid	00051135716014			5 gallon container (50 lb, 22.7 kg)	
3M™ Novec™ 7300 Engineered Fluid	00051135716663			1 gallon (12 lb, 5.44 kg)	
3M™ Novec™ 7300DL Engineered Fluid	00051135716694			1 gallon (12 lb, 5.44 kg)	
3M™ Novec™ 7500 Engineered Fluid	00051135703694			1 gallon container (12 lb, 5.5 kg)	
3M™ Novec™ 8200 Engineered Fluid	00051135631362			5 gallon line container (60 lb, 27 kg)	
3M™ Novec™ Contact Cleaner	00051135717370	12		4 oz	
3M™ Novec™ Contact Cleaner	00051135716991	6		11 oz	
3M™ Novec™ Electronic Degreaser	00051135716984	6		12 oz	
3M™ Novec™ Flux Remover	00051135716977	6	Case	12 oz can	
3M™ Paint Prep Wipes	00051131853584			7-1/2 in x 7-1/2 in	
3M™ Paper Tape 200 Natural, 144 mm x 55 m, 8 per case Bulk	00021200731129	8	Roll	144mm x 55m	Natural
3M™ Paper Tape 200 Natural, 24 mm x 55 m 5.5 mil, 36 per case Bulk	00048011534657	8	Roll	24 mm x 55 m 5.5 mil	Natural
3M™ Paper Tape 200 Natural, 36 mm x 55 m 5.5 mil, 24 per case Bulk	00048011534701	24	Roll	36 mm x 55 m 5.5 mil	Natural
3M™ Paper Tape 200 Natural, 48 mm x 55 m, 24 per case	00048011534664	24	Roll	48mm x 55m	Natural
3M™ Paper Tape 200 Natural, 72 mm x 55 m 5.5 mil, 12 per case Bulk	00048011534671	12	Roll	72 mm x 55 m 5.5 mil	Natural
3M™ Paper Tape 200 Natural, 96 mm x 55 m 5.5 mil, 8 per case Bulk	00048011534688	8	Roll	96 mm x 55 m 5.5 mil	Natural
3M™ Petroleum Sorbent Boom T-270	00021200160547	4	EACH	8 in x 10ft	
3M™ Petroleum Sorbent Drum Cover P-DC22DD, High Capacity 25/Case	50051138292343	25	Case	22"	
3M™ Petroleum Sorbent Mini-Boom T-4	50051138213546		Case	3 in x 4 ft	

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Petroleum Sorbent Mini-Pillow T-30 16 Pillows/Case	50051138215458	16	Case	7"x15"	
3M™ Petroleum Sorbent Pad HP-156, High Capacity	50051138289114	100	Case	17 in x 19 in	
3M™ Petroleum Sorbent Pad HP-157, High Capacity	00051138291167		Case		
3M™ Petroleum Sorbent Pad HP-157, High Capacity	50051138291162	50	Case	34 in x38 in	
3M™ Petroleum Sorbent Pad HP-255, High Capacity	50051138215434	50	Case	17 in x 19 in	
3M™ Petroleum Sorbent Pad HP-256, High Capacity	50051138215441	100	Case	17 in x 19 in	
3M™ Petroleum Sorbent Pad T-151	00021200160493	200	Each	17 in x 19 in	
3M™ Petroleum Sorbent Pad T-156	00021200160509	100	Each	17 in x 19 in	
3M™ Petroleum Sorbent Pad T-157	00021200160516	50	Each	34 in x 38 in	
3M™ Petroleum Sorbent Pillow T-240	00021200160530	10	EACH		
3M™ Petroleum Sorbent Roll HP-100, High Capacity	00051138215422	1	Roll	44m x 97cm	
3M™ Petroleum Sorbent Roll T-100	00021200160479	1	Roll	38"x144'	
3M™ Petroleum Sorbent Roll T-190	00051138216481	1	Roll	19"x144'	
3M™ Petroleum Sorbent Spill Kit P-SKFL31, 31 Gallon 1 Kit = 1 Each	00051138462864	1	Each		
3M™ Petroleum Sorbent Spill Kit P-SKFL5, Petrol	50051138462890	1	Each		
3M™ Petroleum Sorbent Spill Response Pack SRP-PETRO	50051138289503	3	Case		
3M™ Petroleum Sorbent Sweep T-126 1 Sweep/Bale = 1 Each	00021200160486	1	Each		
3M™ Phenolic Disinfectant Cleaner Concentrate 18H	50048011207860	6	Case	2 Liters	Brown
3M™ Phenolic Disinfectant Cleaner Concentrate 18H	50048011239557	6	Case	2 Liters	Brown
3M™ Photoluminescent Film Series 6900	00051135232422		Roll	2 in x 50yds	
3M™ Post-it® Note Easel Pad 559RP	70071797658				
3M™ PPS™ 16000, Standard Lids & Liners	00051131160002	1	Kit	20.3 fl oz/600 ml capacity	
3M™ PPS™ 16001, Standard Mixing Cup and Collar	00051131160019	8	Case		
3M™ PPS™ 16024, Large Lids & Liners	00051131160248	1	Kit	32 fl oz/950 ml capacity	
3M™ PPS™ Paint Preparation System Mini Cup Kit	00051131161139	1	Kit		
3M™ Precise™ Optical Mousing Surface	00021200530173				
3M™ Precise™ Optical Mousing Surface with Gel Wrist Rest	00021200530203				
3M™ Pretreatment Cleaner Concentrate 10H	50048011192142	6	Case	2 Liters	
3M™ Purple Clean Sanding Hookit™ Disc, 01810	00051131018105	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01811	00051131018112	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01812	00051131018129	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01813	00051131018136	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01814	00051131018143	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01815	00051131018150	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01816	00051131018167	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01817	00051131018174	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01818	00051131018181	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01819	00051131018198	50	Box	6 in	Purple
3M™ Purple Clean Sanding Hookit™ Disc, 01820	00051131018204	50	Box	6 in	Purple
3M™ Quat Disinfectant Cleaner Concentrate 5H, 2 liter, 6 per case	50048011232190	6	Case	2 ltr	
3M™ Red Buffer Pads 5100, 10 in	50048011084041	5	Case	10 in	Red
3M™ Red Buffer Pads 5100, 11 in	50048011084010	5	Case	11 in	Red
3M™ Red Buffer Pads 5100, 12 in	50048011083877	5	Case	12 in	Red
3M™ Red Buffer Pads 5100, 13 in	50048011083884	5	Case	13 in	Red
3M™ Red Buffer Pads 5100, 14 in	50048011083891	5	Case	14 in	Red
3M™ Red Buffer Pads 5100, 15 in	50048011083907	5	Case	15 in	Red
3M™ Red Buffer Pads 5100, 16 in	50048011083914	5	Case	16 in	Red
3M™ Red Buffer Pads 5100, 17 in	50048011083921	5	Case	17 in	Red
3M™ Red Buffer Pads 5100, 18 in	50048011083938	5	Case	18 in	Red
3M™ Red Buffer Pads 5100, 19 in	50048011083945	5	Case	19 in	Red

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Red Buffer Pads 5100, 20 in	50048011083952	5	Case	20 in	Red
3M™ Red Buffer Pads 5100, 21 in	50048011083969	5	Case	21 in	Red
3M™ Red Buffer Pads 5100, 22 in	50048011083976	5	Case	22 in	Red
3M™ Red Buffer Pads 5100, 23 in	50048011083983	5	Case	23 in	Red
3M™ Red Buffer Pads 5100, 24 in	50048011083990	5	Case	24 in	Red
3M™ Red Buffer Pads 5100, 8 in	50048011080807	10	Case	8 in	Red
3M™ Reusable Tack Cloth	50051131862819			12.5 in x 14 in	
3M™ Rotary Organizer C-91	00021200727429			10 in round 6 in tall	Black
3M™ Safest Stripper™ Paint & Varnish Remover	00051111101032	2		1 gal	Clear
3M™ Safety & Security Window Film Ultra Neutral 535	00051131521629			40in x 100ft	
3M™ Safety & Security Window Film Ultra Neutral 550	00051131521612			40in x 100ft	
3M™ Safety & Security Window Film Ultra NV 525	00051131904613			40in x 100ft	
3M™ Safety & Security Window Film Ultra Silver 520	00051131519541			40in x 100ft	
3M™ Safety and Security Window Film Prestige Series - Ultra PR S50	70070902310				
3M™ Safety and Security Window Film Prestige Series - Ultra PR S70	70070902328				
3M™ Sanitizer Concentrate 16L	50048011201127	6	Case	2 Liters	
3M™ Scotch-Brite™ Griddle Polishing Pad No. 46, 20 per inner, 3 per case	50048011199707	60	Case		
3M™ Scotch-Brite™ Pot 'N Pan Handler Pad 88, 3.5 in x 5 in, 40 per case	50048011082924	40	Case	3½ in x 5 in	
3M™ Scotchcal™ ElectroCut™ Graphic Film	00051138651268			48 in x 50 yd	Green
3M™ Scotchlite™ Removable Reflective Graphic Film with Comply™ Adhesive	00051128706916				
3M™ ScotchPad™ Tape Pad 822 Clear, 4 in x 6 in	00021200616181	200	Case	4 in x 6 in	Clear
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, Black, 10.3 oz cartridge	00021200415951	12	CQ	10.5 oz	Black
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, Black, 400mL	00021200962769	12	PH	400 mL	Black
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, Gray, 10.3 oz cartridge	00021200415944	12	CQ	10.5 oz	Gray
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, Gray, 600 mL	00021200565625	12	PH	600 mL	Gray
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, White, 10.5 fl oz	00021200490545	12	CQ	10.5 oz	White
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, White, 400 mL	00021200962783	12	PH	400 mL	White
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 540, White, 600 mL	00021200565618	12	PH	600 mL	White
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560	00021200962790		CQ		
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560	00021200962738		CQ		
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560	00021200962813		CQ		
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560, Black, 10.3 oz Tube	00021200415975	12	CQ	10.5 oz	Black
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560, Gray, 10.3 oz Tube	00021200415968	12	CQ	10.5 oz	Gray
3M™ Scotch-Seal™ Polyurethane Adhesive Sealant 560, Gray, 600 mL	00021200565649	12	PH	600 mL	Gray
3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive	00021200198083	36	Tube	5 oz.	Tan
3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive	00021200198113	12	Can	1 quart	Tan
3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive	00021200198137	4	Can	1 gallon	Tan
3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive	00021200198144	1	Pail	5 gallon pail	Tan
3M™ Scotch-Weld™ 1099 Nitrile High Performance Plastic Adhesive	00021200198151	1	Case	55 gallon (54) drum	Tan
3M™ Scotch-Weld™ 4491 Nitrile Industrial Adhesive	00021200500466	1	Case	5 gallon pail	
3M™ Scotch-Weld™ 4491 Nitrile Industrial Adhesive	00021200500473	1	Case	55 gallon (54)	Tan
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200225673	72	Tube	2 oz. tube	Brown
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200197185	36	Tube	5 oz.	Brown

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200197215	12	Can	1 quart	Brown
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200197239	4	Can	1 gallon	Brown
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200197253	1	Case	5 gallon pail	Brown
3M™ Scotch-Weld™ 847 Nitrile High Performance Rubber & Gasket Adhesive	00021200197291	1	Case	55 gallon C/head drum	Brown
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, 5 Gallon Pail	00051115250163	1	Case	5 gallon pail	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, 5 Gallon Pail	00048011616667	1	Case	5 gallon pail	Red
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, 54 Gallon Drum	00051115250170	1	Case	54 gallon drum	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, 54 Gallon Drum	00048011616674	1	Case	54 gallon drum	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Intermediate Cylinder	00048011617046	1	Case	Net Wt. 128 lbs	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Intermediate Cylinder	00048011616643	1	Case	Net Wt. 128 lbs	Red
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Jumbo Cylinder	00048011617053	1	Case	Net Wt. 266 lbs	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Jumbo Cylinder	00048011616650	1	Case	Net Wt. 266 lbs	Red
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Large Cylinder	00048011617039	1	Case	Net Wt. 26.2 lbs	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Large Cylinder	00048011616636	1	Case	Net Wt. 26.2 lbs	Red
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Mini Cylinder	00051115250149	1	Case	Net Wt. 7.6 lbs	Clear
3M™ Scotch-Weld™ Hi-Strength Postforming 94 CA, Cylinder Spray Adhesive Mini Cylinder	00051115250187	1	Case	Net Wt. 7.6 lbs	Red
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000	00021200566868			5 gallon	
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000	00021200566875			1 quart	
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000	00048011568065			1 gallon	
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 AS	00048011530994	1	Case	1 gallon	
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 AS	00021200742330			1 gallon	
3M™ Scotch-Weld™ Structural Adhesive Primer EW-5000 AS	00021200742323			1 quart	
3M™ Scotch-Weld™ Structural Void Filling Compound 3450 FST	00048011985060				
3M™ Scotch-Weld™ Structural Void Filling Compound 3450 FST	00048011985053				
3M™ Scotch-Weld™ Structural Void Filling Compound 3450 FST	00048011985367				
3M™ Scotch-Weld™ Structural Void Filling Compound 3550 B/A FST	00048011985329				
3M™ Series 07 HVLP Spray Gun, 07-10605	00051115907210				
3M™ Series 07 HVLP Spray Gun, 07-10607	00051115907197				
3M™ Series 07HS HVLP Spray Gun, 07HS-02526	00051115907296				
3M™ Speed Stripper Concentrate 6H	50048011192081	6	Case	2 Liters	
3M™ Stamark™ High Performance Wet Reflective Tape Series 380WR ES	00051135343432				
3M™ Stamark™ High Performance Tape Series 380IES	00051135303559				
3M™ Stamark™ Removable Black Line Mask Series 145	00051135339886				
3M™ Stamark™ Wet Reflective Removable Tape 780	00051135956502			4 in x 100 yd	White
3M™ Stamark™ Wet Reflective Removable Tape 780	00051135956519			6 in x 100 yd	White
3M™ Stamark™ Wet Reflective Removable Tape 780	00051135956526			4 in x 100 yd	Yellow
3M™ Stamark™ Wet Reflective Removable Tape 780	00051135956533			6 in x 100 yd	Yellow
3M™ Sun Control Window Film Amber 35	70006252954			50 in x 100 ft	
3M™ Sun Control Window Film Amber 35	70006252947			60 in x 100 ft	
3M™ Sun Control Window Film Amber 35	70006252962			40 in x 100 ft	
3M™ Sun Control Window Film Amber 35 Low E	70006252996			40 in x 100 ft	



Product Name	Product Number	QTY	UOM	Size	Color
3M™ Sun Control Window Film Amber 35 Low E	70006252988			50 in x 100 ft	
3M™ Sun Control Window Film Amber 35 Low E	70006252970			60 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125051			40 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125069			50 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006100062			40 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006082542			50 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125077			60 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006101888			60 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006186038			72in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006106457			40 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006106259			50 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006106267			60 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006186046			72 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125010			40 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125028			50 in x 100 ft	
3M™ Sun Control Window Film Neutral Series	70006125036			60 in x 100 ft	
3M™ Sun Control Window Film Nickel 50	70006251477			60 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341740			40 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341138			50 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341146			60 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341328			40 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341336			50 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006340965			60 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341344			40 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341351			50 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341062			60 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341369			40 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341377			50 in x 100 ft	
3M™ Sun Control Window Film Night Vision Series	70006341104			60 in x 100 ft	
3M™ Sun Control Window Film Prestige Series - PR 40	70070901577				
3M™ Sun Control Window Film Prestige Series - PR 50	70070901585				
3M™ Sun Control Window Film Prestige Series - PR 60	70070901593				
3M™ Sun Control Window Film Prestige Series - PR 70	70070901601				
3M™ Sun Control Window Film Silver Series	70006254877			40 in x 100 ft	
3M™ Sun Control Window Film Silver Series	70006254885			50 in x 100 ft	
3M™ Sun Control Window Film Silver Series	70006254893			60 in x 100 ft	
3M™ Sun Control Window Film Silver Series	KA999009018			36 in x 100 ft	
3M™ Sun Control Window Film Silver Series	KA999009026			48 in x 100 ft	
3M™ Sun Control Window Film Silver Series	KA999009034			60 in x 100 ft	
3M™ Tan Burnish Pads 3400, 13 in	50048011056031	5	Case	13 in	Tan
3M™ Tan Burnish Pads 3400, 17 in	50048011056048	5	Case	17 in	Tan
3M™ Tan Burnish Pads 3400, 18 in	50048011056239	5	Case	18 in	Tan
3M™ Tan Burnish Pads 3400, 19 in	50048011056055	5	Case	19 in	Tan
3M™ Tan Burnish Pads 3400, 20 in	50048011056062	5	Case	20 in	Tan
3M™ Tan Burnish Pads 3400, 21 in	50048011056079	5	Case	21 in	Tan
3M™ Tan Burnish Pads 3400, 27 in	50048011203220	5	Case	27 in	Tan
3M™ Tartan™ Box Sealing Tape 369 Clear, 48 mm x 100 m, 36 per case	00021200615535	36	Roll	48 mm x 100 m	Clear
3M™ Tartan™ Box Sealing Tape 369 Clear, 48 mm x 1500 m, 6 per case	00021200852596	6	Roll	48 mm x 1500 m	Clear
3M™ Tartan™ Box Sealing Tape 369 Clear, 48 mm x 50 m, 36 per case	00021200615511	36	Roll	48 mm x 50 m	Clear
3M™ Tartan™ Box Sealing Tape 369 Clear, 48 mm x 914 m, 6 per case	00021200852589	6	Roll	48 mm x 914 m	Clear

Product Name	Product Number	QTY	UOM	Size	Color
3M™ Tartan™ Box Sealing Tape 369 Clear, 72 mm x 100 m, 24 per case	00021200615542	24	Roll	72 mm x 100 m	Clear
3M™ Tartan™ Box Sealing Tape 369 Clear, 72mm x 914m, 4 per case	00021200852893	4	Roll	72 mm x 914 m	Clear
3M™ Tartan™ Box Sealing Tape 369 Tan, 48 mm x 100 m, 36 per case	00021200615498	36	Roll	48 mm x 100 m	Tan
3M™ Tartan™ Box Sealing Tape 369 Tan, 48 mm x 50 m, 36 per case	00021200615474	36	Roll	48 mm x 50 m	Tan
3M™ Tartan™ Box Sealing Tape 369 Tan, 72 mm x 100 m, 24 per case	00021200624810	24	Roll	72 mm x 100 m	Tan
3M™ Temflex™ 1700 Economy Grade Vinyl Electrical Tape, 3/4 in x 60 ft (19 mm x 18,3 m)	00054007697640	100	Roll	¾ in x 60ft	
3M™ Temflex™ 1700 General Use Vinyl Electrical Tape, 1 in x 66 ft (25,4 mm x 20,1 m)	00054007439622	99	Roll	1 in x 66ft	
3M™ Temflex™ 1700 General Use Vinyl Electrical Tape, 3/4 in x 36 yd (19 mm x 32,9 m)	00054007497004	100	Roll	¾ in x 36yds	
3M™ Temflex™ 1700 General Use Vinyl Electrical Tape, 3/4 in x 66 ft (19 mm x 20,1 m)	00054007495710	100	Roll	¾ in x 66ft	
3M™ TempaDOT™ Thermometers	50707387457704				
3M™ TempaDOT™ Thermometers	50707387457650				
3M™ Thermal Imaging System VP5000	00051135341414				
3M™ Tile, Grout and Bowl Cleaner Concentrate 52L	50048011253231	6	Case	1 Liters	
3M™ Top Print Packing List Envelopes PLE-T1, 4 1/2 in x 5 1/2 in, 1000 per case	00048011534237		Case	4 1/2 in x 5 1/2 in	
3M™ Top Print Packing List Envelopes PLE-T2, 4 1/2 in x 6 in, 1000 per case	00021200737848		Case	4½ in x 6 in	
3M™ Top Print Packing List Envelopes PLE-T3, 7 in x 5 1/2 in, 1000 per case	00021200737121		Case	7 in x 5½ in	
3M™ Top Print Packing List Envelopes PLE-T4, 5 1/2 in x 10 in, 1000 per case	00021200737855		Case	5½ in x 10 in	
3M™ TopLine Autoscrubber Pads 5000, 12 in	50048011180446	5	Case	12 in	Green
3M™ TopLine Autoscrubber Pads 5000, 13 in	50048011180453	5	Case	13 in	Green
3M™ TopLine Autoscrubber Pads 5000, 14 in	50048011180460	5	Case	14 in	Green
3M™ TopLine Autoscrubber Pads 5000, 15 in	50048011180477	5	Case	15 in	Green
3M™ TopLine Autoscrubber Pads 5000, 16 in	50048011180484	5	Case	16 in	Green
3M™ TopLine Autoscrubber Pads 5000, 17 in	50048011180491	5	Case	17 in	Green
3M™ TopLine Autoscrubber Pads 5000, 18 in	50048011180507	5	Case	18 in	Green
3M™ TopLine Autoscrubber Pads 5000, 19 in	50048011180514	5	Case	19 in	Green
3M™ TopLine Autoscrubber Pads 5000, 20 in	50048011180521	5	Case	20 in	Green
3M™ TopLine Speed Burnish Pad 3200, 13 in	50048011180606	5	Case	13 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 16 in	50048011180620	5	Case	16 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 17 in	50048011180637	5	Case	17 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 18 in	50048011180644	5	Case	18 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 19 in	50048011180651	5	Case	19 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 20 in	50048011180668	5	Case	20 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 21 in	50048011180675	5	Case	21 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 22 in	50048011180682	5	Case	22 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 24 in	50048011180699	5	Case	24 in	White/amber
3M™ TopLine Speed Burnish Pad 3200, 27 in	50048011202599	5	Case	27 in	White/amber
3M™ TroubleShooter™ Finish Remover Concentrate 21L	50048011233586	6	Case	2 Liters	
3M™ Twist 'n Fill™ Cleaning Chemical Dispenser Gray Cap	00048011592046	1	Box	1	BO
3M™ Universal Fuel Injection Cleaner, 08956, 10 oz Net Wt	00051135089569	12	Case	10 oz Net Wt	
3M™ Universal Fuel Injector Cleaner Kit, 08836	00051135088364	1	Kit		
3M™ Universal Fuel System Cleaner 3-Pack, 08911	00051131089112	6	Kit		
3M™ VHB™ Adhesive Transfer Tape F9460PC, 1 in x 3 yd	00021200158742		Case	1 in x 3 yd	Clear
3M™ VHB™ Adhesive Transfer Tape F9460PC, 1 in x 60 yd 2.0 mil	00021200139765	36	Case	1 in x 60 yd 2.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9460PC, 1/2 in x 60 ys 2.0 mil	00021200139741	72	Case	1/2 in x 60 ys 2.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9460PC, 12 in x 60 yd 2.0 mil	00021200377327	4	Case	12 in x 60 yd 2.0 mil	Clear

Product Name	Product Number	QTY	UOM	Size	Color
3M™ VHB™ Adhesive Transfer Tape F9460PC, 24 in x 60 yd 2.0 mil	00021200628221	1	Case	24 in x 60 yd 2.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9460PC, 48 in x 60 yd	00048011581545	1	Case	48 in x 60 yd	
3M™ VHB™ Adhesive Transfer Tape F9460PC, 6 in x 100 yd	00021200741036	1	Case	6 in x 100 yd	
3M™ VHB™ Adhesive Transfer Tape F9469PC, 1 in x 60 yd 5.0 mil	00021200139710	36	Case	1 in x 60 yd 5.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9469PC, 1/2 in x 60 yd 5.0 mil	00021200139772	72	Case	1/2 in x 60 yd 5.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9469PC, 1/4 in x 60 yd 5.0 mil	00021200404894	144	Case	1/4 in x 60 yd 5.0 mil	
3M™ VHB™ Adhesive Transfer Tape F9469PC, 12 in x 60 yd 5.0 mil	00021200838019	4	Case	12 in x 60 yd 5.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9469PC, 18 in x 60 yd 5.0 mil	00021200560620	1	Case	18 in x 60 yd 5.0 mil	Clear
3M™ VHB™ Adhesive Transfer Tape F9469PC, 3/8 in x 60 yd 5.0 mil	00021200429101	96	Case	3/8 in x 60 yd 5.0 mil	
3M™ VHB™ Adhesive Transfer Tape F9473PC, 1 1/2 in x 60 yd 10.0 mil	00021200404962	6	Case	1 1/2 in x 60 yd 10.0 mil	
3M™ VHB™ Adhesive Transfer Tape F9473PC, 12 in x 60 yd 10.0 mil	00021200407499	1	Case	12 in x 60 yd 10.0 mil	
3M™ VHB™ Adhesive Transfer Tape F9473PC, 2 in x 60 yd 10.0 mil	00021200404979	6	Case	2 in x 60 yd 10.0 mil	
3M™ VHB™ Adhesive Transfer Tape F9473PC, 3/8 in x 60 yd 10.0 mil	00021200396212	24	Case	3/8 in x 60 yd 10.0 mil	
3M™ VHB™ Tape 4611, 1 in x 36 yd	00021200561467	9	Roll	1 in x 36 yds	Dark Gray
3M™ VHB™ Tape 4611, 1/2 in x 36 yd	00021200563751	18	Roll	½ in x 36 yds	Dark Gray
3M™ VHB™ Tape 4611, 3/4 in x 36 yd	00021200560026	12	Roll	¾ in x 36 yds	Dark Gray
3M™ VHB™ Tape 4618, 1 in x 72 yd	00021200462122		Roll	1 in x 72 yds	White
3M™ VHB™ Tape 4618, 1 in x 72 yd	00021200443114		Roll	1 in x 72 yds	White
3M™ VHB™ Tape 4618, 1/2 in x 72 yd	00021200462108		Roll	1/2 in x 72 yds	White
3M™ VHB™ Tape 4622, 1 in x 36 yd	00021200261121	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4622, 1/2 in x 36 yd	00021200462139	4	Roll	1/2 in x 36 yds	White
3M™ VHB™ Tape 4622, 3/4 in x 36 yd	00021200462146	3	Roll	3/4 in x 36 yds	White
3M™ VHB™ Tape 4622, 3/8 in x 60 yd	00021200743269	36	Roll	3/8 in x 60 yds	White
3M™ VHB™ Tape 4624, 1 in x 36 yd	00021200443176	9	Roll	1 in x 60 yds	White
3M™ VHB™ Tape 4624, 1/2 in x 36 yd	00021200443169	18	Roll	1/2 in x 36 yds	White
3M™ VHB™ Tape 4646 1/2 in x 36 yd	00021200563133	4	Roll	1/2 in x 36 yds	Dark Gray
3M™ VHB™ Tape 4655 1 in x 36 yd 62.0 mil	00021200561511	9	Roll	1 in x 36 yds 62.0 mil	Dark Gray
3M™ VHB™ Tape 4655, 3/4 in x 36 yd 62.0 mil	00021200563164	12	Roll	¾ in x 36 yds 62.0 mil	Dark Gray
3M™ VHB™ Tape 4905 1 in x 72 yd	00021200875779	2	Roll	1 in x 72 yd	Clear
3M™ VHB™ Tape 4905 1/2 in x 72 yd	00021200875755	4	Roll	½ in x 72 yds	Clear
3M™ VHB™ Tape 4905 3/4 in x 72 yd	00021200875762	3	Roll	3/4 in x 72 yd	Clear
3M™ VHB™ Tape 4905 3/8 in x 72 yd	00021200599491	24	Roll	3/8 in x 72 yd	Clear
3M™ VHB™ Tape 4910 1 in x 36 yd	00021200645907	2	Roll	1 in x 36 yds	Clear
3M™ VHB™ Tape 4910 1/2 in x 36 yd	00021200645884	4	Roll	1/2 in x 36 yds	Clear
3M™ VHB™ Tape 4910 1/4 in x 36 yd	00021200393884	36	Roll	1/4 in x 36 yds	Clear
3M™ VHB™ Tape 4910 12 in x 36 yd	00021200244452	1	Roll	12 in x 36 yds	Clear
3M™ VHB™ Tape 4915F	DT491511408				
3M™ VHB™ Tape 4915F	DT491510061				
3M™ VHB™ Tape 4919F 1 in x 72 yd	00021200563836	2	Roll	1 in x 72 yds 25.0 mil	Black
3M™ VHB™ Tape 4919F 1/2 in x 72 yd	00021200563805	4	Roll	1/2 in x 72 yds 25.0 mil	Black
3M™ VHB™ Tape 4919F 3/4 in x 72 yd	00021200563812	3	Roll	1/2 in x 72 yds 25.0 mil	Black
3M™ VHB™ Tape 4919F 48 in x 72 yd	00021200740534	1	Roll	48 in x 72 yds 25.0 mil	Black
3M™ VHB™ Tape 4920 1 in x 72 yd	00021200841569	9	Roll	1 in x 72 yds	White
3M™ VHB™ Tape 4920 1/2 in x 72 yd	00021200645938	4	Roll	½ in x 72 yds	White
3M™ VHB™ Tape 4920 3/4 in x 72 yd	00021200841552	12	Roll	¾ in x 72 yds	White
3M™ VHB™ Tape 4926 1 in x 72 yd	00021200243868	9	Roll	1 in x 72 yds	Dark Gray
3M™ VHB™ Tape 4926 1/2 in x 72 yd	00021200657467	18	Roll	½ in x 72 yds	Dark Gray
3M™ VHB™ Tape 4926 3/4 in x 72 yd	00021200243875	12	Roll	¾ in x 72 yds	Dark Gray
3M™ VHB™ Tape 4929 1 in x 72 yd	00021200674938	9	Roll	1 in x 72 yds	Black
3M™ VHB™ Tape 4929 1/2 in x 72 yd	00021200674914	18	Roll	½ in x 72 yds	Black

Product Name	Product Number	QTY	UOM	Size	Color
3M™ VHB™ Tape 4929 1/4 in x 72 yd	00021200862939	36	Roll	¼ in x 72 yds	Black
3M™ VHB™ Tape 4930 1 in x 72 yd	00021200646157	2	Roll	1 in x 72 yds	White
3M™ VHB™ Tape 4930 1/2 in x 72 yd	00021200646133	4	Roll	½ in x 72 yds	White
3M™ VHB™ Tape 4930 3/4 in x 72 yd	00021200646140	3	Roll	¾ in x 72 yds	White
3M™ VHB™ Tape 4932 1 in x 72 yd	00021200677908	9	Roll	1 in x 72 yds	White
3M™ VHB™ Tape 4932 1/2 in x 72 yd	00021200677885	18	Roll	½ in x 72 yds	White
3M™ VHB™ Tape 4932 3/4 in x 72 yd	00021200677892	12	Roll	¾ in x 72 yds	White
3M™ VHB™ Tape 4936 1 in x 72 yd	00021200243837	9	Roll	1 in x 72 yds	Gray
3M™ VHB™ Tape 4936 1/2 in x 72 yd	00021200657474	18	Roll	½ in x 72 yds	Gray
3M™ VHB™ Tape 4936 3/4 in x 72 yd	00021200243844	12	Roll	¾ in x 72 yds	Gray
3M™ VHB™ Tape 4941 1 1/2 in x 36 yd	00021200480812	6	Roll	1½ in x 36 yds	Gray
3M™ VHB™ Tape 4941 1/2 in x 36 yd	00021200646287	4	Roll	½ in x 36 yds	Gray
3M™ VHB™ Tape 4941 3/4 in x 36 yd	00021200646294	3	Roll	¾ in x 36 yds	Gray
3M™ VHB™ Tape 4941 5/8 in x 36 yd	00021200393891	14	Roll	5/8 in x 36 yds	Gray
3M™ VHB™ Tape 4943F Gray, 1 in x 36 yd	00021200232497	9	Roll	1 in x 36 yds	Gray
3M™ VHB™ Tape 4943F Gray, 1/2 in x 36 yd	00021200232473	18	Roll	½ in x 36 yds	Gray
3M™ VHB™ Tape 4943F Gray, 3/4 in x 36 yd	00021200232480	12	Roll	¾ in x 36 yds	Gray
3M™ VHB™ Tape 4943F Gray, 7/8 in x 36 yd	00021200560743	12	Roll	7/8 in x 36 yds	Gray
3M™ VHB™ Tape 4945 Small Pack, 3/4 in x 36 yd	00021200646348	3	Roll	3/4 in x 36 yds	White
3M™ VHB™ Tape 4945 White, 1 in x 36 yd	00021200646355	2	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4945 White, 1 in x 36 yd	00021200169557	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4945 White, 1/2 in x 36 yd	00021200646331	4	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4945 White, 1/2 in x 36 yd	00021200169618	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4945 White, 2 in x 36 yd	00021200187469	6	Roll	2 in x 36 yds	White
3M™ VHB™ Tape 4945 White, 3/4 in x 36 yd	00021200169540	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4946 1 in x 36 yd	00021200243776	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4946 1/2 in x 36 yd	00021200657498	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4946 3/4 in x 36 yd	00021200243783	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4947F Black, 1" x 36yd	00021200562921	9	Roll	1 in x 36 yds	Black
3M™ VHB™ Tape 4949 Black, 1 in x 36 yd	00021200674969	9	Roll	1 in x 36 yds	Black
3M™ VHB™ Tape 4949 Black, 1/4 in x 36 yd	00021200393914	36	Roll	¼ in x 36 yds	Black
3M™ VHB™ Tape 4949 Black, 1/2 in x 36 yd	00021200674907	18	Roll	½ in x 36 yds	Black
3M™ VHB™ Tape 4949 Black, 2 in x 36 yds	00021200430039	6	Roll	2 in x 36 yds	Black
3M™ VHB™ Tape 4949 Black, 3/4 in x 36 yd	00021200674976	12	Roll	¾ in x 36 yds	Black
3M™ VHB™ Tape 4950 White, 1 1/2 in x 36 yd	00021200393921	6	Roll	1½ in x 36 yds	White
3M™ VHB™ Tape 4950 White, 1 in x 36 yd	00021200646508	2	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4950 White, 1 in x 36 yd	00021200180927	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4950 White, 1/2 in x 36 yd	00021200180903	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4950 White, 1/2 in x 36 yd	00021200646485	4	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4950 White, 12 in x 36 yd	00021200244469	1	Roll	12 in x 36 yds	White
3M™ VHB™ Tape 4950 White, 2 in x 36 yd	00021200633836	6	Roll	2 in x 36 yds	White
3M™ VHB™ Tape 4950 White, 3 in x 36 yd	00021200393044	3	Roll	3 in x 36 yds	White
3M™ VHB™ Tape 4950 White, 3/4 in x 36 yd	00021200646492	3	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4950 White, 3/4 in x 36 yd	00021200180910	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4951 White, 1 1/2 in x 36 yd	00021200430046	6	Roll	1½ in x 36 yds	White
3M™ VHB™ Tape 4951 White, 1 in x 36 yd	00021200672873	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4951 White, 1/2 in x 36 yd	00021200672859	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4951 White, 3/4 in x 36 yd	00021200672866	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4952 White, 1 in x 36 yd	00021200875878	2	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4952 White, 1 in x 36 yd	00021200677939	9	Roll	1 in x 36 yds	White

Product Name	Product Number	QTY	UOM	Size	Color
3M™ VHB™ Tape 4952 White, 1/2 in x 36 yd	00021200677915	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4952 White, 3/4 in x 36 yd	00021200677922	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4955 White, 1 in x 36 yd	00021200675010	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4955 White, 1/2 in x 36 yd	00021200674990	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4955 White, 3/4 in x 36 yd	00021200675003	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4956 Gray, 1 in x 36 yd	00021200243752	9	Roll	1 in x 36 yds	Gray
3M™ VHB™ Tape 4956 Gray, 1/2 in x 36 yd	00021200243769	18	Roll	½ in x 36 yds	Gray
3M™ VHB™ Tape 4956 Gray, 3/4 in x 36 yd	00021200710667	12	Roll	¾ in x 36 yds	Gray
3M™ VHB™ Tape 4957F Gray, 1 in x 36 yd	00021200243738	9	Roll	1 in x 36 yds	Gray
3M™ VHB™ Tape 4957F Gray, 3/4 in x 36 yd	00021200232527	12	Roll	¾ in x 36 yds	Gray
3M™ VHB™ Tape 4959 White, 1 in x 36 yd	00021200675058	9	Roll	1 in x 36 yds	White
3M™ VHB™ Tape 4959 White, 1/2 in x 36 yd	00021200675034	18	Roll	½ in x 36 yds	White
3M™ VHB™ Tape 4959 White, 3/4 in x 36 yd	00021200675041	12	Roll	¾ in x 36 yds	White
3M™ VHB™ Tape 4979F Black, 1" x 36 yd	00021200305610	2	Roll	1 in x 36 yds	Black
3M™ VHB™ Tape 4979F Black, 1/2" x 36 yd	00021200305634	4	Roll	½ in x 36 yds	Black
3M™ VHB™ Tape 4979F Black, 3/4 in x 36 yd	00021200262364	12	Roll	¾ in x 36 yds	Black
3M™ VHB™ Tape 4991 1 in x 1 yd 90.0 mil	00021200462900	1	Roll	1 in x 1 yd 90.0 mil	Gray
3M™ VHB™ Tape 4991 1 in x 36 yd 90.0 mil	00021200560835	9	Roll	1 in x 36 yd 90.0 mil	Gray
3M™ VHB™ Tape 4991 1/2 in x 36 yd 90.0 mil	00021200742217	18	Roll	1/2 in x 36 yd 90.0 mil	Gray
3M™ VHB™ Tape 5925, 1 in x 1 yd 25.0 mil	00021200560651	24	Roll	1 in x 1 yd 25.0 mil	Black
3M™ VHB™ Tape 5925, 1 in x 72 yd 25.0 mil	00021200562280	9	Roll	1 in x 72 yd 25.0 mil	Black
3M™ VHB™ Tape 5925, 1/2 in x 72 yd 25.0 mil	00021200562303	18	Roll	1/2 in x 72 yd 25.0 mil	Black
3M™ VHB™ Tape 5952, 1 in x 36 yd 45.0 mil	00021200562297	9	Roll	1 in x 36 yd 45.0 mil	Black
3M™ VHB™ Tape 5952, 1/2 in x 36 yd 45.0 mil	00021200599675	18	Roll	1/2 in x 36 yd 45.0 mil	Black
3M™ VHB™ Tape 5962, 1 in x 36 yd 62.0 mil	00021200741654	9	Roll	1 in x 36 yd 62.0 mil	Black
3M™ VHB™ Tape 5962, 8 1/2 x 11 in 62.0 mil	00021200740039	1	Sheet	8 1/2 x 11 in 62.0 mil	Black
3M™ Vikuiti™ Super Close Projector SCP712	00051125631921	1	Case		
3M™ Vikuiti™ Super Close Projector SCP715	00051125632034	1	Case		
3M™ Water Filtration BREW series	70020021146			18 lbs	White/gray
3M™ Water Filtration BREW series	70020021153			18 lbs	White/gray
3M™ Water Filtration ICE series	70020044387			8.9 lbs	White/gray
3M™ Water Filtration ICE series	70020144054	2		8.9 lbs	
3M™ Wheel Weight Starter Kit TN-315, 99100	0004801199100	1	Kit		
3M™ Wheel Weight Starter Kit TN-323, 99101	0004801199101	1	Kit		
3M™ Wheel Weight Surface Prep 1000	00048011614588	8	Box	3 oz bottle	
3M™ Wheel Weight System TN-2015 - Limited Offer Sample Package	00048011614007	1	Case	5 lbs trial package of a 7mm x 15mm profile material.	
3M™ Wheel Weight System TN-2023 - Limited Offer Sample Package	00048011614045	1	Case	5 lbs trial package of a 4mm x 23mm profile material.	
3M™ Wheel Weights TN-2015	00048011614038	1	Case	20.1 m x 23 mm x 4 mm	
3M™ Wheel Weights TN-2023	00048011614052	1	Case	10.7 m x 15 mm x 7 mm	
3M™ White Super Polish Pad 4100, 10 in	50048011084744	5	Case	10 in	White
3M™ White Super Polish Pad 4100, 11 in	50048011084751	5	Case	11 in	White
3M™ White Super Polish Pad 4100, 12 in	50048011084768	5	Case	12 in	White
3M™ White Super Polish Pad 4100, 13 in	50048011084775	5	Case	13 in	White
3M™ White Super Polish Pad 4100, 14 in	50048011084782	5	Case	14 in	White
3M™ White Super Polish Pad 4100, 15 in	50048011084799	5	Case	15 in	White
3M™ White Super Polish Pad 4100, 18 in	50048011084829	5	Case	18 in	White
3M™ White Super Polish Pad 4100, 21 in	50048011084850	5	Case	21 in	White

Product Name	Product Number	QTY	UOM	Size	Color
3M™ White Super Polish Pad 4100, 22 in	50048011084867	5	Case	22 in	White
3M™ White Super Polish Pad 4100, 23 in	50048011084874	5	Case	23 in	White
3M™ White Super Polish Pad 4100, 24 in	50048011084881	5	Case	24 in	White
3M™ White Super Polish Pad 4100, 27 in	50048011203138	5	Case	27 in	White
3M™ White Super Polish Pad 4100, 7.75 in	50048011084720	10	Case	7¾ in	White
3M™ White Super Polish Pad 4100, 8 in	50048011081378	10	Case	8 in	White
3M™ Wind Tape 8608 Transparent	48011571188			8" x 18 yd rolls and also sold at customized sizes	Transparent
3M™ Wind Tape 8609 Transparent	48011571225			8" x 18 yd rolls and also sold at customized sizes	Transparent
3M™ Window Insulator Kit 2144C	00051131501256	12	Case	84 in x 112 in	
Empore™ Extraction Disks	00051115088193				
Empore™ Extraction Disks	00051115088070				
Empore™ Extraction Disks	00051115088049				
Empore™ Extraction Disks	00051115088254				
Empore™ Extraction Disks	00051115088223				
Empore™ Extraction Disks	00051115088285				
Empore™ Extraction Disks	00051115087677				
Empore™ Extraction Disks	00051115088476				
Empore™ Extraction Disks	00051115088162				
Empore™ Extraction Disks	00051115088131				
Empore™ Extraction Disks	00051115088469				
Empore™ Extraction Disks	00051115088483				
Empore™ Extraction Disks	00051115088209				
Empore™ Extraction Disks	00051115088087				
Empore™ Extraction Disks	00051115088056				
Empore™ Extraction Disks	00051115088261				
Empore™ Extraction Disks	00051115087684				
Empore™ Extraction Disks	00051115088179				
Empore™ Extraction Disks	00051115088148				
Filtrete® Dust and Pollen Reduction Filters 9830DC-6	00051111098301	12		16 in x 20 in x 1 in	
Filtrete® Dust and Pollen Reduction Filters 9831DC-6	00051111098318	12		16 in x 25 in x 1 in	
Filtrete® Dust and Pollen Reduction Filters 9832DC-6	00051111098325	12		20 in x 20 in x 1 in	
Filtrete® Dust and Pollen Reduction Filters 9833DC-6	00051111098332	12		20 in x 25 in x 1 in	
Filtrete® Maximum Allergen Filter	00051111098905				
Filtrete® Maximum Allergen Filter	00051111098912				
Filtrete® Maximum Allergen Filter	00051111098929				
Filtrete® Maximum Allergen Filter	00051111098936				
Filtrete® Ultimate Allergen Filter	00051111543283				
Filtrete® Ultimate Allergen Filter	00051111543290				
Filtrete® Ultimate Allergen Filter	00051111543306				
Filtrete® Ultimate Allergen Filter	00051111021514				
Filtrete® Ultra Allergen Filter	00051111020005				
Filtrete® Ultra Allergen Filter	00051111020012				
Filtrete® Ultra Allergen Filter	00051111020029				
Filtrete® Ultra Allergen Filter	00051111020036				
Filtrete® Ultra Pure Filter	00051111555262				
Filtrete® Ultra Pure Filter	00051111555293				
Filtrete® Ultra Pure Filter	00051111555248				
Filtrete® Ultra Pure Filter	00051111555231				

Product Name	Product Number	QTY	UOM	Size	Color
Filtrete™ Advanced Water Filtration System	00051131999718	4	Case	12.688 in x 18.125 in x 6.938 in	
Filtrete™ Commercial High Performance HVAC Filters	00051138935061				
Filtrete™ Commercial High Performance HVAC Filters	00051138934910				
Filtrete™ Commercial High Performance HVAC Filters	00051138934934				
Filtrete™ Commercial High Performance HVAC Filters	00051138934941				
Filtrete™ Commercial High Performance HVAC Filters	00051138934958				
Filtrete™ Commercial High Performance HVAC Utility Filters	00051138937577				
Filtrete™ Commercial High Performance HVAC Utility Filters	00051138937584				
Filtrete™ Commercial High Performance HVAC Utility Filters	00051138937683				
Filtrete™ Commercial Mid Performance HVAC Filters	00051138936716			10 x 10 x 2 (254 x 254 x 51)	
Filtrete™ Commercial Mid Performance HVAC Filters	00051138936723			12 x 20 x 2 (305 x 508 x 51)	
Filtrete™ Commercial Mid Performance HVAC Filters	00051138936730				
Filtrete™ Commercial Mid Performance HVAC Utility Filter	00051138937157				
Filtrete™ Commercial Mid Performance HVAC Utility Filter	00051138937164				
Filtrete™ Commercial Mid Performance HVAC Utility Filter	00051138937171				
Filtrete™ Commercial Ultra High Performance HVAC Filter	00051138937966				
Filtrete™ Commercial Ultra High Performance HVAC Filter	00051138937973				
Filtrete™ Commercial Ultra High Performance HVAC Filter	00051138937980				
Filtrete™ Professional Water Filtration System	00051131999787			14.25 in x 14.875 in x 4.688 in	
Filtrete™ Ultra Quiet Room Air Purifier	00051111025765				White
Model 942 BookCheck Unit, In Counter	00051131941601				
Model 942 BookCheck Unit, On Counter	00051131940413				
Model 943 BookCheck Unit, In Counter	00051131940444				
Model 943 BookCheck Unit, On Counter	00051131940437				
O-Cel-O™ Expressions Bowtie Sponges	50051131984337	8	Case		
O-Cel-O™ Handy Sponge 6-Pack	50053200083187	18	Case		
O-Cel-O™ Heavy Duty Scrub Sponge 4 pack	50053200083668	8	Case		
O-Cel-O™ Home, Car & Boat Sponge	50053200072206	12	Case		
O-Cel-O™ No Scratch Light Duty Scrub Sponge	50053200081640	12	Case		
O-Cel-O™ Oval Sponge 6-Pack	50053200078062	24	Case		
Ortholux™ LED Curing Light (AUS/NZ) 230V	704-353				
Ortholux™ LED Curing Light (Europe) 230V	704-350				
Ortholux™ LED Curing Light (UK) 230V	704-351				
Ortholux™ LED Curing Light (USA) 120V	704-360				
Post-it® Notes 4470-3SST 4 in x 4 in Tropical Colors	00021200475948			4 in x 4 in	Tropical Colors
Post-it® Notes 4621-4SST 4 in x 6 in Tropical Colors	00021200475955			4 in x 6 in	Tropical Colors
Post-it® Notes 5845-SST 5 in x 8 in Tropical Colors	00053200020675			5 in x 8 in	Tropical Colors
Post-it® Notes 653-RP-A, 1-1/2 in x 2 in	00021200003370	36	PACK	1-1/2 in x 2 in	Pastel colors
Post-it® Notes 654-12SST 3 in x 3 in Tropical Colors	00021200473692			3 in x 3 in	Tropical Colors
Post-it® Notes 654-5SST 3 in x 3 in Tropical Colors	00021200469091			3 in x 3 in	Tropical Colors
Post-it® Notes 654-6SST 3 in x 3 in Tropical Colors	00051131967014			3 in x 3 in	Tropical Colors
Post-it® Notes 654-R-24CP-AP	00051135811320	8	PACK	3 in x 3 in x 7.5 in	Asstd Pastel
Post-it® Notes 654-R-24CP-CY	00051131983526	8	PACK	3 in x 3 in x 7.5 in	Canary Yellow

Product Name	Product Number	QTY	UOM	Size	Color
Post-it® Notes 654-RP-A, 3 in x 3 in	00021200667510	18	PACK	3 in x 3 in	Pastel colors
Post-it® Notes 654-RP-YW, 3 in x3 in Canary Yellow	00021200691133		PACK	3 in x 3 in	Canary Yellow
Post-it® Notes 655-RP-A, 3 in x 5 in	00021200418198	24	PACK	3 in x 5 in	Pastel colors
Post-it® Notes 655-RP-YW, 3 in x 5 in Canary Yellow	00021200691157		PACK	3 in x 5 in	Canary Yellow
Post-it® Notes 660-3SST 4 in x 6 in Tropical Colors	00021200469107			4 in x 6 in	Tropical Colors
Post-it® Notes 660-RP-A, 4 in x 6 in	00051131973527	24	PACK	4 in x 6 in	Pastel colors
Post-it® Notes 660-RP-YW, 4 in x 6 in Canary Yellow	00021200697944			4 in x 6 in	Canary Yellow
Post-it® Notes 675-6SST 4 in x 4 in Tropical Colors	00051131937901			4 in x 4 in	Tropical Colors
Post-it® Super Sticky Recycled Notes 4621-SSNRP	00051135807941	32	PACK	4 in x 6 in	Nature's Hues
Post-it® Super Sticky Recycled Notes 654-12SSNRP	00051131973510	12	PACK	3 in x 3 in x 90 shts	Nature's Hues
Post-it® Super Sticky Recycled Notes 654-5SSNRP	00051131980204	24	PACK	3 in x 3 in x 90 shts	Nature's Hues
Post-it® Super Sticky Recycled Notes 654-6SSNRP	00051135807880	48	PACK	3 in x 3 in x 65 shts	Nature's Hues
Post-it® Super Sticky Recycled Notes 675-3SSNRP	00051131981447	24	PACK	4 in x 4 in x 70 shts	Nature's Hues
Scotch® 3850-18CP	00053200020323				
Scotch® Appliance Filament Tape 8916	00021200731860	72	Case	12 mm x 55 m	
Scotch® Appliance Filament Tape 8916	00021200731877	48	Case	18 mm x 55 m	
Scotch® Automotive Heavy Duty All Weather Duct Tape 03453NA 1.88 in x 30 yd	00051131034532			1.88 in x 30 yd	
Scotch® Bi-Directional Filament Tape 8959 Transparent, 19 mm x 50 m, 48 per case Bulk	00021200882265	48	Roll	19mmx50 m	Translucent
Scotch® Bi-Directional Filament Tape 8959 Transparent, 25 mm x 50 m, 36 per case Bulk	00021200882272	36	Roll	25 mmx50 m	Translucent
Scotch® Bi-Directional Filament Tape 8959 Transparent, 75 mm x 50 m, 12 per case Bulk	00021200882296	12	Roll	75 mmx50 m	Translucent
Scotch® Box Sealing Tape 311 Clear, 48 mm x 100 m, 36 per case	00021200882920	36	Roll	48 mm x 100 m	Clear
Scotch® Box Sealing Tape 311 Clear, 48 mm x 1500 m, 6 per case	00021200693984	6	Roll	48 mm x 1500 m	Clear
Scotch® Box Sealing Tape 311 Clear, 48 mm x 50 m, 36 per case	00021200693670	36	Roll	48 mm x 50 m	Clear
Scotch® Box Sealing Tape 311 Clear, 48 mm x 914 m, 6 per case	00021200882937	6	Roll	48 mm x 914 m	Clear
Scotch® Box Sealing Tape 311 Clear, 72 mm x 100 m, 24 per case	00021200693977	24	Roll	72 mm x 100 m	Clear
Scotch® Box Sealing Tape 311 Clear, 72 mm x 914 m, 4 per case	00021200694295	4	Roll	72 mm x 914 m	Clear
Scotch® Box Sealing Tape 311 Tan, 48 mm x 100 m, 36 per case	00021200882906	36	Roll	48 mm x 100 m	Tan
Scotch® Box Sealing Tape 311 Tan, 72 mm x 100 m, 24 per case	00021200693960	24	Roll	72 mm x 100 m	Tan
Scotch® Box Sealing Tape 313 Clear 72mm x 914m, 4 per case	00021200423710	4	Roll	72 mm x 914 m	Clear
Scotch® Box Sealing Tape 313 Clear, 48mm x 100 m, 36 per case Bulk	00021200423666	36	Roll	48 mm x 100 m	Clear
Scotch® Box Sealing Tape 313 Clear, 48mm x 50m, 36 per case Bulk	00021200423659	36	Roll	48 mm x 50 m	Clear
Scotch® Box Sealing Tape 313 Clear, 72 mm x 100 m, 24 per case Bulk	00021200423703	24	Roll	72 mm x 100 m	Clear
Scotch® Box Sealing Tape 313 Clear, 72mm x 50m, 24 per case Bulk	00021200423697	24	Roll	72 mm x 50 m	Clear
Scotch® Box Sealing Tape 371 Blue, 48 mm x 100 m, 36 per case	00021200828836	36	Roll	48 mm x 100 m	Blue
Scotch® Box Sealing Tape 371 Clear 36mm x 50m, 48 per case Bulk	00021200162312	48	Roll	36 mm x 50 m	Clear
Scotch® Box Sealing Tape 371 Clear 36mm x 914m, 6 per case	00021200136801	6	Roll	36 mm x 914 m	Clear
Scotch® Box Sealing Tape 371 Clear, 42 mm x 1500 m, 6 per case	00021200624667	6	Roll	42 mm x 1500 m	Clear
Scotch® Box Sealing Tape 371 Clear, 42 mm x 914 m, 6 per case	00021200164781	6	Roll	42 mm x 914 m	Clear
Scotch® Box Sealing Tape 371 Clear, 48 mm x 100 m, 36 per case	00021200158735	36	Roll	48 mm x 100 m	Clear
Scotch® Box Sealing Tape 371 Clear, 48 mm x 1500 m, 6 per case	00021200618239	6	Roll	48 mm x 1500 m	Clear
Scotch® Box Sealing Tape 371 Clear, 48 mm x 1828 m, 4 per case	00021200620171	4	Roll	48 mm x 1828 m	Clear



Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Box Sealing Tape 371 Clear, 48 mm x 50 m, 36 per case	00021200136795	36	Roll	48 mm x 50 m	Clear
Scotch® Box Sealing Tape 371 Clear, 48 mm x 914 m, 6 per case	00021200136818	6	Roll	48 mm x 914 m	Clear
Scotch® Box Sealing Tape 371 Clear, 72 mm x 100 m, 24 per case	00021200192807	24	Roll	72 mm x 100 m	Clear
Scotch® Box Sealing Tape 371 Clear, 72 mm x 1500 m, 4 per case	00021200624551	4	Roll	72 mm x 1500 m	Clear
Scotch® Box Sealing Tape 371 Clear, 72 mm x 50 m, 24 per case	00021200192791	24	Roll	72 mm x 50 m	Clear
Scotch® Box Sealing Tape 371 Clear, 72 mm x 914 m, 4 per case	00021200181986	4	Roll	72 mm x 914 m	Clear
Scotch® Box Sealing Tape 371 Green, 48 mm x 100 m, 36 per case	00021200828898	36	Roll	48 mm x 100 m	Green
Scotch® Box Sealing Tape 371 Red, 48 mm x 100 m, 36 per case	00021200828812	36	Roll	48 mm x 100 m	Red
Scotch® Box Sealing Tape 371 Tan 72 mm x 914m, 4 per case	00021200615276	4	Roll	72 mm x 914 m	Tan
Scotch® Box Sealing Tape 371 Tan, 48 mm x 100 m, 36 per case	00021200158728	36	Roll	48 mm x 100 m	Tan
Scotch® Box Sealing Tape 371 Tan, 48 mm x 50 m, 36 per case	00021200141058	36	Roll	48 mm x 50 m	Tan
Scotch® Box Sealing Tape 371 Tan, 48 mm x 914 m, 6 per case	00021200141072	6	Roll	48 mm x 914 m	Tan
Scotch® Box Sealing Tape 371 Tan, 48mm x 1500m, 6 per case	00021200618222	6	Roll	48 mm x 1500 m	Tan
Scotch® Box Sealing Tape 371 Tan, 72 mm x 50 m, 24 per case	00021200181979	24	Roll	72 mm x 50 m	Tan
Scotch® Box Sealing Tape 371 White, 48 mm x 100 m, 36 per case	00021200828850	36	Roll	48 mm x 100 m	White
Scotch® Box Sealing Tape 371 Yellow, 48 mm x 100 m, 36 per case	00021200828911	36	Roll	48 mm x 100 m	Yellow
Scotch® Box Sealing Tape 373 Blue, 48mm x 50m, 36 per case Bulk	00021200723858	36	Roll	48 mm x 50 m	Blue
Scotch® Box Sealing tape 373 Blue, 72mm x 50m, 24 per case Bulk	00021200723865	24	Roll	72 mm x 50 m	Blue
Scotch® Box Sealing Tape 373 Clear, 36mm x 50m, 48 per case Bulk	00021200723667	48	Roll	36 mm x 50 m	Clear
Scotch® Box Sealing Tape 373 Clear, 36mm x 914m, 8 per case	00021200723759	8	Roll	36 mm x 914 m	Clear
Scotch® Box Sealing Tape 373 Clear, 48 mm x 100 m, 36 per case	00021200730795	36	Roll	48 mm x 100 m	Clear
Scotch® Box Sealing Tape 373 Clear, 48 mm x 1500 m, 3 per case	00021200723797	3	Roll	48 mm x 1500 m	Clear
Scotch® Box Sealing Tape 373 Clear, 48 mm x 50 m, 36 per case, Bulk	00021200723681	36	Roll	48 mm x 50 m	Clear
Scotch® Box Sealing Tape 373 Clear, 48 mm x 914 m, 6 per case	00021200723773	6	Roll	48 mm x 914 m	Clear
Scotch® Box Sealing Tape 373 Clear, 48mm x 411m, 12 per case Bulk	00021200723728	12	Roll	48 mm x 411m	Clear
Scotch® Box Sealing Tape 373 Clear, 72 mm x 100 m, 24 per case	00021200730801	24	Roll	72 mm x 100 m	Clear
Scotch® Box Sealing Tape 373 Clear, 72 mm x 411m, 8 per case Bulk	00021200723742	8	Roll	72 mm x 411m	Clear
Scotch® Box Sealing Tape 373 Clear, 72 mm x 50 m, 24 per case	00021200696053	24	Roll	72 mm x 50 m	Clear
Scotch® Box Sealing Tape 373 Clear, 72 mm x 914 m, 4 per case	00021200723780	4	Roll	72 mm x 914 m	Clear
Scotch® Box Sealing Tape 373 Green, 36mm x 50m, 48 per case Bulk	00021200723964	48	Roll	36 mm x 50 m	Green
Scotch® Box Sealing Tape 373 Green, 48mm x 50m, 35 per case Bulk	00021200723971	36	Roll	48 mm x 50 m	Green
Scotch® Box Sealing Tape 373 Orange, 48mm x 50m, 36 per case Bulk	00021200723957	36	Roll	48 mm x 50 m	Orange
Scotch® Box Sealing tape 373 Red, 36mm x 50m, 48 per case Bulk	00021200723803	48	Roll	36 mm x 50 m	Red
Scotch® Box Sealing Tape 373 Red, 48mm x 50m, 36 per case Bulk	00021200723810	36	Roll	48 mm x 50 m	Red
Scotch® Box Sealing Tape 373 Red, 72mm x 50m, 24 per case Bulk	00021200723827	24	Roll	72 mm x 50 m	Red
Scotch® Box Sealing Tape 373 Tan, 48 mm x 100 m, 36 per case	00021200730818	36	Roll	48 mm x 100 m	Tan
Scotch® Box Sealing Tape 373 Tan, 48 mm x 50 m, 36 per case, Bulk	00021200723599	36	Roll	48 mm x 50 m	Tan
Scotch® Box Sealing Tape 373 Tan, 48 mm x 914 m, 6 per case	00021200723643	6	Roll	48 mm x 914 m	Tan
Scotch® Box Sealing Tape 373 Tan, 72 mm x 100 m, 24 per case	00021200730825	24	Roll	72 mm x 100 m	Tan
Scotch® Box Sealing Tape 373 Tan, 72 mm x 50 m, 24 per case	00021200723612	24	Roll	72 mm x 50 m	Tan
Scotch® Box Sealing Tape 373 Tan, 72 mm x 914 m, 4 per case	00021200723650	4	Roll	72 mm x 914 m	Tan
Scotch® Box Sealing Tape 373 White, 36mm x 50m, 48 per case Bulk	00021200723889	48	Roll	36 mm x 50 m	White
Scotch® Box Sealing Tape 373 White, 48mm x 50m, 36 per case Bulk	00021200723896	36	Roll	48 mm x 50 m	White
Scotch® Box Sealing Tape 373 White, 72mm x 50m, 24 per case Bulk	00021200723902	24	Roll	72 mm x 50 m	White
Scotch® Box Sealing Tape 373 Yellow, 48mm x 50m, 36 per case Bulk	00021200723995	36	Roll	48 mm x 50 m	Yellow
Scotch® Box Sealing Tape 375 Clear, 36mm x 50m, 48 per case Bulk	00021200724053	48	Roll	36 mm x 50 m	Clear
Scotch® Box Sealing Tape 375 Clear, 48 mm x 1500 m, 3 per case	00021200724107	3	Roll	48 mm x 1500 m	Clear
Scotch® Box Sealing Tape 375 Clear, 48 mm x 50 m	00021200724060	36	Roll	48 mm x 50 m	Clear
Scotch® Box Sealing Tape 375 Clear, 48 mm x 914 m, 6 per case	00021200724084	6	Roll	48 mm x 914 m	Clear
Scotch® Box Sealing Tape 375 Clear, 72 mm x 411m, 4 per case	00021200481871	4	Roll	72 mm x 411m	Clear

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Box Sealing Tape 375 Clear, 72 mm x 50 m	00021200724077	24	Roll	72 mm x 50 m	Clear
Scotch® Box Sealing Tape 375 Clear, 72 mm x 914 m, 4 per case	00021200724091	4	Roll	72 mm x 914 m	Clear
Scotch® Box Sealing Tape 375 Tan, 48 mm x 50 m	00021200724015	36	Roll	48 mm x 50 m	Tan
Scotch® Box Sealing Tape 375 Tan, 48mm x 914m, 6 per case	00021200724039	6	Roll	48 mm x 914 m	Tan
Scotch® Box Sealing Tape 375 Tan, 72 mm x 50 m	00021200724022	24	Roll	72 mm x 50 m	Tan
Scotch® Box Sealing Tape 375 Tan, 72 mm x 914 m, 4 per case	00021200724046	4	Roll	72 mm x 914 m	Tan
Scotch® Craft Sticks -Acid Free 003	00051131761520			Net Wt. 1.28 oz.	
Scotch® Duct Tape Transparent, 2120	00051131980112	12		1.88 in x 20 yd	Transparent
Scotch® Filament Tape 893 18mm x 55m, Clear	00051131069381	48		18 mm x 55 m	Clear
Scotch® Filament Tape 893 24mm x 55m, Clear	00051131069398	36		24 mm x 55 m	Clear
Scotch® Filament Tape 893 3/4 in x 60 yd, Clear	00051131068926	48	Roll	¾ in x 60 yd	Clear
Scotch® Filament Tape 893 48mm x 55m, Clear	00021200398469	24		48 mm x 55 m	Clear
Scotch® Filament Tape 897, 12 mm x 55 m, 72 per case	00021200865237	72	Roll	12 mm x 55 m	Clear
Scotch® Filament Tape 897, 18 mm x 55 m, 48 per case	00021200865244	48	Roll	18 mm x 55 m	Clear
Scotch® Filament Tape 897, 24 mm x 55 m, 36 per case	00021200865251	36	Roll	24 mm x 55 m	Clear
Scotch® Filament Tape 897, 36 mm x 55 m, 24 per case	00021200395109	24	Roll	36 mm x 55 m	Clear
Scotch® Filament Tape 897, 48 mm x 55 m, 24 per case	00021200865268	24	Roll	48 mm x 55 m	Clear
Scotch® Filament Tape 897, 9 mm x 55 m, 96 per case	00021200865220	96	Roll	9 mm x 55 m	Clear
Scotch® Filament Tape 898, 12 mm x 330 m, 12 per case	00021200398001	12	Roll	12 mm x 330 m	Clear
Scotch® Filament Tape 898, 12 mm x 55 m, 72 per case	00051131068964	72	Roll	12 mm x 55 m	Clear
Scotch® Filament Tape 898, 12 mm x 55 m, 72 per case, Boxed	00051131068933	72	Roll	12 mm x 55 m	Clear
Scotch® Filament Tape 898, 15mm x 330 m, Clear, 10 per case	00021200398018	10	Roll	15 mm x 330 m	Clear
Scotch® Filament Tape 898, 15mm x 55m, Clear, 60 per case Bulk	00021200398674	60	Roll	15 mm x 55 m	Clear
Scotch® Filament Tape 898, 18 mm x 330 m, 8 per case	00021200398025	8	Roll	18 mm x 330 m	Clear
Scotch® Filament Tape 898, 18 mm x 55 m, 48 per case	00051131068971	48	Roll	18 mm x 55 m	Clear
Scotch® Filament Tape 898, 18 mm x 55 m, 48 per case, Boxed	00051131068940	48	Roll	18 mm x 55 m	Clear
Scotch® Filament Tape 898, 24 mm x 55 m, 36 per case	00051131068988	36	Roll	24 mm x 55 m	Clear
Scotch® Filament Tape 898, 24 mm x 55 m, 36 per case, Boxed	00051131068957	36	Roll	24 mm x 55 m	Clear
Scotch® Filament Tape 898, 36 mm x 55 m, 24 per case	00021200398681	24	Roll	36 mm x 55 m	Clear
Scotch® Filament Tape 898, 48 mm x 55 m, 24 per case	00021200398698	24	Roll	48 mm x 55 m	Clear
Scotch® Filament Tape 898, 48 mm x 55 m, 24 per case, Boxed	00021200398711	24	Roll	48 mm x 55 m	Clear
Scotch® Filament Tape 898, 6 mm x 55 m, 144 per case	00021200398650	144	Roll	6 mm x 55 m	Clear
Scotch® Filament Tape 898, 72 mm x 55 m, 12 per case	00021200398704	12	Roll	72 mm x 55 m	Clear
Scotch® Filament Tape 898, 9 mm x 55 m, 96 per case	00021200398667	96	Roll	9 mm x 55 m	Clear
Scotch® Filament Tape 8981, 12 mm x 330 m, 12 per case	00021200398155	12	Roll	12 mm x 330 m	Clear
Scotch® Filament Tape 8981, 12 mm x 55 m, 72 per case	00021200881893	72	Roll	12 mm x 55 m	Clear
Scotch® Filament Tape 8981, 18 mm x 330 m, 8 per case	00021200398162	8	Roll	18 mm x 330 m	Clear
Scotch® Filament Tape 8981, 18 mm x 55 m, 48 per case	00021200881909	48	Roll	18 mm x 55 m	Clear
Scotch® Filament Tape 8981, 24 mm x 55 m, 36 per case	00021200881916	36	Roll	24 mm x 55 m	Clear
Scotch® Filament Tape 8981, 36 mm x 55 m, 24 per case	00021200882043	24	Roll	36 mm x 55 m	Clear
Scotch® Filament Tape 8981, 48 mm x 55 m, 24 per case	00021200881923	24	Roll	48 mm x 55 m	Clear
Scotch® General Purpose Masking Tape 234, 12 mm x 55 m, 72 per case	00021200029806	72	Roll	12 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 144 mm x 55 m, 8 per case	00021200029882	8	Roll	144 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 18 mm x 55 m, 48 per case	00021200029813	48	Roll	18 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 24 mm x 55 m, 36 per case	00021200029820	36	Roll	24 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 30 mm x 55 m, 24 per case	00021200042430	24	Roll	30 mm x 55 m	Natural

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® General Purpose Masking Tape 234, 36 mm x 55 m, 24 per case	00021200029837	24	Roll	36 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 48 mm x 55 m, 24 per case	00021200042447	24	Roll	48 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 6 mm x 55 m, 144 per case	00021200029783	144	Roll	6 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 60 mm x 55 m, 1 per case	00021200042454	12	Roll	60 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 72 mm x 55 m, 12 per case	00021200029851	12	Roll	72 mm x 55 m	Natural
Scotch® General Purpose Masking Tape 234, 96 mm x 55 m, 8 per case	00021200029875	8	Roll	96 mm x 55 m	Natural
Scotch® Heavy Duty All-Weather Duct Tape 2230-C	00051131980068			1.88 in x 30 yd	
Scotch® Heavy Duty All-Weather Duct Tape 2245-A	00051131920408			1.88 in x 45 yd	
Scotch® High Performance Masking Tape 2393, 24 mm x 55 m, 7.1 mil	00021200713026	36	Roll	24 mm x 55 m	Natural
Scotch® High Performance Masking Tape 2393, 36 mm x 55 m, 7.1 mil	00021200713033	24	Roll	36 mm x 55 m	Natural
Scotch® High Performance Masking Tape 2393, 48 mm x 55 m, 7.1 mil	00021200713040	24	Roll	48 mm x 55 m	Natural
Scotch® High Performance Masking Tape 2693 Tan, 100mm x 55m, 8 per case Bulk	00021200445569	8	Roll	100 mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693 Tan, 12mm x 55m, 72 per case Bulk	00021200445576	72	Roll	12 mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693, 24mm x 55m, 36 per case	00021200376290	36	Roll	24 mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693, 36mm x 55m, 24 per case	00021200411212	36	Roll	36mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693, 48mm x 55m, 24 per case	00021200376306	24	Roll	48 mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693, 72mm x 55m, 12 per case	00021200429798	12	Roll	72 mm x 55 m	Tan
Scotch® High Performance Masking Tape 2693, Tan 18mm x 55m, 48 per case Bulk	00021200429743	48	Roll	18 mm x 55 m	Tan
Scotch® High Strength Filament Tape 890 Black, 12 mm x 55 m, 72 per case Bulk	00021200398384	72	Roll	12 mm x 55 m	Black
Scotch® High Strength Filament Tape 890 Black, 18mm x 55m, 48 per case Bulk	00021200398391	48	Roll	18 mm x 55 m	Black
Scotch® High Strength Filament Tape 890 Black, 24 mm x 55 m, 36 per case Bulk	00021200398407	36	Roll	24 mm x 55 m	Black
Scotch® High Strength Filament Tape 890 Clear, 12 mm x 55 m, 72 per case Bulk	00021200398506	72	Roll	12 mm x 55 m	Clear
Scotch® High Strength Filament Tape 890 Clear, 18 mm x 55m, 48 per case Bulk	00021200398513	48	Roll	18 mm x 55 m	Clear
Scotch® High Strength Filament Tape 890 Clear, 24 mm x 55 m 36 per case, Bulk	00021200398520	36	Roll	24 mm x 55 m	Clear
Scotch® High Strength Filament Tape 890 Clear, 36mm x 55 m, 24 per case Bulk	00021200398537	24	Roll	36 mm x 55 m	Clear
Scotch® High Strength Filament Tape 890 Clear, 48 mm x 55 m, 24 per case Bulk	00021200398360	24	Roll	48 mm x 55 m	Clear
Scotch® High Strength Filament Tape 890 Clear, 60 mm x 55 m, 16 per case Bulk	00021200398377	16	Roll	60 mm x 55 m	Clear
Scotch® Labelgard™ Film Tape 821, 2 in x 72 yd, 24 per case	00021200045639	24	Roll	2 in x 72 yds	Pink
Scotch® Labelgard™ Film Tape 821, 3 in x 72 yd, 12 per case	00021200041327	12	Roll	3 in x 72 yds	Pink
Scotch® Labelgard™ Film Tape 821, 4 in x 72 yd, 8 per case	00021200041334	8	Roll	4 in x 72 yds	Pink
Scotch® Labelgard™ Film Tape 821, 5 in x 72 yd, 8 per case	00021200041341	8	Roll	5 in x 72 yds	Pink
Scotch® Labelgard™ Film Tape 821, 6 in x 72 yd, 8 per case	00021200041358	8	Roll	6 in x 72 yds	Pink
Scotch® Magic™ Removable Tape 811, 1 in x 72 yd	00021200192470	36		1 in x 72 yd	
Scotch® Magic™ Removable Tape 811, 1/2 in x 36 yd	00021200192432	144		1/2 in x 36 yd	
Scotch® Magic™ Removable Tape 811, 1/2 in x 72 yd	00021200691515	72		1/2 in x 72 yd	
Scotch® Magic™ Removable Tape 811, 3/4 in x 36 yd	00021200192449	144		3/4 in x 36 yd	

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Magic™ Removable Tape 811, 3/4 in x 72 yd	00021200192463	48		3/4 in x 72 yd	
Scotch® Magic™ Tape 810, 1 in x 2592 in	00021200073694	36		1 in x 2592 in	
Scotch® Magic™ Tape 810, 1 in x 36 yd	00021200073793	36		1 in x 36 yd	
Scotch® Magic™ Tape 810, 1/2 in x 36 yd	00021200073779	144		1/2 in x 36 yd	
Scotch® Magic™ Tape 810, 1/2 in x 72 yd	00021200691492	72		1/2 in x 72 yd	
Scotch® Magic™ Tape 810, 3/4 in x 1000 in	00021200596889	144		3/4 in x 1000 in	
Scotch® Magic™ Tape 810, 3/4 in x 2592 in	00021200059049	48		3/4 in x 2592 in	
Scotch® Magic™ Tape 810, 3/4 in x 36 yd	00021200073786	144		3/4 in x 36 yd	
Scotch® Magic™ Tape 810K18CP	00051111027097	18	Case	3/4 in x 1000 in	
Scotch® Mailing Tape w/Dispenser 141	00051131572034	72		1.88 in x 800 in	Clear
Scotch® Mailing Tape w/Dispenser 147, Tan	00021200014659				Tan
Scotch® Masking Tape 2308, 12 mm x 55m	00021200433870	72	Roll	12mm x 55m	Natural
Scotch® Masking Tape 2308, 18 mm x 55 m	00051131465459	48	Roll	18 mm x 55 m	Natural
Scotch® Masking Tape 2308, 18 mm x 55 m	00051131065451	48	Roll	18mm x 55m	Natural
Scotch® Masking Tape 2308, 24 mm x 55 m	00051131065468	36	Roll	24mm x 55m	Natural
Scotch® Masking Tape 2308, 36 mm x 55 m	00051131465473	24	Roll	36 mm x 55 m	Natural
Scotch® Masking Tape 2308, 36 mm x 55 m	00051131065475	24	Roll	36mm x 55m	Natural
Scotch® Masking Tape 2308, 48 mm x 55 m	00051131065482	24	Roll	48mm x 55m	Natural
Scotch® Masking Tape 2308, 72 mm x 55 m	00051131065499	12	Roll	72mm x 55m	Natural
Scotch® Masking Tape for General Painting 2050, 1 1/2 in x 60 yd (36 mm x 54,8 m)	00021200056192	24	Roll	1.42 in x 60 yds	Natural
Scotch® Masking Tape for General Painting 2050, 1 in x 60 yd (24 mm x 54,8 m)	00021200056185	36	Roll	.94 in x 60 yds	Natural
Scotch® Masking Tape for General Painting 2050, 2 in x 60 yd (48 mm x 54,8 m)	00021200056208	24	Roll	1.89 in x 60 yds	Natural
Scotch® Masking Tape for General Painting 2050, 3 in x 60 yd (72 mm x 54,8m)	00021200056215	12	Roll	2.82 in x 60 yds	Natural
Scotch® Masking Tape for General Painting 2050, 3/4 in x 60 yd (18 mm x 54,8 m)	00021200056178	48	Roll	.71 in x 60 yds	Natural
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 18 mm x 55 m	00021200711312	48	Roll	18mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 18 mm x 55 m	00021200720659	48	Roll	18mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 24 mm x 55 m	00021200711329	36	Roll	24mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 24 mm x 55 m	00021200720666	36	Roll	24mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 36 mm x 55 m	00021200711336	24	Roll	36mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 36 mm x 55 m	00021200720673	24	Roll	36mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 48 mm x 55 m	00021200711343	24	Roll	48mm x 55m	Green
Scotch® Masking Tape for Hard-to-Stick Surfaces 2060, 48 mm x 55 m	00021200720680	24	Roll	48mm x 55m	Green
Scotch® Masking Tape for Production Painting 2020	00021200228933	24		36 mm x 55 m	Tan
Scotch® MultiTask Tape	00051131658110	144		3/4 in x 650 in	
Scotch® Multi-Use Duct Tape 1110-A	00051131980020	24	Case	1.88 in x 10 yd (48.0 mm x 9.1 m)	
Scotch® Multi-Use Duct Tape 1130-A	00051131980044	24	Case	1.88 in x 30 yd (48.0 mm x 27.4 m)	
Scotch® Multi-Use Duct Tape 1160-A	00051131980099	24	Case	1.88 in x 60 yd (48.0 mm x 54.8 m)	
Scotch® Packaging Tape 142	00051131642041				
Scotch® Packaging Tape 143, Tan	00051131642058				
Scotch® Packaging Tape 3750-P Clear, 2 in x 6 in	00051131069909	20	PH	2 in x 6 in	Clear
Scotch® Packaging Tape 3750-P Clear, 2 in x 6 in	00051131068841	200	Case	2 in x 6 in	Clear
Scotch® Packaging Tape 3750-P Clear, 2 in x 6 in	00051131068858	50	Case	2 in x 6 in	Clear
Scotch® Padded Mailer 6913	00051135209691				
Scotch® Padded Mailer 6914	00051135211656				
Scotch® Padded Mailer 6915	00051135211663	10		10 in x 14 in	

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Performance Masking Tape 232, Natural, 12 mm x 55 m	00021200028526	72	Roll	12mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 144 mm x 55 m	00021200028601	8	Roll	144mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 18 mm x 55 m	00021200028533	48	Roll	18mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 24 mm x 55 m	00021200028540	36	Roll	24mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 36 mm x 55 m	00021200028557	24	Roll	36mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 48 mm x 55 m	00021200042409	24	Roll	48mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 6 mm x 55 m	00021200028502	144	Roll	6mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 60mm x 55m	00021200042416	12	Roll	60mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 72 mm x 55 m	00021200028588	12	Roll	72mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 9 mm x 55 m	00021200028519	96	Roll	9mm x 55m	Natural
Scotch® Performance Masking Tape 232, Natural, 96 mm x 55 m	00021200028595	8	Roll	96mm x 55m	Natural
Scotch® Performance Masking Tape 233+, 12 mm x 55 m	00051131263321	48	Roll	12 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 18 mm x 55 m	00051131263345	48	Roll	18 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 24 mm x 55 m	00051131263369	24	Roll	24 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 3 mm x 55 m	00051131263437	144	Roll	3 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 3 mm x 55 m	00021200445439	144	Roll	3 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 36 mm x 55 m	00051131263383	16	Roll	36 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 36 mm x 55 m	00051131463387	24	Roll	36 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 48 mm x 55 m	00051131263406	12	Roll	48 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 6 mm x 55 m	00051131263307	96	Roll	6 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 72 mm x 55 m	00051131263413	8	Roll	72 mm x 55 m	Green
Scotch® Performance Masking Tape 233+, 96 mm x 55 m	00021200446085	8	Roll	96 mm x 55 m	Green
Scotch® Performance Masking Tape 2364, 100 mm x 55 m	00021200445422	8	Roll	100 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 12 mm x 55 m	00021200445774	72	Roll	12 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 18 mm x 55 m	00021200433511	48	Roll	18 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 24 mm x 55 m	00021200433528	36	Roll	24 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 36 mm x 55 m	00021200433535	24	Roll	36 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 48 mm x 55 m	00021200433542	24	Roll	48 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 6 mm x 55 m	00021200445781	144	Roll	6 mm x 55 m	Tan
Scotch® Performance Masking Tape 2364, 72 mm x 55 m	00021200433559	12	Roll	72 mm x 55 m	Tan
Scotch® Performance Masking Tape 2380, 100 mm x 55 m	00021200445798	8	Roll	100 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 12 mm x 55 m	00021200445859	72	Roll	12 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 18 mm x 55 m	00021200445842	48	Roll	18 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 24 mm x 55 m	00021200445835	36	Roll	24 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 36 mm x 55 m	00021200445828	24	Roll	36 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 48 mm x 55 m	00021200445811	24	Roll	48 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 6 mm x 55 m	00021200445866	144	Roll	6 mm x 55 m	Natural
Scotch® Performance Masking Tape 2380, 72 mm x 55 m	00021200445804	12	Roll	72 mm x 55 m	Natural
Scotch® Permanent Adhesive Glue Sticks 6008	00051131590960				
Scotch® Premium Heavy Duty Packaging Tape 3750 Clear with Reusable Dispenser Clear, 48mm x 50m	00021200395239	24		48mm x 50m	Clear
Scotch® Premium Heavy Duty Packaging Tape 3750 Clear, 36mm x 50m	00051131066397	36		36mm x 50m	Clear
Scotch® Premium Heavy Duty Packaging Tape 3750 Clear, 72mm x 50m	00021200724305	18		72mm x 50m	Clear
Scotch® Premium Heavy Duty Packaging Tape 3750 Clear-to-core, 48mm x 50m	00051131066403	36		48mm x 50m	Clear
Scotch® Premium Heavy Duty Packaging Tape 3750 Clear-to-core, 48mm x 50m	00021200724411	36		48mm x 50m	Clear
Scotch® Premium Heavy Duty Packaging Tape 3750 Tan, 48mm x 50m	00051131066427	36		48mm x 50m	Tan
Scotch® Premium Heavy Duty Packaging Tape 3750 Tan, 72 mm x 50 m	00021200724312			72 mm x 50 m	Tan
Scotch® Premium Heavy Duty Packaging Tape 3750-1PK, 48mm x 50m	00021200724398	12		48mm x 50m	
Scotch® Premium Transparent Film Tape 600, 1 1/2 in 72 yd	00051131066823	24	Roll	1½ in x 72 yds	Clear

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Premium Transparent Film Tape 600, 1 in x 72 yd	00051131066816	36	Roll	1 in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 1 in x 72 yd	00021200074639	36	Roll	1 in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 1/2 in x 36 yd	00021200074561	144	Roll	½ in x 36 yds	Clear
Scotch® Premium Transparent Film Tape 600, 1/2 in x 72 yd	00051131068216	72	Roll	½ in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 1/2 in x 72 yd	00051131066793	72	Roll	½ in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 1-1/2 in x 72yds	00021200074646	4	Roll	1½ in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 2 in x 72 yd	00051131066830	24	Roll	2 in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 2 in x 72 yds	00021200074653	2	Roll	2 in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 3/4 in x 36 yd	00021200074578	144	Roll	¾ in x 36 yds	Clear
Scotch® Premium Transparent Film Tape 600, 3/4 in x 72 yd	00021200069437	24	Roll	¾ in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 3/4 in x 72 yd	00051131066809	48	Roll	¾ in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 3/8 in x 72 yd	00051131066786	96	Roll	3/8 in x 72 yds	Clear
Scotch® Premium Transparent Film Tape 600, 3/8 in x 72 yds	00021200069413	8	Roll	3/8 in x 72 yds	Clear
Scotch® Pro Strength Duct Tape - 1210-A	00051131982352	24	Case	1.88 in x 10 yd (48.0 mm x 9.14 m)	
Scotch® Pro Strength Duct Tape - 1230-A	00051131980105	24	Case	1.88 in x 30 yd (48.0 mm x 27.4 m)	
Scotch® Pro Strength Duct Tape - 1260-A	00051131980051	24	Case	1.88 in x 60 yd (48.0 mm x 54.8 m)	
Scotch® Purple Glue Sticks 6108	00051131591073	36		0.28 oz	Purple
Scotch® Recyclable Paper Wrap 69110	00051111028315				
Scotch® Recyclable Paper Wrap 6955	00051111028285				
Scotch® Restickable Adhesive Glue Stick 6307	00051131591103	36		0.20 oz.	White
Scotch® Scrapbooking Tape 001	00021200593369			3/4 in x 400 in	
Scotch® Sealing Tape 3901	00051131706217				Clear
Scotch® Stretchable Tape 8884, 36 mm x 55 m	00021200693137	24	Case	36 mm x 55 m	Clear
Scotch® Stretchable Tape 8886, 36 mm x 55 m	00021200693144	24	Roll	36mmx55m	Clear
Scotch® Super 33+™ Vinyl Electrical Tape, ¾"x20'	00054007061304	100	Case	¾ in x 20 ft	Black
Scotch® Super 33+™ Vinyl Electrical Tape, ¾"x44'	00054007100751	100	Case	¾ in x 44 ft	Black
Scotch® Super 33+™ Vinyl Electrical Tape, ¾"x66'	00054007061328	100	Case	¾ in x 66 ft	Black
Scotch® Super 33+™ Vinyl Electrical Tape, 1 1/2"x36yd	00054007502364	50	Case	1 1/2 in x 36 yd	Black
Scotch® Super Strength Packaging Tape 3850-1	00051131801882	12		1.88 in x 54.6 yd (48mm x 50m)	
Scotch® Super Strength Packaging Tape 3850-6	00051131677746	6		1.88 in x 54.6 yd (48mm x 50m)	75-200
Scotch® Tear-By-Hand Tape 3841	00051131657656	36		1.88 in x 629 in	Clear
Scotch® Tear-By-Hand Tape 3842	00051131657458	24		48 mm x 35 m	Clear
Scotch® Vinyl Electrical Tape 35	00054007108368	100		3/4 in x 66 ft	Blue
Scotch® Vinyl Electrical Tape 35	00054007108856	100		3/4 in x 66 ft	Brown
Scotch® Vinyl Electrical Tape 35	00054007000723	100		3/4 in x 66 ft	Gray
Scotch® Vinyl Electrical Tape 35	00054007108511	100		3/4 in x 66 ft	Green
Scotch® Vinyl Electrical Tape 35	00054007108696	100		3/4 in x 66 ft	Orange
Scotch® Vinyl Electrical Tape 35	00054007108108	100		3/4 in x 66 ft	Red
Scotch® Vinyl Electrical Tape 35	00054007112716	100		3/4 in x 66 ft	Violet
Scotch® Vinyl Electrical Tape 35	00054007108283	100		3/4 in x 66 ft	White
Scotch® Vinyl Electrical Tape 35	00054007108443	100		3/4 in x 66 ft	Yellow
Scotch® Vinyl Electrical Tape 700	00054007042181	100	Case	3/4 in x 66 ft(19 mm x 20,1 m)	Black
Scotch® Vinyl Electrical Tape Super 88	00054007103073	100	Roll	¾ in x 44 ft	Black
Scotch® Vinyl Electrical Tape Super 88	00054007061434	100	Roll	¾ in x 66 ft	Black
Scotch® Vinyl Electrical Tape Super 88	00054007103233	48	Roll	¾ in x 36 yds	Black
Scotch® Vinyl Electrical Tape Super 88	00054007103646	100	Roll	1½ in x 44 ft	Black

Product Name	Product Number	QTY	UOM	Size	Color
Scotch® Vinyl Electrical Tape Super 88	00054007103561	12	Roll	2 in x 36 yds	Black
Scotch® Vinyl Electrical Tape Super 88	00054007103318	48	Roll	1 in x 36 yds	Black
Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090	00051115068171	48	Roll	¾ in x 60 yds	Blue
Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090	00051115068188	36	Roll	1 in x 60 yds	Blue
Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090	00051115068195	24	Roll	1½ in x 60 yds	Blue
Scotch-Blue™ Painter's Tape for Multi-Surfaces 2090	00051115068201	24	Roll	2 in x 60 yds	Blue
Scotch-Brite® Delicate Duty Scrub Sponges	50021200010069	24	Case		
Scotch-Brite® Extra Heavy Duty Scrub Sponges	50021200571171	24	Case		
Scotch-Brite® Heavy Duty Scrub Sponges	50021200010052	6	Case		
Scotch-Brite® Microfiber Dusting Cloth, 9026-WC	00051131801585			12 in x 13 in	Assorted colors
Scotch-Brite® Multi-Purpose Scrub Sponges	50021200001838	6	Case		
Scotch-Brite™ General Purpose Scour Pad No.96, 6 in x 9 in, Green, 60 per case	50048011082931	60	Case	6 in x 9 in	Green
Scotch-Brite™ Heavy Duty Scouring Pad No.86	50048011055096	36		6 in x 9 in	Green
Scotch-Brite™ High Performance Cleaning Cloth 2011 - Red	50048011236525	50		32 cm x 36 cm	Red
Scotch-Brite™ Kitchen Cloth	00021200974977			11.8 in x 11.8 in (30 cm x 30 cm)	
Scotch-Brite™ Microfiber Hardwood Floor Mop	50051131832348	4	Case		
Scotch-Brite™ Microfiber Super Duster	50051131832317	4	Case		
Scotch-Brite™ Never Rust™ Delicate Duty Soap Pads 8-Pack	50021200869056				
Scotch-Brite™ Never Rust™ Heavy Duty Soap Pads 8-Pack	50021200842707				
Scotch-Brite™ Power Pad No. 2000	50048011231629	20	Case	5.5 in x 3.9 in	
Scotch-Brite™ Power Pad Sponge	50048011231636	20	Case	2.8 in x 4.5 in x 0.6 in	
Scotch-Brite™ Premium Glass Cleaning Cloth	50051131967545	12			
Scotch-Brite™ Quick Clean Griddle Cleaning System 710, 1 kit/case	50048011264146	1	Case		
Scotch-Brite™ Quick Clean Griddle Liquid 701	50048011260124			Quart	
Scotch-Brite™ Sponge Cloth	50051131671916		Case	6.8 in x 7.8 in	
Scotchgard™ Bonnet Cleaner Concentrate 11L	50048011259814	6	Case	2 Liters	
Scotchgard™ Extraction Cleaner Concentrate 27H	50048011348570	6	Case	2 Liters	
Scotchgard™ Pretreatment Cleaner Concentrate 28H	50048011348587	6	Case	2 Liters	
ScotchPad™ Carry Handle 8326 White, 1 3/8 in x 17 in x 3 in, 25 sheets per pad 80 pads per case Bulk	00021200864896	80	Case	1-3/8 in x 17 in x 3 in	White
ScotchPad™ Carry Handle 8326 White, 1 3/8 in x 23 in x 6 in, 25 sheets per pad 80 pads per case Bulk	00021200865275	80	Case	1-3/8 in x 23 in x 6 in	White
ScotchPad™ Carry Handle 8326 White, 1 in x 17 in x 3 in, 25 sheets per pad 110 pads per case Bulk	00021200864872	110	Case	1 in x 17 in x 3 in	White
Scotch™ Lint Brush 836-B2	50021200494241	12	Case		
Structured Abrasives Cloth Belts	00051111512098	25		3 in x 132 in	
Structured Abrasives Cloth Belts	00051111512135	25		3 in x 132 in	
Structured Abrasives Cloth Belts	00051111512074	25		3 in x 132 in	
Structured Abrasives Cloth Belts	00051111511992	25		4 in x 132 in	
Structured Abrasives Cloth Belts	00051111512128	25		4 in x 132 in	
Structured Abrasives Cloth Belts	00051111512142	25		4 in x 132 in	
Structured Abrasives Cloth Belts	00051111690178	25		4 in x 132 in	
Tartan™ Box Sealing Tape 305 Clear 48mm x 914m, 6 per case	00021200398100	6	Roll	48 mm x 914 m	Clear
Tartan™ Box Sealing Tape 305 Clear 72mm x 914m, 4 per case	00021200398124	4	Roll	72 mm x 914 m	Clear
Tartan™ Box Sealing Tape 305 Clear, 48 mm x 100 m, 36 per case	00021200398094	36	Roll	48 mm x 100 m	Clear
Tartan™ Box Sealing Tape 305 Clear, 48 mm x 1500 m, 6 per case	00021200423161	6	Roll	48 mm x 1500 m	Clear
Tartan™ Box Sealing Tape 305 Clear, 48 mm x 50 m, 36 per case Bulk	00021200423185	36	Roll	48 mm x 50 m	Clear
Tartan™ Box Sealing Tape 305 Clear, 72 mm x 100 m, 24 per case	00021200398117	24	Roll	72 mm x 100 m	Clear
Tartan™ Box Sealing Tape 305 Tan, 48 mm x 100 m, 36 per case	00021200398230	36	Roll	48 mm x 100 m	Tan

Product Name	Product Number	QTY	UOM	Size	Color
Tartan™ Filament Tape 8934, 12 mm x 55 m	00021200865183	72	Roll	12 mm x 55 m	Clear
Tartan™ Filament Tape 8934, 18 mm x 55 m	00021200865190	48	Roll	18 mm x 55 m	Clear
Tartan™ Filament Tape 8934, 24 mm x 55 m	00021200865206	36	Roll	24 mm x 55 m	Clear
Tartan™ Filament Tape 8934, 36 mm x 55 m	00021200739996	24	Roll	36mm x 55 m	Clear
Tartan™ Filament Tape 8934, 48 mm x 55 m	00021200865213	24	Roll	48 mm x 55 m	Clear
Tartan™ Filament Tape 8934, 72 mm x 55 m	00021200394768	12	Roll	72 mm x 55 m	Clear
Tartan™ Filament Tape 8934, 9 mm x 55 m	00021200865176	96	Roll	9 mm x 55 m	Clear



## **Disclaimer**

Every reasonable effort has been made to ensure the accuracy of the information provided in this catalog. The information provided represents 3M's knowledge and belief, which may be based in whole or in part on information provided by third party suppliers to 3M.

The information presented here is subject to change without notification, thus, 3M does not guarantee or accept responsibility for the continued availability of the products and the accuracy the information appearing in this catalog.

Some of the 3M.com internet pages referenced in this document may provide links to other non-3M internet sites for the convenience of users. By providing links to other sites, 3M does not guarantee, approve, or endorse the information or products available at these sites.

“RoHS Compliant” means that the product or part (“Product”) does not contain any of the substances in excess of the maximum concentration values in EU Directive 2002/95/EC, as amended by Commission Decision 2005/618/EC, unless the substance is in an application that is exempt under EU RoHS. This information represents 3M's knowledge and belief, which may be based in whole or in part on information provided by third party suppliers to 3M.

## **Sorbents, Spill Kits & Response Packs**

**⚠WARNING!** Failure to properly handle and dispose of sorbents contaminated by hazardous materials can result in serious physical injury or death and/or environmental harm. For proper handling, consult the Material Safety Data Sheet for the material absorbed, applicable safety and health standards, contact your supervisor or call 3M at 1-800-243-4630. Always use personal protective equipment appropriate for handling the material to be absorbed. Transportation and disposal of spent sorbents must comply with all applicable federal, state and local laws and regulations.

**Caution:** Sorbents may become slippery when used on flooring. Do not walk on sorbent or place in high traffic area.



**Corporate Headquarters**  
 3M Center  
 St. Paul, MN 55144-1000  
[www.3M.com/sustainability](http://www.3M.com/sustainability)

3M, Diamond Grade, Ortholux, Eilpar, TempaDOT, Dyneon, Colorquartz, Thinsulate, Stamark, Labelgard, Temflex, Scotch-seal, Vikuiti, Empore, Comply, Safest Stripper, Scotch-Blue, Tartan, ScotchPad, PPS, Scotch, O-Cel-O, CUNO, Controltac, Scotchlite, ElectroCut, Fasara, Scotch tint, Filtrete, Nextel, Novec, DI-NOC, Fastbond, Scotch-Weld, VHB, Scotchcal, Post-it, Scotchgard, Trouble Shooter, Nomad, Twist'n Fill, Scotch-Brite are registered trademarks of 3M.

LEED® is a registered service mark owned by the U.S. Green Building Council (USGBC). The USGBC is not affiliated with 3M Company. Products are not reviewed or certified under the LEED Rating System.

LEED credit requirements cover the performance of materials in aggregate, not the performance of individual products or brands. For more information on LEED, visit [www.usgbc.org/leed](http://www.usgbc.org/leed).

Ecoresin is a trademark of 3form, INC. which is not affiliated with 3M Company. For more information, visit [www.3-form.com](http://www.3-form.com).

All other trademarks are property of their respective owners.

Please recycle.  
 © 3M 2009. All rights reserved.