

Data sheet | Item number: 286-661

Current flow monitoring module; AC currents; light gray

[www.wago.com/286-661](http://www.wago.com/286-661)



Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Electrical data

Nominal operating voltage	DC 24 V
Current consumption at nominal supply voltage	$\leq 41$ mA
Voltage drop	13 ... 460 mV
Measurement span (max.)	80 mA ... 6 AAC (5 ... 250 VAC)
Response time	40 ms
Limiting continuous current	0.05 A
Switching power (resistive) max.	DC 1.2 W
Status indicator	Green LED; Output: 0 V (operation; current > 80 mA) Red LED; Output: 24 VDC (current flow interruption; current < 80 mA)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Safety and protection

Rated voltage	250 V
Rated surge voltage	4 kV
Pollution degree	2
Dielectric strength, input/output (AC, 1 min)	2 kV <sub>rms</sub>

## Physical data

Height from upper-edge of DIN-rail	82.5 mm / 3.25 inches
Depth	52 mm / 2.047 inches

## Mechanical Data

Mounting type	Pluggable module for receptacle terminal blocks
Housing design	Plug for carrier terminal blocks

## Material Data

Color	light gray
Fire load	4.266 MJ
Weight	46.6 g

## Environmental requirements

Ambient temperature (operation)	-25 ... +40 °C
Relative humidity	5 ... 95 % (no condensation permissible)
Operating altitude (max.)	2000 m

## Commercial data

Product Group	6 (INTERFACE ELECTRONIC)
eCl@ss 10.0	27-37-18-02
eCl@ss 9.0	27-37-18-02
ETIM 8.0	EC001440
ETIM 7.0	EC001440
Recupel Type	
PU (SPU)	10 (1) pcs
Packaging type	Box
Country of origin	DE
GTIN	4017332157476

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.



Customs tariff number	85364900990
-----------------------	-------------

## Environmental Product Compliance

CAS-No.	1303-86-2 1317-36-8 7439-92-1 79-94-7
REACH Candidate List Substance	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol Diboron trioxide Lead Lead monoxide
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	6(c) 7(a) 7(c)-I
SCIP notification number (Austria)	12e65cbe-cb4a-4d55-bfc9-560d50e16394
SCIP notification number (Belgium)	22734e31-8f12-43e5-a027-f20cabd96b66
SCIP notification number (Bulgaria)	e954e395-27e8-45a2-8eb1-4408e2571324
SCIP notification number (Czech Republic)	5efcc77d-7691-4053-8eae-ad8fcef5d9b6
SCIP notification number (Denmark)	7ffd275e-6612-42f5-b3fc-20e2f1bd423d
SCIP notification number (Finland)	1d86358a-211e-416d-9aee-0de3ce0320f7
SCIP notification number (France)	8daaa4eb-4fd9-4792-9158-6357e21c404e
SCIP notification number (Germany)	f329001a-8720-467e-ac13-e58c5584feffa
SCIP notification number (Hungary)	a05ae252-b7ad-4ea9-97a5-9bc26bc46bf3
SCIP notification number (Italy)	c6890112-a1d5-470a-aed9-57f794cd50c5
SCIP notification number (Netherlands)	435a1988-4f9e-42ae-a852-2b8bd4a3d507
SCIP notification number (Poland)	3a53c835-f491-4ead-8e87-bbdcf41c32f1
SCIP notification number (Romania)	2203c846-997f-47b0-89ab-b6c4fb0840c8
SCIP notification number (Sweden)	6ed2be51-a1d5-4d12-bd40-910d0cb4c92a

## Approvals / Certificates

### General approvals

Logo	Approval	Additional Approval Text	Certificate name
	<b>EAC</b> Brjansker Zertifizierungsstelle	TP TC 020/2011	EAC_Certificate_RU_C-DE.AM02.B.00115_19

### Declarations of conformity and manufacturer's declarations

Logo	Approval	Additional Approval Text	Certificate name
	<b>EU-Declaration of Conformity</b>	-	-

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



WAGO GmbH &amp; Co. KG

UK-Declaration of Conformity  
WAGO GmbH & Co. KG

-

-

## Optional accessories

### Marking accessories

Marker

Item no.: 209-701

WSB marking card; as card; not stretchable; plain; snap-on type; white

[www.wago.com/209-701](http://www.wago.com/209-701)

## Downloads

### Documentation

#### Bid Text

286-661 X81 - Datei	2019 年2月19 日	xml 3.9 kB	Download
------------------------	--------------	---------------	----------

286-661 doc - Datei	2015 年4月2 日	doc 25.1 kB	Download
------------------------	-------------	----------------	----------

#### Instruction Leaflet

		pdf 1.3 MB	Download
--	--	---------------	----------

#### Additional Information

Disposal and Recycling Electrical and electronic equipment, Batteries, Packaging	V 1.1.0 2022 年8月18 日	pdf 2.2 MB	Download
---	-------------------------	---------------	----------

## CAD/CAE-Data

### CAE data

WSCAD Universe 286-661		URL	Download
------------------------	--	-----	----------

### CAD data

2D/3D Models 286-661		URL	Download
----------------------	--	-----	----------

## Environmental Product Compliance

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Compliance Search

Environmental Product Compliance 286-661

URL

Download

Current flow monitoring module; AC currents; light gray

---

## Installation Notes

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.