

# Product data sheet

Specifications



## Limit switch head, Limit switches XC Standard, ZCKD, cat's whisker

ZCKD06

### Main

<b>Range of product</b>	Telemecanique Limit switches XC Standard
<b>Series name</b>	Standard format
<b>Product or component type</b>	Limit switch head
<b>Device short name</b>	ZCKD
<b>Head type</b>	Multi-directional head
<b>Product compatibility</b>	XCKL XCKM XCKS
<b>Associated body</b>	ZCKLD39H7 ZCKL5 ZCKLD31 ZCKS7H29 ZCKM7H29 ZCKL5H7 ZCKM7H7 ZCKMD31 ZCKLD39 ZCKS9 ZCKM5 ZCKMD31H7 ZCKM5H29 ZCKSD35H29 ZCKL6 ZCKMD39H7 ZCKMD39 ZCKS1H29 ZCKM1 ZCKLD37H7 ZCKS6 ZCKS6H29 ZCKMD37H29 ZCKM7 ZCKMD35H29 ZCKS5 ZCKM8H29 ZCKM1H7 ZCKS8H29 ZCKL8H7 ZCKSD37H29 ZCKS2 ZCKS5H29 ZCKS1 ZCKM8 ZCKM6H7 ZCKL6H7 ZCKS9H29 ZCKSD39 ZCKM9H29 ZCKMD31H29 ZCKL1H7 ZCKS8 ZCKMD35 ZCKMD39H29 ZCKMD37H7 ZCKMD37

ZCKSD31H29  
 ZCKM6H29  
 ZCKLD31H7  
 ZCKLD35H7  
 ZCKSD39H29  
 ZCKLD37  
 ZCKL7  
 ZCKM6  
 ZCKM9  
 ZCKS7  
 ZCKS2H29  
 ZCKMD35H7  
 ZCKL8  
 ZCKSD31  
 ZCKM5H7  
 ZCKM8H7  
 ZCKL1  
 ZCKSD37  
 ZCKM1H29  
 ZCKLD35  
 ZCKL7H7  
 ZCKSD35

<b>Movement of operating head</b>	Multi-directional
<b>Type of operator</b>	Cat's whisker spring return metal
<b>Type of approach</b>	Multi-directional approach

## Complementary

<b>Switch actuation</b>	By any moving part
<b>Positive opening</b>	Without
<b>Head material</b>	Metal

## Environment

<b>Ambient air temperature for operation</b>	-25...70 °C
<b>Ambient air temperature for storage</b>	-40...70 °C
<b>Environmental characteristic</b>	Standard environment

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	3.800 cm
<b>Package 1 Width</b>	16.500 cm
<b>Package 1 Length</b>	3.600 cm
<b>Package 1 Weight</b>	34.000 g
<b>Unit Type of Package 2</b>	S01
<b>Number of Units in Package 2</b>	18
<b>Package 2 Height</b>	15.000 cm
<b>Package 2 Width</b>	15.000 cm
<b>Package 2 Length</b>	40.000 cm
<b>Package 2 Weight</b>	875.000 g

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>

---

<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>California proposition 65</b>	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>

---

## Contractual warranty

---

<b>Warranty</b>	18 months
-----------------	-----------

## Recommended replacement(s)