


Data sheet | Item number: 880-344

End and intermediate plate; 2.5 mm thick; gray

www.wago.com/880-344



Color:

Data

Physical data

Width	2.5 mm / 0.098 inches
Height	86.7 mm / 3.413 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	28.6 mm / 1.126 inches
-------	------------------------

Material Data

Note (material data)

Information on material specifications can be found here

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.12 MJ
Weight	4.4 g

Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332650915
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Required accessories

End plate

Through terminal block

Item no.: 880-8314-conductor through terminal block; 4 mm²; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; gray www.wago.com/880-831**Item no.: 880-832/999-940**4-conductor through terminal block; 4 mm²; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm²; orange www.wago.com/880-832/999-940**Item no.: 880-832**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



4-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; orange	www.wago.com/880-832
Item no.: 880-834 4-conductor through terminal block; 4 mm ² ; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/880-834
Item no.: 880-831/999-940 4-conductor through terminal block; 4 mm ² ; with test port; without shield contact; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; gray	www.wago.com/880-831/999-940
Item no.: 880-834/999-940 4-conductor through terminal block; 4 mm ² ; with test port; suitable for Ex i applications; center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; blue	www.wago.com/880-834/999-940
Ground terminal block	
Item no.: 880-837 4-conductor ground terminal block; 4 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/880-837
Item no.: 880-837/999-940 4-conductor ground terminal block; 4 mm ² ; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; CAGE CLAMP®; 4,00 mm ² ; green-yellow	www.wago.com/880-837/999-940

Downloads

Documentation

Bid Text

880-344 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
880-344 doc - Datei	2017 年4月28 日	doc 22.5 kB	Download

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAE data

EPLAN Data Portal 880-344	URL	Download
WSCAD Universe 880-344	URL	Download
ZUKEN Portal 880-344	URL	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



CAD data

	URL	Download
2D/3D Models 880-344		

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 880-344	URL	Download
End and intermediate plate; 2.5 mm thick; gray		

Installation Notes

Subject to changes. Please also observe the further product documentation!