





PRODUCT NUMBER SEE SHEET 2



spec ref	*	dr	Zhen-Hua Liu	2015/04/21	projection	MM	size	A3	scale	3:2
tolerance std	ASME Y14.5	eng	Zhen-Hua Liu	2015/05/06			ecn no	-	rel level	Released
TOLERANCES UNLESS OTHERWISE SPECIFIED		chr	Fancy Zhang	2015/05/06						
surface	<input checked="" type="checkbox"/> linear <input type="checkbox"/> angular	0.X ±0.5 0.XX ±0.25 0.XXX ±0.10			10HP + 20S RA STB HEADER		dwg no 10106132-A005002	rev A	Product - Customer Drw sheet 1 of 3	
ASME Y14.5	angular	0° ±2°	www.fci.com	cat. no.	PDS: Rev :A		STATUS:Released		Printed: May 07, 2015	

Copyright FCI.



NOTES:

- 1) "FCI", PART NUMBER AND DATE CODE TO BE MARKED ON THIS SURFACE.  
THE MARK CAN BE OMITTED IF THERE IS NOT ENOUGH SPACE ON THIS SURFACE.
- 2) MATERIALS:  
-HOUSING - GLASS FILLED WITH HIGH TEMP THERMOPLASTIC, UL94V-0.  
-SIGNAL CONTACT - COPPER ALLOY.  
-POWER CONTACT - HIGH CONDUCTIVITY COPPER ALLOY.
- 3) PLATING SPECIFICATION : 10116351
- 4) DENOTES CONNECTOR KEEP OUT ZONE.
- 5) DATUM AND BASIC DIMENIONS WERE ESTABLISHED BY CUSTOMER.
- 6) ALL HOLE DIAMETERS ARE FINISHED HOLE SIZES.
- 7)  $1.15 \pm 0.025$ MM DRILLED HOLE PLATED WITH 0.00762MM MIN Sn  
OVER 0.0254-0.0762MM Cu PLATING TO ACHIEVE A  $1.02 \pm 0.07$ MM HOLE.
- 8) PRODUCT SPECIFICATION : GS-12-658.  
APPLICATION SPECIFICATION : GS-20-141.  
PACKAGE SPECIFICATION: GS-14-1502(PRODUCT PACKAGED IN TRAYS).



Copyright FCI.

dr	Zhen-Hua Liu	2015/04/21	projection 	MM 	size	A3	scale	3:2		
eng	Zhen-Hua Liu	2015/05/06			ecn no	-				
chr	Fancy Zhang	2015/05/06			rel level	Released				
appr	Pei-Ming Zheng	2015/05/06	product family	PwrBlade+						
		title			10HP + 20S	dwg no		10106132-A005002	rev	A
www.fci.com		cat. no.			Product - Customer Drw			sheet 3 of 3		