CFP

TE Internal #: 2169666-2

CFP, CFP2 & CFP4, Accessory, 1 x 1, Fin, Data Rate (Max) 100 Gb/s,


Double-Sided (Belly-to-Belly) Mount, Cable-to-Board, Printed

Circuit Board, CFP

View on TE.com >



Connectors > Pluggable IO Connectors & Cages > CFP, CFP2 & CFP4



Pluggable I/O Product Type: Accessory

Port Matrix Configuration: 1x1

Thermal Accessory Type Included: Heat Sink

Heat Sink Style: Fin

Data Rate (Max): 100 Gb/s

### **Features**

### **Product Type Features**

Form Factor	CFP
Pluggable I/O Accessory Type	Hardware Kit
Cage Type	Kit
Pluggable I/O Product Type	Accessory
Thermal Accessory Type Included	Heat Sink
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Port Matrix Configuration	1 x 1
Electrical Characteristics	
Data Rate (Max)	100 Gb/s
Body Features	

Fin

Heat Sink Style



Contact Features	
Contact Current Rating (Max)	.5 A
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
PCB Mounting Style	Double-Sided (Belly-to-Belly)
Dimensions	
PCB Thickness (Recommended)	2 mm[.079 in]
Operation/Application	
Heat Sink Compatible	Yes
For Use With Pluggable I/O Products	CFP Assembly
Circuit Application	Signal
Packaging Features	
Packaging Method	Box
Other	
Pluggable I/O Connectors Comment	Kit includes 2 guide rails, 1 connector cover assy., 1 backer plate assy., 1 external bracket assy., 4 2-56 UNC stainless steel screws

## **Product Compliance**

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability



#### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## **Compatible Parts**



## Also in the Series | CFP



# **Customers Also Bought**











TE Part #6-2176453-9

TE Part #6-2176453-9 CPF 0201 29K4 0.1% 25ppm 1K RL TE Part #2301472-5 CAGE ASSY, QSFP28 1X1, SPRING, CSMID HS

TE Part #3-5100141-0 2MM H.M. TYPE "B" PIN ASSY. TE Part #WM10BF06-09SN-999A RECEPT ASSY.SQ FLG. WM. 9 WAY. LONG KNUR

TE Part #2170300-2 Z-PACK A/B REC ASY 125P 2MMHM TE Part #2170308-2 Z-PACK/C RAF 55P

### **Documents**

### **Product Drawings**

CFP HW Kit, No HS, With Clips and Screws

English

### **CAD Files**

3D PDF

3D

**Customer View Model** 

ENG\_CVM\_CVM\_2169666-2\_B.2d\_dxf.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2169666-2\_B.3d\_igs.zip

English

**Customer View Model** 

ENG\_CVM\_CVM\_2169666-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use

### **Product Specifications**

**Application Specification** 

English

### **Product Environmental Compliance**

**Product Compliance** 

English

**Product Compliance** 

English

CFP, CFP2 & CFP4, Accessory, 1 x 1, Fin, Data Rate (Max) 100 Gb/s, Double-Sided (Belly-to-Belly) Mount, Cable-to-Board, Printed Circuit Board, CFP



**Instruction Sheets** 

Instruction Sheet (U.S.)

English