

## **GENERAL SPECIFICATIONS:**

RATING: 10A / 125V AC

CABLE TYPE / SIZE: SPT-2. # 2 x 18 AWG **TEMPERATURE RATING:** 60° C MINIMUM

CONDUCTOR COLORS: PANTONE WARM GRAY 4C

1880 + 50 mm OVERALL LENGTH (L): CABLE OUTER DIAMETER:  $3.5 \times 7.0 + 0.2 \text{ mm}$ 

END 'A' PLUG; NEMA 1-15P POLARIZED END 'B' SEE TERMINATION TABLE

APPROVALS PLUG: UL, CSA OR cUL APPROVALS CABLE: UL, CSA OR cUL

## PACKING:

**BULK PACK** 

## NOTES:

PART NO

09/15/18

1. CORD, PLUG AND CONNECTOR MUST BE MARKED WITH APPROVAL SYMBOLS OR FILE NUMBER(S).



REV.



REV



DESCRIPTION

451P1116F00BB1(R)

REVISION

strip 10±1

APPROVED

DESCRIPTION

2. CABLE AND MOLDED PLUG ARE MATCHED GRAY COLOR.

## CONDUCTOR TERMINATION TABLE:

Wire	Color	ROJ <u>+</u> 5 mm	RIJ <u>+</u> 1mm	Terminal
NEUTRAL	GRAY	25	10	STRIP
LINE	GRAY	25	10	STRIP

DASH

PROPRIETARY INFORMATION:

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR

USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY

RELEASED By N.Frost at 8:11 am, Sep 18, 2018

NOTES

SHEET 1/1

of Hazardous Substan	`
Separate of the Paracous Substances	
*CRoHS	

are subject to change with-

out prior notice

Contents of this document

Globtek Inc. will not be liable for the safety and performance of these power product if unauthorized access and repair occurs. End user should consult the applicable UL,CSA or EN Standards for proper installation instruction.

Globtek product are not authorized for use as mission critical components in life support, hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of Globtek Inc.

	TABULATION BLOCK											
	REV.	REV.		DECIMALS	ANCES: ANGULAR	G GI	obTek, Inc.	186 Veterans Dr. North	hvale, N.J 07647			
	SHEET			.xx +/- 0.1 .xxx +/005	+/- 1°	www.globtek.com		Tel. 201-784-1000 Fax 201.784.0111				
	INIT.BY: BS DATE: 09/15/18		MILLIMETERS .xx +/- 0.3 .xxx +/013	ANGULAR +/- 1°	DWG TITLE: NORTH AMERICAN NON-DETACHABLE CORDSET							
	DRAWN	I: NF	DATE: 09/15/18	FSCN No.: G, CC, YL	SIZE A				REV. A			
APRVI		:BS	DATE:	SCALE: N	IONE	PART NO:	451P1116F00RR1(R)		SHEET 1/1			

PART NO: