



SMALL INSULATION CRIMP



43374-0001



REF.
.470
(11.94)
PROGRESSION

SCALE: 2:1

NOTES:

1. SINGLE CRIMP TO #16 & #14 AWG WIRE WITH .031/(0.79) MAXIMUM INSULATION THICKNESS.
2. MATERIAL: .012/(0.30) THICK C26000 BRASS.
3. FINISH: HOT TIN DIP.
4. DIMENSIONS FOR REFERENCE ONLY.
5. NO PORTION OF ONE LOCK TANG BEAM SHALL TOUCH ANY PORTION OF THE OTHER LOCK TANG BEAM.
6. PRODUCT SPECIFICATION: PS-43374-001

CORRECT TOLERANCE EC NO: UCP2014-5466 DRWN: JDFX CHKD: BANDERSON APPR: FSMITH 2014/07/09 2014/07/09 2014/07/17	QUALITY SYMBOLS ∇=0 ∇=0 ∇=0	GENERAL TOLERANCES (UNLESS SPECIFIED)		DIMENSION STYLE IN/MM		SCALE 10:1	DESIGN UNITS INCH	THIRD ANGLE PROJECTION	
		4 PLACES ± --- ± ---	mm	INCH	DRAWN BY	DATE	TITLE TERMINAL, RECEPTACLE .125/(3.18)X.020/(0.51) FLAT BLADE SYSTEM molex DOCUMENT NO. SD-43374-0001 SHEET NO. 1 OF 1		
		3 PLACES ± --- ± .010			CHECKED BY	DATE			
		2 PLACES ± 0.25 ± .014			KBP	05/08/94			
1 PLACE ± 0.35 ± ---			APPROVED BY	DATE					
0 PLACE ± ±			RAS	05/08/94	MATERIAL NO. 433740001				
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		ANGULAR ±1/2°		SIZE C		THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION			