

AMPLIMITE

TE Internal #: 3-1393483-8 Solder D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, Contact Size Size 20, 1 Connector Shell Size, Mating Retention View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > Solder D-Sub Connectors



Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 9

Contact Size: Size 20

Connector Shell Size: 1

Features

Product Type Features

Shell Material Configuration	Front Metal Shell			
Connector & Housing Type	Receptacle			
Connector System	Cable-to-Board			
Connector Shell Size	1			
Sealable	No			
Connector & Contact Terminates To	Printed Circuit Board			
Configuration Features				
Number of Positions	9			
Body Features				
Cable Exit Angle	180°			
Shell Plating Material	Tin over Nickel			
Primary Product Color	Gray			
Contact Features				
Contact Type	Socket			

Solder D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, Contact Size Size 20, 1 Connector Shell Size, Mating Retention



Contact Mating Area Plating Material Thickness	.08 µm			
Contact Mating Area Plating Material	Gold			
PCB Contact Termination Area Plating Material	Tin			
Contact Base Material	Phosphor Bronze			
Contact Size	Size 20			
Contact Current Rating (Max)	3 A			
Termination Features				
Termination Method to Wire & Cable	Solder			
Mechanical Attachment				
PCB Mount Retention Type	None			
Mating Retention	With			
Mating Retention Type	Mounting Holes			
Connector Mounting Type	Board Mount			
Housing Features				
Shell Material	Steel			
Housing Material	Thermoplastic			
Centerline (Pitch)	12.93 mm[.51 in]			

Usage Conditions

Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]				
Operation/Application					
Shielded	Yes				
Circuit Application	Signal				
Industry Standards					
UL Flammability Rating	UL 94V-0				
Packaging Features					
Packaging Method	Tray				
Product Compliance For compliance documentation, visit the product page on TE.com>					
EU RoHS Directive 2011/65/EU	Compliant				
EU ELV Directive 2000/53/EC	Compliant				
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold				

Solder D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, Contact Size Size 20, 1 Connector Shell Size, Mating Retention



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUL 2021 (219) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Hand solderable with lead free solder

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts









Solder D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, Contact Size Size 20, 1 Connector Shell Size, Mating Retention







Customers Also Bought



V42254A1115C209=SUB D STIFTLEI	V42254A1115C215=SUB D STIFTLEI	MELF SMA_A 22K 0.1% 15PPM 0204 0.4W	MELF SMA_A 1K5 0.1% 15PPM 0207 1W
TE Part #1452317-1 COVER F.16P JPT HSG	TE Part #1-1393738-1 V42254A6000K115=SUB D GEHAEUSE	TE Part #929942-1 JUN-POW-TIM KONTAKT	TE Part #294927-E STVQ/3 20 FI AB VV 7-03 TL * * 247 E 172

TE Part #374545-E STVC 32 M AC GG 4-00 0606 * * 247 E007 1

Documents

Solder D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, Contact Size Size 20, 1 Connector Shell Size, Mating Retention



Product Drawings V42254A1115B209=SUB D FEDERLEI

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_3-1393483-8_A.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_3-1393483-8_A.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_3-1393483-8_A.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

AMPLIMITE Subminiature D Connectors - Subminiature D Connectors for Cable Mounting

English

Product Environmental Compliance TE Material Declaration

English