





THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION
 © COPYRIGHT 19 BY AMP INCORPORATED. ALL INTERNATIONAL RIGHTS RESERVED.

LOC		DIST		P		F		ZONE		LTR		REVISIONS		
DESCRIPTION		DATE		APPD										
BD	62					D						REV PER EC 0020-790-95	23 OCT 95	RF
						E						REVISED PER EC 0420-86-97	08 SEP 97	JV



- 1 MARKING LABEL APPROXIMATELY AS SHOWN.
- 2 RESISTOR TOLERANCE: ±2.5%.
- 3 VOLTAGE REGULATOR TO MEET ALL SCSI SINGLE-ENDED ACTIVE REQUIREMENTS.

DO NOT SCALE PRINT. UNLESS SPECIFIED DIMENSIONS IN mm [INCHES] TOLERANCES ON:		DR 9/1/89 S.G.SMITH		AS SHOWN		750381-1	
2 PLC DEC ± -		CHK 9/1/89 K.ULERY		REMARKS		PART NO	
3 PLC DEC ±.25 [.010]		APPD 9-18-90 D.L.CLOUSER		AMP INCORPORATED Harrisburg, Pa. 17105 TERMINATION CONNECTOR AMPLIMITE .050 Series 50 POSN, PLUG			
ANGLES ± -		APPD 9/1/89 E.MYERS					
MATERIAL HOUSING: ZINC DIE CASTING CONTACT: PHOS BRONZE INSERT: THERMOPLASTIC RESISTOR: THICK FILM NETWORK ON ALUMINA SUBSTRATE LATCHES: STAINLESS STEEL		PRODUCT SPEC -					
FINISH HOUSING: NICKEL OVER COPPER CONTACT: 30µ" GOLD OVER NICKEL LATCHES: NONE		APPLICATION SPEC -		SIZE	CAGE CODE	DRAWING NO	
WEIGHT -		-		C	00779	750381	
				SCALE	4:1	SHEET 1 OF 1	