


THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO J.S.T. AND SHALL NOT BE USED OR SHOWN WITHOUT WRITTEN PERMISSION.

4		3		2		1		
ITEM	CONNECTOR PART NO.	DESCRIPTION	IPI CHECK	EOR CHECK	Applicable Tooling			
1	SVH-41T-P1.1	VH CONNECTOR CONTACT			APPLICATOR			
2	UL1007, 16 AWG	BLACK			Applicable Housings			
NO. OF CIRCUITS	HOUSING PART NO. N TYPE	HOUSING PART NO. M TYPE						

NO. OF CIRCUITS	HOUSING PART NO. N TYPE	HOUSING PART NO. M TYPE
2	VHR-2N	VHR-2M
3	VHR-3N	VHR-3M
4	VHR-4N	VHR-4M
5	VHR-5N	VHR-5M
6	VHR-6N	VHR-6M
7	VHR-7N	VHR-7M
8	VHR-8N	-
9	VHR-9N	VHR-9M
10	VHR-10N	-
11	VHR-11N	-



Electrical Specifications
Current: 10A AC/DC
Voltage: 250V AC/DC

JST

SCALE	1: 1		
DIMENSIONS	All dimensions are in MM with a tolerance of +/- 3.0 unless otherwise specified.		
DESCRIPTION	3.96 mm Pitch VH Series Standard Leads - 2" Inside Length DOUBLE-END LEADS		
DRAWN BY	STEVEN PILKINGTON		
CHECKED BY	JUSTIN BAKER		
ASSEMBLY PART NO.	ASVHSVH16K51		
DRAWING NO.	GAM-082	DATE	3/9/2016

1	Add electrical specifications	7/2/2018	SP
REV.	DESCRIPTION	DATE	BY

4 | 3 | 2 | 1