HD14-9-1939P ✓ ACTIVE

DEUTSCH | DEUTSCH HD10

TE Internal #: HD14-9-1939P

Housing for Male Terminals, Wire-to-Wire, 9 Position, Sealable, Black, Wire & Cable, Power & Signal, Cable Mount (Free-Hanging),

Hybrid

View on TE.com >



Connectors > Automotive Connectors > Automotive Housings > DEUTSCH HD10 Housings



Connector & Housing Type: Housing for Male Terminals

Mating Pin Diameter: 1.59 mm [.063 in]

Connector System: Wire-to-Wire

Number of Positions: 9

Sealable: Yes

All DEUTSCH HD10 Housings (53)

Features

Product Type Features

Connector Shape	Circular
Connector & Housing Type	Housing for Male Terminals
Connector System	Wire-to-Wire
Sealable	Yes
Hybrid Connector	No
Primary Locking Feature	Contact Retainer
Connector & Contact Terminates To	Wire & Cable
Configuration Features	
Blank Cavity Position	0
Number of Positions	9
Electrical Characteristics	
Operating Voltage	250 VAC
Nominal Voltage Architecture	12 V, 24 V
Body Features	
Cable Exit Angle	180°
Primary Product Color	Black



Contact Features

Contact Size	Size 16
Contact Type	Pin
Mating Pin Diameter	1.59 mm[.063 in]
Contact Current Rating (Max)	13 A

Mechanical Attachment

Terminal Position Assurance	No
Strain Relief	Add By Accessory
Mating Alignment Type	Polarizing Rib
Mating Alignment	With
Connector Mounting Type	Cable Mount (Free-Hanging)

Housing Features

Dimensions

Connector Height	32.49 mm[1.279 in]
Product Width	32.49 mm[1.279 in]
Product Length	42.18 mm[1.66 in]
Compatible Insulation Diameter Range	2.54 – 3.81 mm[.1 – .15 in]

Usage Conditions

Operating Temperature (Max)	125 °C[257 °F]
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]

Operation/Application

Circuit Application	Power & Signal
Industry Standards	
Degree of Protection	IP68, IP6K9K

UL 94V-1

Packaging Features

UL Flammability Rating

Packaging Quantity	250
Packaging Method	Box

Other

Serviceable	Yes	
Connector Position Assurance Capable	No	



Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) SVHC > Threshold: Octamethylcyclotetrasiloxane (D4) (.5% in Component Part) Dodecamethylcyclohexasiloxane (D6) (.5% in Component Part) Decamethylcyclopentasiloxane (D5) (.5% in Component Part) Article Safe Usage Statements: Wash thoroughly after handling. Recycle if possible and dispose of the article by following all applicable governmental regulations relevant to your geographic location.
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





TE Part # CAT-H3910-RC1748 Receptacle Dust Caps — DEUTSCH HD10



TE Part # CAT-H3910-B128 DEUTSCH HD10 Backshells



TE Part # CAT-H3910-CH8172 DEUTSCH HD10 Housings



DEUTSCH Sealing Plugs



TE Part # CAT-D48-ST273 **DEUTSCH Solid Contacts**



TE Part # CAT-J67-DSCC16 DEUTSCH Size 16 Crimp Contacts



TE Part # 0411-291-1405 EXT TOOL, SIZE 16, 14-16 AWG, N, GRN



BOOT, 9P, PLG/REC, ST, GRY



TE Part # 0411-204-1605 EXT TOOL, SIZE 16, 16-18 AWG, N, **DRK BLU**



TE Part # HD10-9BT-BK BOOT, 9P, PLG/REC, ST, BLK



TE Part # 2300908-1 0460-003-16329, PIN, SOLID, 20-24AWG, AU


TE Part # CAT-D48-SFT273 DEUTSCH Stamped and Formed Contacts



Also in the Series | DEUTSCH HD




Automotive Connector Caps & Covers



Automotive Housings(741)



Connector Seals & Cavity Plugs(10)



Insertion & Extraction Tools(11)





Other Automotive Connector Accessories(11)



PCB Headers & Receptacles(1)

Also in the Series | DEUTSCH HD10



Automotive Connector Caps & Covers (34)



Automotive Housings(53)



PCB Headers & Receptacles(1)

Customers Also Bought



TE Part #DRB12-60PAE-L018 REC, 60P, BLK, E, CAP, A



TE Part #5-1803001-5 ANVIL, COMBINATION, END FEED



TE Part #1-1633965-8 CRIMPER, INSUL O PREMIUM





TE Part #2294562-1 UMNL TWIST-N-LOK, 5POS, CAP HOUSING



TE Part #3-1803018-8 **INSULATION CRIMPER**







TE Part #6-1803260-5 CRIMPER, INSULATION F PREMIUM



08/09/2023 11:48AM | Page 5



Documents

Product Drawings

INL REC ASM

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_HD14-9-1939P_99_c-hd14-9-1939p-99.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_HD14-9-1939P_99_c-hd14-9-1939p-99.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_HD14-9-1939P_99_c-hd14-9-1939p-99.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

ICT Terminals and Connectors Catalogue

English

CONNECTOR SELECTOR

English

Product Specifications

Application Specification

English

Agency Approvals

UL Report

English