

## Fiber optics - MC 1,5/10-LWL 4-3,5 - 1841200

Please be informed that the data shown in this PDF Document is generated from our Online Catalog. Please find the complete data in the user's documentation. Our General Terms of Use for Downloads are valid (<http://phoenixcontact.com/download>)

Fiber optics, Pitch: 3.5 mm, Number of positions: 10, Dimension a: 4 mm, Color: transparent



### Product Features

- Pitch: 3.5 and 3.81 mm
- 10-pos., can be separated for small numbers of positions
- Snapping onto the rear of the standard MC header
- Bending of the light coming from low-profile SMD LEDs by 90°, making it visible from the front



### Key commercial data

Packing unit	1 pc
Weight per Piece (excluding packing)	3.78 GRM
Custom tariff number	85366990
Country of origin	Germany

### Classifications

#### eCl@ss

eCl@ss 4.0	272607xx
eCl@ss 4.1	27260701
eCl@ss 5.0	27260701
eCl@ss 5.1	27260701
eCl@ss 6.0	27061002
eCl@ss 7.0	27061002
eCl@ss 8.0	27061002

#### ETIM

ETIM 3.0	EC001476
ETIM 4.0	EC001476

# Fiber optics - MC 1,5/10-LWL 4-3,5 - 1841200

## Classifications

### ETIM

ETIM 5.0	EC001476
----------	----------

### UNSPSC

UNSPSC 6.01	30211810
UNSPSC 7.0901	39121409
UNSPSC 11	39121409
UNSPSC 12.01	39121409
UNSPSC 13.2	39121409

## Approvals

### Approvals

---

### Approvals

### GOST / GOST

---

### Ex Approvals

---

### Approvals submitted

---

## Approval details

GOST 
--

GOST 
--

## Drawings

## Fiber optics - MC 1,5/10-LWL 4-3,5 - 1841200

Dimensioned drawing

