

FIG 1 (PHT-1XX-01-X-S SHOWN)

PLATING SPECIFICATION -S: SELECTIVE, .000030 GOLD ON POST, TIN ON TAIL -L: SELECTIVE, .000010 GOLD ON POST, TIN ON TAIL
.0120[0.305] REF .025[0.64] SQ REF .025
2° MAX TOE

PHT-1XX-XX-X-XXX

POLARIZATION OPTION

ROW SPECIFICATION

-S: SINGLE

-D: DOUBLE

-XXX INDICATES POSITION

No OF POSITIONS

-01: (USE T-1S58-01-X)

-02: (USE T-1S58-02-X) -03: (USE T-1S58-03-X) -04: (USE T-1S58-04-X)

-02 THRU -50

(PER ROW)

LEAD STYLE

-01 (SINGLE ROW ONLY)

TABLE 1					
LEAD STYLE	"E"	"F"			
-01	N/A	0.452 [11.48]			
-02	0.200 [5.08]	0.552 [14.02]			
-03	0.300 [7.62]	0.652 [16.56]			
-04	0.400 [10.16]	0.752 [19.10]			

LEAD STYLE	"E"	"F"	
-01	N/A	0.452 [11.48]	
-02	0.200 [5.08]	0.552 [14.02]	
-03	0.300 [7.62]	0.652 [16.56]	
-04	0.400 [10.16]	0.752 [19.10]	

NOTES:

- 1. © REPRESENTS A CRITICAL DIMENSION.
- 2. MAXIMUM CUT FLASH: .020 [.51].
 3. MINIMUM CONTACT RETENTION: .5 LB PER PIN.
- 4. PARTS MAY BE CUT TO POS.
- 5. BULK PACKAGED TO BE USED FOR 4 POSITION AND BELOW. TUBE TO BE USED FOR 5 POSITION AND ABOVE. 50 POSITION STRIPS USED FOR STOCK ARE TO BE LAYER PACKAGED.
- 6. MAX ALLOWABLE BOW: .02 INCH/INCH FOR -01 STYLE, .005 INCH/INCH
- FOR -02, -03 -04 STYLES AFTER ASSEMBLY.
- 7. ORDERS WILL BE PACKAGED ACCORDING TO THE SAMTEC PACKAGING EFFICIENCY STANDARDS (SPES) FOUND ON WWW.SAMTEC.COM.

TABLE 3 - PACKAGING						
LEAD STYLE	ROW SPEC.	TUBE	PLUG			
-01	-S	PT-1-24-01-24	TP-24			
-01	-D	PT-1-24-02-53	TP-03			
-02	-S	PT-1-24-02-03	TP-24			
	-D	PT-1-24-06-29	TP-09			
-03	-S	PT-1-24-10-03	TP-24			
-03	-D	PT-1-24-15-29	TP-07			
-04	-S	PT-1-24-10-03	TP-24			
-04	-D	PT-1-24-16-29	TP-07			

UNLESS OTHERWISE SPECIFIED, DIMENSIONS ARE IN INCHES[MILLIMETERS]. TOLERANCES ARE: DECIMALS ANGLES .XX: ±.01 [.3] .XXX: ±.005 [.13] .XXXX: ±.0020 [.051]

THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN. AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED, IN WHOLE OR PART TO ANY LINALITHORIZED PERSON OR ENTITY NOR REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS

WRITTEN CONSENT OF SAMTEC, INC. DO NOT SCALE DRAWING SHEET SCALE: 3:1

INSULATOR: LCP, UL 94 VO COLOR: BLACK

MATERIAL:

CONTACT: PHOS BRONZE

F:\DWG\MISC\MKTG\PHT-1XX-XX-X-XXX-MKT.SLDDRW



520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

.100 PRESS FIT SOCKET ASSEMBLY

DWG. NO.


PHT-1XX-XX-X-XXX


BY: VICKY Z

09/08/2009 SHEET 1 OF 4


REVISION L


TABLE 2						
No. OF	"A"	"B"	"C"	"D"		
POS -01	0.100 [2.54]	N/A	N/A	0.095 [2.41]		
-02	0.200 [5.08]	0.100 [2.54]	0.100 [2.54]	0.195 [4.95]		
-03	0.300 [7.62]	0.200 [5.08]	0.200 [5.08]	0.295 [7.49]		
-03		0.300 [7.62]	0.300 [7.62]			
	0.400 [10.16]			0.395 [10.03]		
-05	0.500 [12.70]	0.400 [10.16]	0.400 [10.16]	0.495 [12.57]		
-06	0.600 [15.24]	0.500 [12.70]	0.500 [12.70]	0.595 [15.11]		
-07	0.700 [17.78]	0.600 [15.24]	0.600 [15.24]	0.695 [17.65]		
-08	0.800 [20.32]	0.700 [17.78]	0.700 [17.78]	0.795 [20.19]		
-09	0.900 [22.86]	0.800 [20.32]	0.800 [20.32]	0.895 [22.73]		
-10	1.000 [25.40]	0.900 [22.86]	0.900 [22.86]	0.995 [25.27]		
-11	1.100 [27.94]	1.000 [25.40]	1.000 [25.40]	1.095 [27.81]		
-12	1.200 [30.48]	1.100 [27.94]	1.100 [27.94]	1.195 [30.35]		
-13	1.300 [33.02]	1.200 [30.48]	1.200 [30.48]	1.295 [32.89]		
-14	1.400 [35.56]	1.300 [33.02]	1.300 [33.02]	1.395 [35.43]		
-15	1.500 [38.10]	1.400 [35.56]	1.400 [35.56]	1.495 [37.97]		
-16	1.600 [40.64]	1.500 [38.10]	1.500 [38.10]	1.595 [40.51]		
-17	1.700 [43.18]	1.600 [40.64]	1.600 [40.64]	1.695 [43.05]		
-18	1.800 [45.72]	1.700 [43.18]	1.700 [43.18]	1.795 [45.59]		
-19	1.900 [48.26]	1.800 [45.72]	1.800 [45.72]	1.895 [48.13]		
-20	2.000 [50.80]	1.900 [48.26]	1.900 [48.26]	1.995 [50.67]		
-21	2.100 [53.34]	2.000 [50.80]	2.000 [50.80]	2.095 [53.21]		
-22	2.200 [55.88]	2.100 [53.34]	2.100 [53.34]	2.195 [55.75]		
-23	2.300 [58.42]	2.200 [55.88]	2.200 [55.88]	2.295 [58.29]		
-24	2.400 [60.96]	2.300 [58.42]	2.300 [58.42]	2.395 [60.83]		
-25	2.500 [63.50]	2.400 [60.96]	2.400 [60.96]	2.495 [63.37]		
-26	2.600 [66.04]	2.500 [63.50]	2.500 [63.50]	2.595 [65.91]		
-27	2.700 [68.58]	2.600 [66.04]	2.600 [66.04]	2.695 [68.45]		
-28	2.800 [71.12]	2.700 [68.58]	2.700 [68.58]	2.795 [70.99]		
-29	2.900 [73.66]	2.800 [71.12]	2.800 [71.12]	2.895 [73.53]		
-30	3.000 [76.20]	2.900 [73.66]	2.900 [73.66]	2.995 [76.07]		
-31	3.100 [78.74]	3.000 [76.20]	3.000 [76.20]	3.095 [78.61]		
-32	3.200 [81.28]	3.100 [78.74]	3.100 [78.74]	3.195 [81.15]		
-33	3.300 [83.82]	3.200 [81.28]	3.200 [81.28]	3.295 [83.69]		
-34	3.400 [86.36]	3.300 [83.82]	3.300 [83.82]	3.395 [86.23]		
-35	3.500 [88.90]	3.400 [86.36]	3.400 [86.36]	3.495 [88.77]		
-36	3.600 [91.44]	3.500 [88.90]	3.500 [88.90]	3.595 [91.31]		
-37	3.700 [93.98]	3.600 [91.44]	3.600 [91.44]	3.695 [93.85]		
-38	3.800 [96.52]	3.700 [93.98]	3.700 [93.98]	3.795 [96.39]		
-39	3.900 [99.06]	3.800 [96.52]	3.800 [96.52]	3.895 [98.93]		
-40	4.000 [101.60]	3.900 [99.06]	3.900 [99.06]	3.995 [101.47]		
-41	4.100 [104.14]	4.000 [101.60]	4.000 [101.60]	4.095 [104.01]		
-42	4.200 [106.68]	4.100 [104.14]	4.100 [104.14]	4.195 [106.55]		
-43	4.300 [109.22]	4.200 [106.68]	4.200 [106.68]	4.295 [109.09]		
-44	4.400 [111.76]	4.300 [109.22]	4.300 [109.22]	4.395 [111.63]		
-45	4.500 [114.30]	4.400 [111.76]	4.400 [111.76]	4.495 [114.17]		
-46	4.600 [116.84]	4.500 [114.30]	4.500 [114.30]	4.595 [116.71]		
-47	4.700 [119.38]	4.600 [116.84]	4.600 [116.84]	4.695 [119.25]		
-48	4.800 [121.92]	4.700 [119.38]	4.700 [119.38]	4.795 [121.79]		
-49	4.900 [124.46]	4.800 [121.92]	4.800 [121.92]	4.895 [124.33]		
-50	5.000 [127.00]	4.900 [124.46]	4.900 [124.46]	4.995 [126.87]		
	5.555 [127.55]					





SECTION "D"-"D"





SECTION "C"-"C"

FIG 2 (PHT-1XX-02-X-S SHOWN) (SAME AS FIG 1, EXCEPT AS SHOWN) (FOR -02, -03 & -04 LEAD STYLE ONLY)

PROPRIETARY NOTE THIS DOCUMENT CONTAINS CONFIDENTIAL AND PROPRIETARY INFORMATION AND ALL DESIGN, MANUFACTURING, REPRODUCTION, USE, PATENT RIGHTS AND SALES RIGHTS ARE EXPRESSLY RESERVED BY SAMTEC, INC. THIS DOCUMENT SHALL NOT BE DISCLOSED. IN WHOLE REPRODUCED, TRANSFERRED OR INCORPORATED IN ANY OTHER PROJECT IN ANY MANNER WITHOUT THE EXPRESS WRITTEN CONSENT OF SAMTEC, INC.

DO NOT SCALE DRAWING

SHEET SCALE: 3:1

520 PARK EAST BLVD, NEW ALBANY, IN 47150 PHONE: 812-944-6733 FAX: 812-948-5047 e-Mail info@SAMTEC.com code 55322

DESCRIPTION:

.100 PRESS FIT SOCKET ASSEMBLY

DWG. NO.

PHT-1XX-XX-X-XXX

BY: VICKY Z

09/08/2009 SHEET 2 OF 4

F:\DWG\MISC\MKTG\PHT-1XX-XX-X-XXX-MKT.SLDDRW

