# 2301838-2 - ACTIVE

TE Internal #: 2301838-2 PCB D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Straight, Vertical

#### View on TE.com >



Connectors > D-Shaped Connectors > D-Sub Connectors > PCB D-Sub Connectors



Connector & Housing Type: Receptacle

Connector System: Cable-to-Board

Number of Positions: 9

Centerline (Pitch): 2.77 mm [.109 in ]

Number of Rows: 2

## Features

Product Type Features

Connector & Housing Type	Receptacle	
Connector System	Cable-to-Board	
Connector Shell Size	1	
Connector & Contact Terminates To	Printed Circuit Board	
Configuration Features		
Number of Positions	9	
Number of Rows	2	
PCB Mount Orientation	Vertical	
Contact Features		
Contact Shape & Form	Straight	
Contact Current Rating (Max)	1.5 A	
Termination Features		
Round Termination Post & Tail Diameter	.6 mm[.023 in]	
Termination Method to Printed Circuit Board	Through Hole - Solder	

### 2301838-2

PCB D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Straight, Vertical



#### **Mechanical Attachment**

PCB Mount Retention	With
PCB Mount Retention Type	Boardlock
Mating Retention	With
Mating Retention Type	4-40 Screwlock
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	2.77 mm[.109 in]
Dimensions	
Row-to-Row Spacing	2.84 mm[.112 in]
Usage Conditions	
Operating Temperature Range	-55 – 105 °C[-67 – 221 °F]
<b>Product Compliance</b> For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JUNE 2023 (235) Does not contain REACH SVHC
Halogen Content	Not Low Halogen - contains Br or Cl > 900 ppm.
Solder Process Capability	Not reviewed for solder process capability

Solder Process Capability

Not reviewed for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

## 2301838-2

PCB D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Straight, Vertical



# **Compatible Parts**



# Customers Also Bought



	-E TE		
TE Part #1658526-8 609-1430LF FEM SOCKT,LEAD FREE	TE Part #7-2176414-4 7W STD M/OX 5% 22K	TE Part #2301835-2 AMPL PLUG HD20, VERT, 25P, B/L,4- 40 S/LO	TE Part #7-745129-8 SHLDING FERRULE,PLTD,BULK PKG



## Documents

Product Drawings AMPL REC HD20, VERT, 9P, B/L,4-40 S/LOCK

English

#### **CAD** Files

3D PDF

3D

### 2301838-2

PCB D-Sub Connectors, Receptacle, Cable-to-Board, 9 Position, 2.77 mm [.109 in] Centerline, 2 Row, 1 Connector Shell Size, Straight, Vertical



Customer View Model

ENG\_CVM\_CVM\_2301838-2\_B.2d\_dxf.zip

English

Customer View Model

ENG\_CVM\_CVM\_2301838-2\_B.3d\_igs.zip

English

Customer View Model ENG\_CVM\_CVM\_2301838-2\_B.3d\_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Application Specification

English

Product Environmental Compliance Product Compliance Document English Product Compliance Document

English