






THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
1		INITIAL RELEASE	22AUG2018	SH SH
2		ADDED APPLICATION SPEC	18DEC2018	SH SH
A		INITIAL RELEASE	12JUN2019	SH SH



- 1 CAGE ASSEMBLY: STAINLESS STEEL
HEAT SINK: ALUMINUM/ANODIZED BLACK
HEAT SINK CLIP: STAINLESS STEEL
EMI SPRING: COPPER ALLOY/ NICKEL PLATED
- 2 REFERENCE APPLICATION SPECIFICATION 114-60025 FOR RECOMMENDED DRILL HOLE DIAMETER AND PLATING THICKNESS. BOARD LAYOUT PER THIS PRINT.
- 3 DATUM AND BASIC DIMENSION ESTABLISHED BY CUSTOMER
- 4 DATE CODE (YYWWD) MARKED APPROXIMATELY AS SHOWN.
- 5. MATES WITH QSFP-DD MSA COMPATIBLE TRANSCEIVER.
- 6. MINIMUM PC BOARD THICKNESS:
SINGLE SIDED: 1.57 MIN
DOUBLE SIDED: 3.0 MIN



DETAIL A
SCALE 8:1





SCALE 3:1

HS SPECIFICATION	DIM A	PART NUMBER	DESCRIPTION	ITEM
NET	23.00	2342886-3	CAGE ASSY WITH NET HS	3
SAN	16.00	2342886-2	CAGE ASSY WITH SAN HS	2
PCI	13.70	2342886-1	CAGE ASSY WITH PCI HS	1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: STEPHEN HE CHK: SEAN HAN APVD: SEAN HAN	22AUG2018 05JUL2018 22AUG2018	TE Connectivity CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
DIMENSIONS: mm TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 0.25 1 PLC ± 0.25 2 PLC ± 0.25 3 PLC ± - 4 PLC ± - ANGLES ± 1 FINISH -		PRODUCT SPEC - APPLICATION SPEC - WEIGHT -			

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.


REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN: 22AUG2018 STEPHEN HE	TE Connectivity	
DIMENSIONS: mm		CHK: 05JUL2018 SEAN HAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD: 22AUG2018 SEAN HAN	NAME: CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
0 PLC ± 0.25		PRODUCT SPEC	SIZE: A2	CAGE CODE: -
1 PLC ± 0.25		APPLICATION SPEC	DRAWING NO: 2342886	RESTRICTED TO: -
2 PLC ± 0.25		WEIGHT: -	SCALE: 1:1	SHEET: 2 OF 4
3 PLC ± -		CUSTOMER DRAWING	REV: A	
4 PLC ± -				
ANGLES ± 1				
FINISH -				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-




23xØ1.05±0.05
 Ø0.10 M Z L-K
 (PLATED THROUGH HOLE)


THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	TE Connectivity	
DIMENSIONS: mm		CHK 05JUL2018 SEAN HAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
0 PLC ± 0.25		PRODUCT SPEC	SIZE A2	
1 PLC ± 0.25		APPLICATION SPEC	CAGE CODE -	
2 PLC ± 0.25		WEIGHT -	DRAWING NO. 2342886	
3 PLC ± -		CUSTOMER DRAWING	RESTRICTED TO -	
4 PLC ± -		SCALE 1:1	SHEET 3 OF 4	
ANGLES ± 1		REV A		
FINISH -				

THIS DRAWING IS UNPUBLISHED. RELEASED FOR PUBLICATION 20
 © COPYRIGHT 20 BY - ALL RIGHTS RESERVED.

REVISIONS				
P	LTR	DESCRIPTION	DATE	APVD
-	-	SEE SHEET 1	-	-



DETAIL B
SCALE 6:1



DETAIL C
SCALE 8:1

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN 22AUG2018 STEPHEN HE	TE Connectivity	
DIMENSIONS: mm		CHK 05JUL2018 SEAN HAN		
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD 22AUG2018 SEAN HAN	NAME CAGE ASSEMBLY WITH HEAT SINK FOR GM QSFP-DD, 1X3, EXTRUSION	
0 PLC ± 0.25	1 PLC ± 0.25	PRODUCT SPEC -	SIZE A2	CAGE CODE -
2 PLC ± 0.25	3 PLC ± -	APPLICATION SPEC -	DRAWING NO G-2342886	RESTRICTED TO -
4 PLC ± -	ANGLES ± 1	WEIGHT -	SCALE 1:1	SHEET 4 OF 4
MATERIAL -	FINISH -	CUSTOMER DRAWING	REV A	