

# Data sheet

## 16154.2 WE-CON-IP



The WE-CON-IP module connects Modbus I/O modules to the Internet • 10BASE-T and 100BASE-TX • Auto MDI/MDIX • Integrated RS485 bias circuit • Integrated terminator • Voltage: 24VAC/DC

### Business data

Article number	<u>16154.2</u>
Article name	WE-CON-IP
GTIN (EAN)	4044211207656
Packaging unit	1
Quantity unit	PC
Weight per piece (not including packaging)	110 g
Weight per piece (including packaging)	150 g
Unit of weight	G
Customs number	85423190
Country of origin	NL
Product description	Controller module

### Technical data

#### BUS data

Bus-Topologie / Kabellänge max.	multidrop line / 500m
Datenübertragungsrate / Bus-Teilnehmer max.	19k2 bps / 64
Bus protocol / interface	Modbus RTU / RS485, halb duplex, nicht isoliert

#### Dimensions

Length	95 mm
Width	71 mm
Height	60 mm

#### Connection data

Connection principle	Screw connection
Wire cross-section single core (rigid), min.	0.2 mm <sup>2</sup>
Wire cross-section single-core (rigid), max.	4 mm <sup>2</sup>
Wire cross-section stranded, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded, max.	4 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, min.	0.2 mm <sup>2</sup>
Wire cross-section stranded with wire-end ferrules, max.	2.5 mm <sup>2</sup>
Stripping length	6 mm
Torque	0.4 Nm

#### Input data

Input type	IEEE 802.3 10BASE-T and 802.3u 100BASE-TX compliant, auto MDI/MDI
------------	---



#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

## 16154.2 WE-CON-IP

### Media



---

### Accessories

---