



Technical Datasheet

Nitrile Finger Cots RoHS Compliant FC-N Series

Nitrile Finger Cots are made from 100% nitrile material. They are latex free, powder free, sulfur free, protein free, silicon free, and are anti static. They can be used in handling and assembling of Class II ESD devices. They are packaged as 720 pieces/bag.

APPLICATIONS: Computer Operators, Electronic Assembly and Manufacturing, Pharmaceutical Plants, Cleanroom Operation, Fiber Optics, Aerospace, and Hospitals.

TYPICAL PHYSICAL PROPERTIES ⁽¹⁾

Color	White
Emboss Pattern	Smooth
Elongation	500%
Inner Diameter (mm)	15 (Small), 18 (Medium), 20 (Large), 22 (XL)
Length	2.7"
Material	Nitrile
Surface Resistivity	$10^{10} - 10^{12}$ ohms/sq.
Thickness	4 Mil.
Elongation	500%
Tensile Strength	16 Mpa
UNSPSC Code	42132202

⁽¹⁾ Specifications are subject to change at any time. If you have any questions, please contact us for the latest update.

Bertech makes no warranty, representation, or guarantee regarding the information contained herein or the suitability of its this product for any particular purpose, nor does Bertech assume any liability whatsoever arising out of the application or use of this product. It is ultimately the responsibility of the customer to determine a product's suitability for a particular application.