

Specification Sheet

Part Number: 133-04258



Bundling clip allows for routing of a bundle through high heat areas. Made from Flexible PPS high heat material for exceptional heat and chemical resistance.

6.5x12.5 portable oval hole allows the routing to be secured away from obstructions and sources of heat and or abrasion

Dog bone ends help keep bundling clip from slipping off routing.

Offset Bundling Clip with Oval Hole, 47mm Offset, 23mm Standoff, PPS, Silver, 1000/ctn

Article Number 133-04258

Type SOC40OS20PHOVAL

Color Silver (SR)

Quantity Per bag

Product Description Designed for use with cable ties or electrical tape, bundling clips provide a simple method of securing wire and cable bundles. HellermannTyton offers these clips in standard and standoff orientations, with a variety of mounting options.

Short Description Offset Bundling Clip with Oval Hole, 47mm Offset, 23mm Standoff, PPS, Silver, 1000/ctn

Global Part Name SOC40OS20PHOVAL-PPS-SR

Length L (Imperial)	2.5
Length L (Metric)	63.65
Offset Length (Imperial)	1.85 " x 0.91
Offset Length (Metric)	47.0 x 23.0
Width W (Imperial)	1.96
Width W (Metric)	50.0
Height H (Imperial)	0.914
Height H (Metric)	23.24
Mounting Hole Diameter D (Imperial)	0.25 " X 0.49
Mounting Hole Diameter D (Metric)	6.5 x 12.5 mm
Mounting Hole Diameter D Min (Imperial)	0.25
Mounting Hole Diameter D Max (Imperial)	0.49
Mounting Hole Diameter D Max (Metric)	12.5

Material Polyphenylene Sulfide (PPS)

Material Shortcut PPS

UV Resistant (Yes/No)	No
Reach Compliant (Article 33)	No
ROHS Compliant	Yes
Package Quantity (Imperial)	1000
Package Quantity (Metric)	1000
Customs Number	3926909988

About HellermannTyton

HellermannTyton is a global manufacturer of cable management and identification solutions for automotive, solar, electrical, construction, industrial automation, broadband and other OEM markets. The company's integrated approach to product design, sustainability, production, quality assurance and delivery is optimized to benefit local and global customers. HellermannTyton operates in 39 countries, with North American headquarters in Milwaukee, Wisconsin. (www.hellermann.tyton.com).

© 2023 HellermannTyton. All Rights Reserved.

[Contact Us](#)

[RoHS/WEEE Compliance](#)

[Disclaimer](#)

[Terms and Conditions](#)